



12-2-2002

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

1/14

OFFICE OF
PREVENTION, PESTICIDES AND
TOXIC SUBSTANCES

DEC - 2 2002

Ms. Barbara Kaminski
Regulatory Manager
Dow AgroSciences
9330 Zionsville Road
Indianapolis, IN 46268-1054

Dear Ms. Kaminski:

Subject: Label amendment, combining split labels into a master label, and increasing the reentry interval to 48 hours
Kelthane 50 WSP
EPA Registration Number 62719-414
Your submission dated August 5, 2002

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, is acceptable subject to the comments listed below:

1. It is our understanding from discussion with Cindy Loy that you wish to retain Kelthane 50 WSP as the basic name of the product, therefore we are accepting this label with the new basic name. Submit a request in writing that you wish to change the basic name of the product from Kelthane 50 Agricultural Miticide Wettable Powder to Kelthane 50 WSP.
2. Submit a revised Confidential Statement of Formula (CSF) and provide information on the water soluble bag and ink used for the water soluble bags.
3. Provide net contents on the label.
4. Submit two (2) copies of your final printed labeling before you release the product for shipment.

Within 30 days from the date of this letter, submit the documents listed above. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product bearing the amended labeling constitutes acceptance of these conditions.

2/14

A stamped copy of the label is enclosed for your records.

Sincerely yours,

Rita Kumar

Rita Kumar
Senior Regulatory Specialist
Insecticide-Rodenticide Branch
Registration Division (7505C)
e-mail: kumar.rita@epa.gov

Enclosure

3/14

Base Label:

(Logo) Dow AgroSciences

Kelthane* 50WSP

- For crop use on cucurbits, grapes, pomefruit and strawberries
- For non-residential outdoor, plantscape, nursery or greenhouses use on turfgrasses, ornamental flowers, shade trees, shrubs and foliage plants

Active Ingredient

dicofol: 1,1-Bis(chlorophenyl)-2,2,2-trichloroethanol.....	50%
Inert Ingredients	50%
Total	100%

Keep Out of Reach of Children

DANGER PELIGRO

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

Precautionary Statements

Hazards to Humans and Domestic Animals

Corrosive • Causes Irreversible Eye Damage • Harmful If Swallowed Or Inhaled • Harmful If Absorbed Through The Skin • This Product Is A Skin Sensitizer • Prolonged Or Frequently Repeated Skin Contact May Cause Allergic Reactions In Some Individuals

Do not get in eyes or on clothing. Avoid breathing dust or spray mist. Avoid contact with skin. Wear protective eyewear (goggles, face shield, or safety glasses). Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash clothing before reuse.

Personal Protective Equipment (PPE):

Applicators and other handlers must wear:

- Protective eyewear
- Coveralls over long-sleeved shirt and long pants
- Waterproof gloves
- Shoes plus socks
- Chemical-resistant headgear for overhead exposure
- Chemical-resistant apron when cleaning equipment, mixing or loading
- For handling activities, a dust/mist filtering respirator (MSHA/NIOSH approval number prefix TC-21C)

Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Follow manufacturer's instructions for cleaning/ maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

ACCEPTED
with COMMENTS
in EPA Letter Dated:

DEC - 2 2002
Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under EPA Reg. No.
62719-414

4/14

Engineering Control Systems

Applicators (*applicators using this product for agricultural uses only*) must be in enclosed cabs or cockpits.

Except as stated below, when handlers use closed systems, enclosed cabs, or aircraft in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240(d) (4-6)], the handler PPE requirements may be reduced or modified as specified in the WPS.

Human flaggers **must** be in enclosed cabs. The enclosed cabs must be used in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240(d)(4-6)]. The handler's PPE requirements may be reduced or modified as specified in the WPS.

Water-soluble packets when used correctly qualify as a closed loading system under WPS. Handlers preparing for ground applications and handling this product while it is enclosed in intact water-soluble packets in preparation may elect to wear reduced PPE of long-sleeved shirt, long pants, shoes, socks, a chemical-resistant apron and chemical-resistant gloves. Aerial mixer-loaders must wear full PPE as specified above.

Important: When reduced PPE is worn because a closed system is being used, handlers must be provided all PPE specified above for "applicators and other handlers" and have such PPE immediately available for use in an emergency, such as a spill or equipment break-down.

User Safety Recommendations

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

Statement of Practical Treatment

If in eyes: Hold eyelids open and flush with a steady, gentle stream of water for 15 minutes. Get medical attention.

If swallowed: Call a physician or Poison Control Center immediately. Drink 1 or 2 glasses of water. Do not use milk, cream or other liquids containing vegetable or animal fats. Induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious or convulsing person.

Note to Physician: Because this product is a chlorinated miticide vomiting is recommended. The administration of milk or other fat-based demulcents which might enhance absorption is to be avoided. Probable mucosal damage may contraindicate the use of gastric lavage. Epinephrin or other adrenergic amines can cause myocardial irritability in persons poisoned with chlorinated hydrocarbons.

If inhaled: Remove victim to fresh air. Treat the victim symptomatically. If irritation persists, call a physician.

If on skin: Wash exposed areas with plenty of soap and water. If irritation persists, call a physician.

Environmental Hazards

This product is toxic to fish. For terrestrial uses, do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water by cleaning of equipment or disposal of equipment washwaters. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from treated areas. Apply this product only as specified on this label.

5/14

Agricultural Use Requirements

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. Refer to the label booklet under "Agricultural Use Requirements" in the Directions for Use section for information about this standard.

Refer to label booklet for Directions for Use including Storage and Disposal.

Notice: Read the entire label. Use only according to label directions. **Before using this product, read Warranty Disclaimer, Inherent Risks of Use, and Limitation of Remedies at end of label booklet. If terms are unacceptable, return at once unopened.**

In case of emergency endangering health or the environment involving this product, call 1-800-992-5994. If you wish to obtain additional product information, visit our web site at www.dowagro.com.

Agricultural Chemical: Do not ship or store with food, feeds, drugs or clothing.

EPA Reg. No. 62719-414

EPA Est. _____

*Trademark of Dow AgroSciences LLC

Dow AgroSciences LLC • Indianapolis, IN 46268 U.S.A.

In Water-Soluble Pouches

Miticide

Net Weight _____

6/14

Label Booklet:

(Logo) Dow AgroSciences

Kelthane* 50WSP

- For crop use on cucurbits, grapes, pomefruit and strawberries
- For non-residential outdoor, plantscape, nursery or greenhouses use on turfgrasses, ornamental flowers, shade trees, shrubs and foliage plants

Active Ingredient

dicofol: 1,1-Bis(chlorophenyl)-2,2,2-trichloroethanol.....	50%
Inert Ingredients	50%
Total	100%

Keep Out of Reach of Children

DANGER PELIGRO

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

Agricultural Use Requirements

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. Refer to the label booklet under "Agricultural Use Requirements" in the Directions for Use section for information about this standard.

Refer to inside of label booklet for Precautionary Statements and Directions for Use including Storage and Disposal.

Notice: Read the entire label. Use only according to label directions. **Before using this product, read Warranty Disclaimer, Inherent Risks of Use, and Limitation of Remedies at end of label booklet. If terms are unacceptable, return at once unopened.**

In case of emergency endangering health or the environment involving this product, call 1-800-992-5994. If you wish to obtain additional product information, visit our web site at www.dowagro.com.

Agricultural Chemical: Do not ship or store with food, feeds, drugs or clothing.

EPA Reg. No. 62719-414

EPA Est. _____

*Trademark of Dow AgroSciences LLC
Dow AgroSciences LLC • Indianapolis, IN 46268 U.S.A.

In Water-Soluble Pouches

Miticide

Net Weight _____

7/14

(Page 1 through end):

Table of Contents	Page
Precautionary Statements	-
Hazards to Humans and Domestic Animals	-
Personal Protective Equipment (PPE)	-
Engineering Control Systems	-
User Safety Recommendations	-
Statement of Practical Treatment	-
Environmental Hazards	-
Directions for Use	-
Agricultural Use Requirements	-
Storage and Disposal	-
General Use Information	-
Application Information	-
Mites Controlled	-
Crops and Dosage Requirements	-
Terms and Conditions of Use	-
Warranty Disclaimer	-
Inherent Risks of Use	-
Limitation of Remedies	-

8/14

Precautionary Statements

Hazards to Humans and Domestic Animals

DANGER

Corrosive • Causes Irreversible Eye Damage • Harmful If Swallowed Or Inhaled • Harmful If Absorbed Through The Skin • This Product Is A Skin Sensitizer • Prolonged Or Frequently Repeated Skin Contact May Cause Allergic Reactions In Some Individuals

Do not get in eyes or on clothing. Avoid breathing dust or spray mist. Avoid contact with skin. Wear protective eyewear (goggles, face shield, or safety glasses). Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash clothing before reuse.

Personal Protective Equipment (PPE):

Applicators and other handlers must wear:

- Protective eyewear
- Coveralls over long-sleeved shirt and long pants
- Waterproof gloves
- Shoes plus socks
- Chemical-resistant headgear for overhead exposure
- Chemical-resistant apron when cleaning equipment, mixing or loading
- For handling activities, a dust/mist filtering respirator (MSHA/NIOSH approval number prefix TC-21C)

Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Follow manufacturer's instructions for cleaning/ maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

Engineering Control Systems

Applicators (*applicators using this product for agricultural uses only*) must be in enclosed cabs or cockpits.

Except as stated below, when handlers use closed systems, enclosed cabs, or aircraft in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240(d) (4-6)], the handler PPE requirements may be reduced or modified as specified in the WPS.

Human flaggers **must** be in enclosed cabs. The enclosed cabs must be used in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240(d)(4-6)]. The handler's PPE requirements may be reduced or modified as specified in the WPS.

Water-soluble packets when used correctly qualify as a closed loading system under WPS. Handlers preparing for ground applications and handling this product while it is enclosed in intact water-soluble packets in preparation may elect to wear reduced PPE of long-sleeved shirt, long pants, shoes, socks, a chemical-resistant apron and chemical-resistant gloves. Aerial mixer-loaders must wear full PPE as specified above.

Important: When reduced PPE is worn because a closed system is being used, handlers must be provided all PPE specified above for "applicators and other handlers" and have such PPE immediately available for use in an emergency, such as a spill or equipment break-down.

User Safety Recommendations

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

9/1/14

Statement of Practical Treatment

If in eyes: Hold eyelids open and flush with a steady, gentle stream of water for 15 minutes. Get medical attention.

If swallowed: Call a physician or Poison Control Center immediately. Drink 1 or 2 glasses of water. Do not use milk, cream or other liquids containing vegetable or animal fats. Induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious or convulsing person.

Note to Physician: Because this product is a chlorinated miticide vomiting is recommended. The administration of milk or other fat-based demulcents which might enhance absorption is to be avoided. Probable mucosal damage may contraindicate the use of gastric lavage. Epinephrin or other adrenergic amines can cause myocardial irritability in persons poisoned with chlorinated hydrocarbons.

If inhaled: Remove victim to fresh air. Treat the victim symptomatically. If irritation persists, call a physician.

If on skin: Wash exposed areas with plenty of soap and water. If irritation persists, call a physician.

Environmental Hazards

This product is toxic to fish. For terrestrial uses, do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water by cleaning of equipment or disposal of equipment washwaters. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from treated areas. Apply this product only as specified on this label.

Directions for Use

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Read all Directions for Use carefully before applying.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your state or tribe, consult the agency responsible for pesticide regulation.

Agricultural Use Requirements

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 48 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil or water, is:

- Protective eyewear
- Coveralls
- Waterproof gloves
- Shoes plus socks

10/14

Storage and Disposal

Pesticide Disposal: Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. **Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.**

Container Disposal: Completely empty bag into application equipment, then dispose of empty bag in a sanitary landfill or by incineration or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

Steps to be Taken in Case Material is Released or Spilled: Sweep or shovel solid material into a suitable container for recovery or disposal. Keep spills out of all sewers and open bodies of water. Refer to Precautionary Statements.

General Use Information

Kelthane* 50WSP miticide is a wettable powder formulation that gives high initial kill against most species of agricultural mites. Kelthane 50WSP is recommended for use on cucurbits, grapes, pomefruit and strawberries, and for non-residential outdoor, plantscape, nursery or greenhouse use on turfgrasses, ornamental flowers, shade trees, shrubs and foliage plants. Kelthane 50WSP is a specific miticide and will not kill bees and beneficial insect predators when used as recommended. Kelthane 50WSP is supplied in individual water-soluble pouches containing wettable powder.

Kelthane 50WSP may be applied in dilute or concentrate sprays. The amount of Kelthane 50WSP used per acre is the same regardless of spray volume. Kelthane 50WSP is a contact miticide, not a systemic pesticide. Mites must come in contact with Kelthane 50WSP as it is sprayed or be exposed to residues on the leaf and/or fruit surface. Since mites often infest the undersurfaces of leaves and fruits, effective control requires an application that thoroughly and uniformly coats all aerial plant surfaces. For maximum effectiveness, Kelthane 50WSP should be applied to low mite populations.

Chemigation: Do not apply this product through any type of irrigation system.

Application Information

Handling: The enclosed pouches of Kelthane 50WSP are water soluble. Do not allow pouches to become wet prior to adding to the spray tank. Do not handle the pouches with wet hands or wet gloves. Always reseal overwrap bag to protect remaining unused pouches. Do not remove water soluble pouches from overwrap except to add directly to the spray tank.

Mixing: Always place Kelthane 50WSP into solution prior to adding co-applied materials to the spray tank. Add the required number of unopened pouches as determined by the dosage recommendations into the spray tank with agitation. Maintain agitation throughout the mixing and spraying process to ensure uniform mixing. The number of pouches to be added per spray tank load is the pounds per acre specified by the dosage recommendations below, multiplied by the number of acres to be sprayed. Depending on the water temperature and the degree of agitation, the pouches should dissolve completely within approximately five minutes from the time they are added to the water.

Compatibility: Kelthane 50WSP is compatible with most other commonly used insecticides and fungicides. However, compatibility with all products, formulations and additives available cannot be guaranteed. A compatibility agent such as Latron AG 44-M* may improve compatibility with some nutritionals, fertilizers, etc. Maintain agitation in the spray tank during mixing (loading) and application. Consult State Agricultural Experiment Station spray schedules or State Extension Service Specialists for additional information.

11/14

Note: Kelthane 50WSP is compatible with boron and spray oils; however, the water soluble pouches must be completely dissolved before adding spray oils or products containing boron to spray mixtures.

Water pH: Do not put Kelthane 50WSP in alkaline solutions or mix with lime or lime-containing products. Adjust the pH of the diluent (spray) water to the slightly acidic range (pH 5 to 7) with a pH modifier such as Latron AG 44-M spray adjuvant after adding Kelthane 50WSP to the tank.

Adjuvants: Kelthane 50WSP may be used either with or without any additional adjuvants. It is many times beneficial to improve the spray coverage on difficult-to-wet foliage and to smooth out spray deposits by the addition of a spreader-sticker. Kelthane 50WSP should only be combined with a spreader-sticker that has been proven safe to crops and turfgrass and ornamental species.

The following spray adjuvants have been especially formulated to optimize the performance of foliar-applied agricultural and turf and ornamental chemicals:

- Latron B-1956*: A water-dispersible, resin-based nonionic surfactant that resists rewetting and removal by rain. Effective with dilute sprays applied by ground equipment.
- Latron CS-7*: A spreader-binder designed specifically for use in concentrate and low volume spray equipment.

Other suitable pesticide spreader-stickers may also be used except in situations where Latron B-1956 is recommended as the only acceptable spreader-sticker.

Ground Application: Apply Kelthane 50WSP as a dilute or concentrate spray with a properly calibrated and maintained sprayer in sufficient water to assure thorough and uniform coverage of foliage and fruit surfaces. The amount of Kelthane 50WSP applied per acre should be the same whether dilute or low volume sprays are used. The amount of spray applied must be adjusted to the size and density of the trees or plants treated to provide adequate coverage. All use rates given in pounds Kelthane 50WSP per acre are based on a broadcast acre. If applications are banded, the application rates should be adjusted accordingly.

Aerial Application (Crops): Kelthane 50WSP may be applied by air in properly calibrated and maintained equipment. For row crops, use a minimum of 5 gallons per acre. For applications in perennial tree crops, and vines use a minimum of 10 gallons per acre. Include a suitable spreader-sticker such as Latron B-1956 or Latron CS-7

Mite Resistance Management: Resistance to miticides is common and has been confirmed for virtually all commercial miticides. While resistance to Kelthane 50WSP has been confirmed in some mite species, it has also been conclusively demonstrated that resistance of mites to Kelthane 50WSP is unstable. That is, susceptibility to Kelthane 50WSP returns if use is discontinued for a short time, usually 1 to 2 years. As a general rule, the utility of Kelthane 50WSP can be maintained indefinitely by rotating use of Kelthane 50WSP with miticides with different modes of action and by limiting the number of applications of Kelthane 50WSP to an average of 1 per season. If 2 applications are made in a single growing season, no application should be made the following year. Resistance management strategies vary from crop to crop and state to state. For additional information contact your State Extension Service Specialists or your local Dow AgroSciences field representative.

12/14

Mites Controlled

apple rust mite	cyclamen mite	six-spotted mite
Atlantic spider mite	desert spider mite	spruce spider mite
Banks grass mite	European red mite	strawberry spider mite
bermudagrass mite	McDaniel spider mite	tomato russet mite
(couch grass bud mite)	Pacific spider mite	tropical mite
broad mite	pear rust mite	two-spotted spider mite
brown mite	plum nursery mite	Willamette mite
carpini spider mite	plum rust mite	yellow spider mite
clover mite	privet mite	Yuma spider mite
conifer spider mite	Schoene spider mite	

Crops and Dosage Requirements

Crop	Application Rate	Comments	Restrictions	Days From Last Application to Harvest
Ag Uses				
cucurbits cantaloupe cucumber melon pumpkin summer squash watermelon winter squash	1 1/4 lb/acre	Apply Kelthane 50WSP at the first signs of mite buildup. Because foliage of cucurbit crops is hard to wet, use sufficient carrier (water) volume to provide thorough coverage and use 2 quarts of Latron B-1956 per 100 gallons of spray mix.	<ul style="list-style-type: none"> Do not make more than 2 applications per season. 	2 days
grapes	2 1/2 lb/acre	Apply just after bloom or whenever mites appear.	<ul style="list-style-type: none"> Do not make more than 2 applications per season. 	7 days
pomefruits apple crabapple pears quince	Trellised trees or trees 10 ft tall or less: 3-4 lb/acre Trees greater than 10 ft tall: 4-6 lb/acre	Use the higher rate in each range for high mite infestation levels, larger trees or more dense foliage. Make applications when mite populations reach threshold levels as specified by Agricultural Experiment Station or State Extension Service Specialists.	<ul style="list-style-type: none"> Do not make more than 2 applications per season. Do not make back-to-back or alternate row sprays more than 10 days apart. 	7 days
strawberries	1-2 lb/acre For cyclamen mites only: 3-4 lb/acre	Apply to low populations when mites first infest the crop. For cyclamen mites apply up to 2 thorough, high-pressure drenching sprays at a 10-20 day interval when new growth starts in spring or use as a spot treatment during production season.	<ul style="list-style-type: none"> Do not make more than 2 applications per season. 	3 days
Turf and Ornamental Uses				
pomefruits apple crabapple pears quince	High volume sprayers: 1 1/4 lb/100 gal (1) Low volume sprayers: 3 3/4 lb/acre (3)	Make applications when mite populations reach threshold levels as specified by Agricultural Experiment Station or State Extension Service Specialists.	<ul style="list-style-type: none"> Do not use on residential pomefruits. Do not make more than 2 applications per season. Do not make back-to-back or alternate row sprays more 	7 days

13/14

non-residential flowers nurseries ornamentals shade trees turfgrasses	High volume sprayers: 1/2-1 lb/100 gal (2) Low volume sprayers: 1/2-1 lb/acre (3)	Ensure spray penetrates dense foliage and gives uniform and thorough coverage of upper and lower leaf surfaces. Avoid excessive runoff. Make applications when mites first appear and repeat in 5-7 days in the south and 10-14 days in the north. Kelthane 50WSP is generally not phytotoxic to greenhouse grown plants. However, application should be made to a small representative group of plants to ensure that a particular variety grown under current conditions is not unusually sensitive.	than 10 days apart. <ul style="list-style-type: none"> Do not use on residential home lawns or residential ornamentals. Do not make more than 2 applications per crop or season. 	--
outside surfaces of buildings	High volume sprayers: 1/2-1 lb/100 gal (2) Low volume sprayers: 1/2-1 lb/acre (3)	For control of clover mites, thoroughly spray outside walls, foundations, and windowsills, and plants and lawn at the base of infested buildings.		--

- (1) Assumes application volume of 300 gallons per acre.
- (2) Assumes application volume of 100 gallons per acre.
- (3) Assumes Application volume of 20 gallons per acre.

Terms and Conditions of Use

If terms of the following Warranty Disclaimer, Inherent Risks of Use, and Limitation of Remedies are not acceptable, return unopened package at once to the seller for a full refund of purchase price paid. Otherwise, use by the buyer or any other user constitutes acceptance of the terms under Warranty Disclaimer, Inherent Risks of Use and Limitations of Remedies.

Warranty Disclaimer

Dow AgroSciences warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in strict accordance with the directions, subject to the inherent risks set forth below. Dow AgroSciences MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR ANY OTHER EXPRESS OR IMPLIED WARRANTY.

Inherent Risks of Use

It is impossible to eliminate all risks associated with use of this product. Plant injury, lack of performance, or other unintended consequences may result because of such factors as use of the product contrary to label instructions (including conditions noted on the label, such as unfavorable temperature, soil conditions, etc.), abnormal conditions (such as excessive rainfall, drought, tornadoes, hurricanes), presence of other materials, the manner of application, or other factors, all of which are beyond the control of Dow AgroSciences or the seller. All such risks shall be assumed by buyer.

Limitation of Remedies

The exclusive remedy for losses or damages resulting from this product (including claims based on contract, negligence, strict liability, or other legal theories), shall be limited to, at Dow AgroSciences' election, one of the following:

1. Refund of purchase price paid by buyer or user for product bought, or
2. Replacement of amount of product used

14/14

Dow AgroSciences shall not be liable for losses or damages resulting from handling or use of this product unless Dow AgroSciences is promptly notified of such loss or damage in writing. In no case shall Dow AgroSciences be liable for consequential or incidental damages or losses.

The terms of the Warranty Disclaimer, Inherent Risks of Use, and this Limitation of Remedies cannot be varied by any written or verbal statements or agreements. No employee or sales agent of Dow AgroSciences or the seller is authorized to vary or exceed the terms of the Warranty Disclaimer or this Limitation of Remedies in any manner.

*Trademark of Dow AgroSciences LLC
EPA-accepted date: __/__/__