



**UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, DC 20460**

**OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION**

October 12, 2022

Eugenia Kutsch-Stanton
Regulatory Leader
Dow AgroSciences LLC
9330 Zionsville Road
Indianapolis, IN 46268

Subject: PRIA Label Amendment – New Use: Rice (grain, hull, straw). Crop Group Conversions: 4-16, 5-16, Celtuce, Fennel, Florence, fresh leaves and stalk; kohlrabi, and 22B; Crop Group Expansion: Tropical and subtropical 23C, 24A, and Cottonseed subgroup 20C; Individual Legume Commodities
Product Name: Methoxyfenozide Technical
EPA Registration Number: 62719-437
Application Date: March 20, 2020
Decision Numbers: 562273, 562275

Dear Eugenia Kutsch-Stanton:

The application referred to above, submitted under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, is acceptable under FIFRA section 3(c)(5).

You must submit and/or cite all data required for registration/reregistration/registration review of your product when the Agency requires all registrants of similar products to submit such data.

A stamped copy of your labeling is attached for your records. This labeling supersedes all previously accepted labeling. You must submit one (1) copy of the final printed labeling before you release the product for shipment with the new labeling. In accordance with 40 CFR 152.130(c), you may distribute or sell this product under the previously approved labeling for 18 months from the date of this letter. After 18 months, you may only distribute or sell this product if it bears this new revised labeling or subsequently approved labeling. “To distribute or sell” is defined under FIFRA section 2(gg) and its implementing regulation at 40 CFR 152.3.

Should you wish to add/retain a reference to the company’s website on your label, then please be aware that the website becomes labeling under FIFRA and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) lists examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product’s label, claims made on the website may not substantially differ from those

SEE NEXT PAGE

Page 2 of 2
EPA Reg. No. 62719-437
Decision No. 562273, 562275

claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

Your release for shipment of the product constitutes acceptance of these conditions. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6.

If you have any questions, please contact Debra Rate at (202) 566-2867 or at rate.debra@epa.gov.

Sincerely,

**Ideliz Negrón-
Encarnación**

Digitally signed by Ideliz
Negrón-Encarnación
Date: 2022.10.12 18:16:23
-04'00'

Ideliz Negrón-Encarnación
Acting Branch Chief
Invertebrate and Vertebrate Branch 2
Registration Division
Office of Pesticide Programs

Attachment

Methoxyfenozide Technical

Insecticide


For Manufacturing Use Only

Active Ingredient:

methoxyfenozide: Benzoic acid, 3-methoxy-2-methyl-,2-(3,5-dimethylbenzoyl)-2-(1,1-dimethylethyl) hydrazide 98.2%

Other Ingredients 1.8%

Total 100.0%



CAUTION

Precautionary Statements

Hazard to Humans and Domestic Animals

Harmful If Absorbed Through Skin

Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling.

First Aid

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may contact 1-800-992-5994 for emergency medical treatment information.

Environmental Hazards

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA.

Directions for Use

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

This product may only be formulated into manufacturing-use insecticide products or end-use insecticide products for the following uses: Bushberries (Subgroup 13-07B), Caneberries (Subgroup 13-07A), Celtuce; Fennel, Florence fresh leaves and stalk; kohlrabi; Brassica Head and Stem (Crop Group 5-16), Leafy Vegetables (Crop Group 4-16), Leaves of Root and Tuber Vegetables, (Crop Group 2), Leaf Petiole Vegetable subgroup (22B), Citrus Fruits (Crop Group 10-10), Corn (Field, Sweet, Seed), Cottonseed (Crop Subgroup 20C), Cranberry, Cucurbit Vegetables (Crop Group 9), Fruiting Vegetables (Crop Group 8-10), Globe Artichoke, Grape, Grass Forage, Fodder, and Hay (Crop Group 17), Green Onion (Subgroup 3-07B), Herbs (Fresh and Dried) (Subgroup 19A), Edible podded bean including Bean (*Phaseolus* spp.; includes French bean, garden bean, green bean, scarlet runner bean, snap bean, kidney bean, navy bean, wax bean); Bean (*Vigna* spp.; includes asparagus bean, catjang bean; Chinese longbean, cowpea, moth bean, mung bean, rice bean, urd bean, yardlong bean); goa bean; guar bean; Jackbean; lablab bean; vegetable soybean; sword bean; winged pea; velvet bean. Edible podded pea including Pea (*Pisum* spp.; includes dwarf pea, edible podded pea, green pea, snap pea, snow pea,

sugar snap pea); grass-pea; lentil; pigeon pea; chickpea. Succulent shelled bean including Bean (*Phaseolus* spp.; includes lima bean, scarlet runner bean, wax bean); Bean (*Vigna* spp.; includes blackeyed pea, moth bean, catjang bean, cowpea, crowder pea, southern pea); Bean (*Lupinus* spp.; includes Andean lupin, blue lupin, grain lupin, sweet lupin, white lupin, white sweet lupin, and yellow lupin); broad bean; Jackbean; goa bean; lablab bean; vegetable soybean; and velvet bean. Succulent shelled pea including Chickpea; Pea (*Pisum* spp.; includes English pea, garden pea, green pea); pigeon pea; lentil. Dried shelled bean including African yam-bean; American potato bean; Bean (*Lupinus* spp.; includes Andean lupin, blue lupin, grain lupin, sweet lupin, white lupin, white sweet lupin, and yellow lupin); Bean (*Phaseolus* spp.; includes black bean, cranberry bean, dry bean, field bean, French bean, garden bean, great northern bean, green bean, kidney bean, lima bean, navy bean, pink bean, pinto bean, red bean, scarlet runner bean, tepary bean, and yellow bean); Bean (*Vigna* spp.; includes adzuki bean, blackeyed pea, asparagus bean, catjang bean, Chinese longbean, cowpea, crowder pea, mung bean, moth bean, rice bean, southern pea, urd bean, yardlong bean); broad bean; guar bean; goa bean; horse gram; Jackbean; lablab bean; morama bean; sword bean; winged pea; velvet bean, seed; vegetable soybean. Dried shelled pea including Pea (*Pisum* spp.; includes field pea, dry pea, green pea, garden pea); chickpea; lentil; grass-pea; pigeon pea and Foliage of Legume Vegetables (Except Soybean) (Subgroup 7A), Low Growing Berry (Except Cranberry) (Crop Subgroup 13-07G), Nongrass Forage, Fodder, Straw and Hay (Crop Group 18), Ornamentals, Peanut, Pineapple, Pome Fruits (Crop Group 11-10), Pomegranate, Popcorn, Rice, Root Vegetables (Subgroups 1A, 1B), Small Fruit Vine Climbing (Except Fuzzy Kiwifruit and Grape) (Subgroup 13-07F), Sorghum (Grain and Sweet), Soybean, Spearmint and Peppermint, Stone Fruits (Crop Group 12-12), Tree Nuts (Crop Group 14-12), Tropical and Subtropical, Palm fruit, edible peel (Crop Group 23C), Tropical Tree Fruits and Tropical and Subtropical, small fruit, inedible peel, subgroup 24A and Tuberous and Corm Vegetables (Except Potato) (Subgroup 1D).

This product may be used to formulate products for specific use(s) not listed on this label if the formulator, user group or grower has complied with U.S.EPA submission requirements regarding the support of such use(s).

(Storage and Disposal for rigid containers 5 gal or less)

Storage and Disposal

Do not contaminate water, food or feed by storage and disposal.

Pesticide Storage: Store in a cool, dry, well-ventilated area.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Handling: Nonrefillable container. Do not reuse or refill this container.

Triple rinse or pressure rinse container (or equivalent) promptly after emptying. **Triple rinse** as follows: Empty the remaining contents into manufacturing equipment and drain for 10 seconds after the flow begins to drip. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into manufacturing equipment or store rinsate for later disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. **Pressure rinse** as follows: Empty the remaining contents into manufacturing equipment and continue to drain for 10 seconds after the flow begins to drip. Hold container upside down over manufacturing equipment or collect rinsate for later disposal. Insert pressure rinsing nozzle in the side of the container, and rinse at about 40 psi for at least 30 seconds. Drain for 10 seconds after the flow begins to drip. Then offer for recycling if available or puncture and dispose of in a sanitary landfill, or by incineration, or by other procedures allowed by state and local authorities.

(Storage and Disposal for nonrigid containers any size)

Storage and Disposal

Do not contaminate water, food or feed by storage and disposal.

Pesticide Storage: Store in a cool, dry, well-ventilated area.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Handling: Nonrefillable container. Do not reuse or refill this container. Completely empty bag into manufacturing equipment. Then offer for recycling if available, or dispose of in a sanitary landfill, or by incineration, or by other procedures allowed by state and local authorities.

(Storage and Disposal for refillable rigid containers greater than 5 gal)

Storage and Disposal

Do not contaminate water, food or feed by storage and disposal.

Pesticide Storage: Store in a cool, dry, well-ventilated area.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Handling: Refillable container. Refill this container with pesticide only. Do not reuse this container for any other purpose.

Cleaning the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller. To clean the container before final disposal, empty the remaining contents from this container into manufacturing equipment. Fill the container about 10% full with water and, if possible, spray all sides while adding water. If practical, agitate vigorously or recirculate water with the pump for two minutes. Pour or pump rinsate into manufacturing equipment or rinsate collection system. Repeat this rinsing procedure two more times. Then offer for recycling if available, or puncture and dispose of in a sanitary landfill, or by incineration, or by other procedures allowed by state and local authorities.

(Storage and Disposal for nonrefillable rigid containers greater than 5 gal)

Storage and Disposal

Do not contaminate water, food or feed by storage and disposal.

Pesticide Storage: Store in a cool, dry, well-ventilated area.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Handling: Nonrefillable container. Do not reuse or refill this container.

Triple rinse or pressure rinse container (or equivalent) promptly after emptying. **Triple rinse** as follows: Empty the remaining contents into manufacturing equipment. Fill the container 1/4 full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into manufacturing equipment or store rinsate for later disposal. Repeat this procedure two more times. **Pressure rinse** as follows: Empty the remaining contents into manufacturing equipment and continue to drain for 10 seconds after the flow begins to drip. Hold container upside down over manufacturing equipment or collect rinsate for later disposal. Insert pressure rinsing nozzle in the side of the container, and rinse at about 40 psi for at least 30 seconds. Drain for 10 seconds after the flow begins to drip. Then offer for recycling if available, or puncture and dispose of in a sanitary landfill, or by incineration, or by other procedures allowed by state and local authorities.

Warranty Limitations and Disclaimer

Corteva Agriscience warrants that at the time of delivery, the product will conform to its chemical description on the label, that it will pass without objection in the trade under the contract description, that seller will convey good title thereto, and that such product will be delivered free from any lawful security interest, lien or encumbrance.

This is the only warranty made on this product. Corteva Agriscience EXPRESSLY DISCLAIMS ANY IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE AND, EXCEPT AS SET FORTH IN THE ABOVE PARAGRAPH, ANY OTHER EXPRESS OR IMPLIED WARRANTIES. Buyer acknowledges the use of its own independent skill and expertise in the selection and use of the product and does not rely on any oral or written statements or representations.

In case of emergency endangering health or the environment involving this product, call 1-800-992-5994.

Manufacturing Chemical: Do not ship or store with food, feeds, drugs or clothing.

EPA Reg. No. 62719-437

EPA Est. _____

TMTrademarks of Corteva Agriscience and its affiliated companies

Produced for
Corteva Agriscience LLC
9330 Zionsville Road
Indianapolis, IN 46268

Net Weight _____

EPA accepted __/__/____