

62719-442

06/07/2013

1/3



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
WASHINGTON, D.C. 20460

OFFICE OF  
CHEMICAL SAFETY  
AND POLLUTION PREVENTION

June 7, 2013

Jennifer Lukus  
Dow AgroSciences LLC  
9330 Zionsville Road  
Indianapolis, IN 46268


Subject: Intrepid 2F, EPA Reg. No. 62719-442  
Date of Registrant Submission: May 23, 2012  
Decisions: 478333

Dear Ms. Lukus:

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), is acceptable.

Two (2) copies of the finished labeling must be submitted prior to releasing each product for shipment. If you have any questions regarding this letter, please contact Samantha Hulkower at (703) 603-0683.

Sincerely,

  
Mark Suarez  
Product Manager 13  
Insecticide Branch  
Registration Division (7505P)

Enclosures: Copy of Label Stamped "Accepted"

# Supplemental



Dow AgroSciences

**Labeling**

Dow AgroSciences LLC  
 9330 Zionsville Road  
 Indianapolis, IN 46268-1054 USA

June 7, 2013  
 Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 62719-442

## Intrepid® 2F

EPA Reg. No. 62719-442

**Control of Lepidoptera Larvae Infesting Nongrass Forage, Fodder, Straw and Hay (Crop Group 18)<sup>1</sup>**  
 (Not for Use and Distribution in New York State)

This label expires and must not be distributed or used in accordance with this supplemental registration after June 1, 2016.

### ATTENTION

- It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
- This labeling must be in the possession of the user at the time of application.
- Read the label affixed to the container for Intrepid® 2F insecticide before applying. Carefully follow all precautionary statements and applicable use directions.
- Use of Intrepid 2F according to this supplemental labeling is subject to all use precautions and limitations imposed by the label affixed to the container for Intrepid 2F.

### Directions for Use

<sup>1</sup>Nongrass forage, fodder, straw and hay (crop group 18) including alfalfa, clover, crown vetch, kudzu, lespedeza, lupin, milk vetch, sainfoin, trefoil, velvet bean, vetch

Refer to product label for General Information, Mixing and Application directions.

Pests	Application Rate (fl oz/acre)	Application Timing	Restrictions
armyworms, including beet fall southern striped true western yellowstriped  alfalfa caterpillar alfalfa looper webworms	4 - 10 (0.06 - 0.16 lb ai/acre)	Begin applications when first signs of feeding damage appear or when threshold levels of feeding damage occur.  Use a higher rate for heavier infestations and under conditions in which thorough coverage is more difficult.	<ul style="list-style-type: none"> <li>• Do not apply more than 32 fl oz of Intrepid 2F (0.5 lb ai) per acre per year.</li> <li>• Do not make more than 1 application per cutting.</li> <li>• <b>Preharvest Interval:</b> Do not apply within 7 days of hay harvest; there is no pre-harvest interval for forage. Livestock can enter and graze on treated area immediately after application.</li> <li>• See Rotational Crop Restrictions on the label affixed to the container.</li> </ul>

**Ground Application:** Apply in a minimum of 10 gallons per acre by conventional ground equipment. Use a spray volume that assures uniform coverage of the infested portions of the treated crop. Calibrate equipment to the desired spray volume.

**Aerial Application:** Apply in a minimum of 5 gallons per acre. Use a higher carrier volume for heavy infestations and in situations where thorough coverage is difficult to achieve.

**Spray Adjuvants:** The addition of agricultural adjuvants to sprays of Intrepid 2F may improve initial spray deposits, redistribution and weatherability. Select adjuvants that are recommended and registered for your specific use pattern and follow their use directions. When an adjuvant is to be used with this product, Dow AgroSciences recommends the use of a Chemical Producers and Distributors Association certified adjuvant. Always add adjuvants last in the mixing process.

**Note:** Drift and runoff from applications of this product may be hazardous to sensitive aquatic invertebrates in water bodies adjacent to the treatment area. Refer to the Environmental Hazards section of the product label attached to the product container for required protective measures.

® Trademark of The Dow Chemical Company ("Dow") or an affiliated company of Dow

R846-075

EPA accepted   /  /  

Initial printing.