

62719-462

11-19-2003

4/11

Please read instructions on reverse before completing form.

Form Approved, OMB No. 2070-0060. Approval expires 05-31-98



United States Environmental Protection Agency Washington, DC 20460

 Registration
 Amendment
 Other

OPP Identifier Number

Application for Pesticide - Section I

1. Company/Product Number Dow AgroSciences/62719462	2. EPA Product Manager Mary L. Waller	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) Dow AgroSciences/ Eagle* 0.62G	PM# 21	
5. Name and Address of Applicant (Include ZIP Code) Dow AgroSciences LLC 9330 Zionsville Road Indianapolis, IN 46268 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3)(b)(i), my product is similar or identical in Composition and labeling to: EPA Reg. No. Product Name	

Section - II

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____	NOTIFICATION NOV 19 2003
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.	
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other- Explain below.	

Explanation: Use additional page(s) if necessary. (For Section I and Section II.)

Change via notification:

- Per a telephone conversation between Joyce Edwards (EPA) and Kimberly Gilbert (Dow AgroSciences) on October 23, 2003, changed label claim "Rainproof" to "Rainproof - once absorbed, can't wash off."
- Deleted label claim "Can't wash off once absorbed."

Section - III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes* <input type="checkbox"/> No <i>*Certification must be submitted</i>	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No If "Yes" Unit Packaging wgt. No. per container	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No If "Yes" Package wgt No. per container	<input type="checkbox"/> Metal <input type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____		
3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container	5. Location of Label Directions <input type="checkbox"/> On Label <input type="checkbox"/> On Labeling accompanying product		
6. Manner in Which Label is Affixed to Product <input type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled		<input type="checkbox"/> Other _____			

Section - IV

1. Contact Point /Complete items directly below for identification of individual to be contacted, if necessary, to process this application)

Name Karen M. Swayze	Title Regulatory Manager	Telephone No. (Include Area Code) (317) 337-4685
-------------------------	-----------------------------	---

Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowing false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		8. Date Application Received (Stamped)
2. Signature 	3. Title Regulatory Manager	
4. Typed Name Karen M. Swayze	5. Date October 30, 2003	
* Trademark of Dow AgroSciences LLC		

2/11

Eagle* 0.62G

EPA Registration No. 62719-462

Registration Notes:

Source label text based on EPA-accepted copy (NOR) dated June 27, 2003 and notification coded "A7A / Eagle 0.62G / Notif / 09-15-03."

Changes by notification:

1. Per a telephone conversation between Joyce Edwards (EPA) and Kimberly Gilbert (Dow AgroSciences) on October 23, 2003, changed label claim "Rainproof" to "Rainproof – once absorbed, can't wash off."
2. Deleted label claim "Can't wash off once absorbed."

*Trademark of Dow AgroSciences LLC

[Front Panel of Bag]
(Logo) Dow AgroSciences

NOTIFICATION
NOV 19 2003

Eagle* 0.62G

Specialty Fungicide

A granular [fertilizer] product containing a systemic protectant and curative fungicide for the control of turfgrass diseases in established lawns and in ornamental turfs including golf course fairways, roughs, tees and greens and in sod farms

[Editor's note: One or more of the following statements may be included on the label.]

Provides systemic prevention and control of turfgrass diseases including benzimidazole tolerant dollar spot

and/or

Provides controlled release nitrogen feeding

and/or

For control of turf diseases on lawns, landscapes, sod and golf course greens, tees and fairways

and/or

Systemic [action] [formula] [protectant]

and/or

Cures up to _____ square feet [Editor's note: Amount of square feet may be changed according to package size chosen by supplemental distributor.]

and/or

Treats up to _____ square feet [Editor's note: Amount of square feet may be changed according to package size chosen by supplemental distributor.]

and/or

Cures and prevents all major lawn diseases [including brown patch, dollar spot, and other listed lawn diseases]

and/or

Prevents over 10 major lawn diseases

and/or

[One application] Protects for up to 4 weeks

and/or

Use throughout the entire year to prevent [and control] disease

and/or

Rainproof – once absorbed, can't wash off

and/or

Controls [anthracnose], [brown spot], [copper spot], [dollar spot], [fusarium blight], [fusarium patch], [crown rot], [leaf smuts], [necrotic ring spot], [powdery mildew], [summer patch] and more

and/or

Do-it-yourself disease control

and/or

For use anytime [during the year] to prevent and control lawn disease[s]

and/or

Use anytime to prevent and control lawn disease[s]

and/or

For use on all types of lawns [and grasses]

and/or

Easy [spreader] application

and/or

4/11

Can be used on all turfgrass species

and/or

Ready-to-spread granules

and/or

Up to six applications can be made per year

Active Ingredient

myclobutanil: a-butyl-a-(4-chlorophenyl)- 1-H-1,2,4 triazole-propanenitrile.....	0.62%
Inert Ingredients	99.38%
Total	100.00%

This product contains 0.31 pound of the active ingredient myclobutanil per 50-pound bag.

[Editor's note: Guaranteed Fertilizer Analysis section required if product is formulated with fertilizer.]

Guaranteed Fertilizer Analysis: XX-XX-XX

Total Nitrogen (N)	XX.XX%
Ammoniacal Nitrogen.....	1.15%
Urea Nitrogen.....	17.85%
Available Phosphate [†] (P ₂ O ₅).....	X.XX%
Soluble Potash (K ₂ O)	X.XX%
Sulfur (S).....	X.XX%
Free Sulfur ^{††} (S)	1.95%
Chlorine (Cl) Max	X.XX%

[†] Phosphate, Muriate of Potash.

^{††} Derived from poly coated sulfur coated urea, urea, ammonium phosphate, muriate of potash.

Keep Out of Reach of Children

CAUTION

Precautionary Statements

Hazards to Humans and Domestic Animals

Causes Moderate Eye Irritation • Harmful If Absorbed Through The Skin

Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling.

Personal Protective Equipment (PPE)

User must wear

- Long-sleeved shirt and long pants
- Chemical-resistant gloves made of any waterproof material
- Shoes plus socks

Follow manufacturer's instructions for cleaning/ maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

Engineering Controls

When handlers use closed systems, enclosed cabs, or aircraft in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240(d) (4-6)], the handler PPE requirements may be reduced or modified as specified in the WPS.

5/11

<p>User Safety Recommendations</p> <p>Users should:</p> <ul style="list-style-type: none"> • Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.

<p>First Aid</p> <p>If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.</p> <p>If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.</p> <p>Hot Line Number: Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-992-5994 day or night, for emergency treatment information.</p>
--

Environmental Hazards

This pesticide is toxic to fish. Drift and runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not apply directly to water, to areas where surface water is present, or to inter-tidal areas below the mean high water mark. Do not contaminate water when disposing of equipment wash-waters or disposing of wastes.

Refer to back/side panel of bag for Directions for Use including Storage and Disposal.

Notice: Read the entire label. Use only according to label directions. **Before using this product, read Warranty Disclaimer, Inherent Risks of Use, and Limitation of Remedies at end of Directions for Use. If terms are unacceptable, return at once unopened.**

In case of emergency endangering health or the environment involving this product, call 1-800-992-5994.

Agricultural Chemical: Do not ship or store with food, feeds, drugs or clothing.

EPA Reg. No. 62719-462

EPA Est. _____

*Trademark of Dow AgroSciences LLC
Dow AgroSciences LLC • Indianapolis, IN 46268 U.S.A.

Net Weight __ lb

6/11

[Back Panel of Bag]

Directions for Use

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

Agricultural Use Requirements

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exemptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted-entry interval (REI) of **24** hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil or water, is:

- Coveralls
- Chemical-resistant gloves made from any waterproof material
- Shoes plus socks

Non-Agricultural Use Requirements

The requirements in this box apply to uses of this product that are not within the scope of the Worker Protection Standard for agricultural pesticides (40 CFR Part 170). The WPS applies when this product is used to produce agricultural plants on farms, forests, nurseries or greenhouses. Seed treatments and professional applications to lawn grasses, golf courses, industrial (office park), municipal and residential lawns are not within the scope of the Worker Protection Standard.

Keep unprotected persons out of treated area until dusts have settled.

Storage and Disposal

Do not contaminate water, food or feed by storage and disposal.

Storage: Keep away from fire and sparks. Store in a cool, dry, well-ventilated area. In case of spill, sweep up material and dispose of material according to "Pesticide Disposal" instructions.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site according to label directions or at an approved waste disposal facility.

Container Disposal: Do not reuse empty containers. Completely empty bag into application equipment. Dispose of emptied bag(s) in a sanitary landfill or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

General Information

Eagle* 0.62G specialty fungicide is a systemic, protectant and curative fungicide recommended for the control of listed turfgrass diseases in established lawns and ornamental turfs, including golf course fairways, roughs, tees and greens and sod farms. Optimum disease control is achieved when this product is applied to established turfgrasses in a regularly scheduled preventative program.

7/11

Use Directions for Turfgrass

- Eagle 0.62G should be used in conjunction with turf management practices that promote good plant health and optimum disease control. The key to selecting a fungicide is the proper diagnosis of the organism causing the disease. Diagnostic kits, extension experts, or other identification methods should be used when developing disease control strategies.
- Optimum disease control is achieved when Eagle 0.62G is applied in a preventative disease control program at a rate of 2.5 to 5 lb per 1000 square feet. See the following table for specific application rates for various diseases.
- Under conditions that are favorable for disease development, the interval between applications of Eagle 0.62G should be reduced.
- Unless otherwise specified, when disease pressure is high or when used as a curative, use higher rates of Eagle 0.62G and shorter application interval. Under light to moderate disease pressure, apply Eagle 0.62G at the low use rate and/or longer application intervals.
- Apply Eagle 0.62G uniformly using an appropriate fertilizer spreader. Calibrate the spreader before application as calibration may change with spreader age and use, walking speed and evenness of terrain. To calibrate the spreader, weigh out the amount of product necessary to treat an area of 800 square feet. Using the suggested spreader setting provided by the manufacturer or from the table below, apply to a pre-measured area of 500 square feet (5 x 100 square feet) area. Weigh back product remaining in application equipment and adjust the spreader as necessary to give the correct rate of delivery for the measured area.
- To avoid pick-up, lightly irrigate treated areas soon after application.
- On short cut bentgrass (1/2" or less) when temperatures are above 80°F; apply only to dry foliage. **[Supplemental distributor should include the following bullet if product is formulated on fertilizer carrier.]**
- Do not adjust application rates to meet fertilizer requirements.

[Supplemental distributor may include appropriate spreader equipment, suggested calibration settings and/or pictures showing proper application techniques.]

Suggested Spreader Settings

Brand of Spreader	Recommended Rate (Eagle 0.62G per 1,000 sq ft)		
	2.5 lb	3.5 lb	5 lb
	Spreader Setting		
LESCO Calibration Gauge Setting Number	X	X	X
Cyclone or Spyker	X	X	X
Vicon	X	X	X
Lely	X	X	X

Apply Eagle 0.62G with drop or rotary spreaders designed to apply granules. Avoid the use of spreaders that would apply this product in narrow rows or concentrated bands. Before each application, calibrate the spreader according to the equipment manufacturer's directions such that the spreader delivers the recommended application rate. Apply this product uniformly over the lawn or ornamental turf area. A more uniform application can be made by spreading half of the required amount over the area in a given direction and then applying the remaining half at a right angle to the previous direction. Avoid streaking, skips or overlaps during application. Check equipment frequently to ensure equipment is functioning properly and applying uniform distribution of granules.

8/11

Coverage: Eagle 0.62G Specialty Fungicide covers approximately 9,500 sq ft at the application rate of one pound of Nitrogen (5.3 lb of fertilizer) per 1,000 sq ft.

[Editor's note: Assumes 50 lb bag]

Disease	Eagle 0.62G (lb/1000 sq ft)	Application Interval/Timing	Instructions	Restrictions
Anthracnose Red Thread Septoria Leaf Spot	2.5	14-21 days	Apply when conditions are favorable for disease development.	Do not apply more than 29 pounds product per 1,000 sq ft per year. For Nassau and Suffolk Counties in New York State, use of this product is limited to 7.2 pounds per 1000 sq ft per year (1.95 lb active ingredient per acre).
Brown Patch	3.5 - 5	14 days	Begin applications when conditions are favorable for disease development and before disease symptoms are apparent.	
Copper Spot Zonate Leaf Spot	2.5	14 days	Apply when conditions are favorable for disease development.	
Dollar Spot	2 - 5	14 - 28 days	Apply when conditions are favorable for disease development. Make no more than 3 consecutive applications for dollar spot control before rotating to a registered fungicide with a different mode of action.	
Fusarium Blight	2.5 - 5	14 - 21 days	Apply when conditions are favorable for disease development.	
Fusarium Patch (Pink Snow mold)	2.5 - 5	Fall-Winter	Apply prior to snow cover.	
Leaf Spot Melting-Out Crown Rot	2.5	14 days	Apply when conditions are favorable for disease development. For crown rot, water in with 3 to 4 gallons of water per 1000 square feet to increase penetration to crown and roots.	
Leaf Smuts	2.5	14 days	Apply in the fall after grass enters dormancy and/or in the spring prior to the initiation of growth.	
Necrotic Ring Spot	2.5 - 5	Spring: 28 days	Make applications on a preventative basis in early to mid-spring.	
Powdery Mildew Rusts	2.5	14 - 28 days	Apply when conditions are favorable for disease development.	
Necrotic Ring Spot	2.5 - 5	Fall: 28 days	Make 2 applications beginning in August before the turf goes dormant. Apply 5 lb /1000 sq ft followed by a second application one month later.	

9/11

Summer Patch	2.5 - 5	14 - 28 days	Begin applications in the spring when conditions are favorable for disease development. Make 2 to 4 applications depending on recommendations from local turfgrass extension experts. Water in with at least 3 to 4 gallons of water per 1000 square feet to increase spray penetration to crown and roots.
Take-All Patch	5	Spring/Fall: 28 days	To reduce the severity of take-all patch, make 1 to 2 fall applications in September and October or when night temperatures drop to 55°F and 1 to 2 spring applications in April and May depending on local recommendations.
Zoysia Large Patch	5	Fall: 28 days	Make applications in fall before turf becomes dormant. Water in with at least 3 to 4 gallons of water per 1000 square feet to increase penetration to crown and roots.

Terms and Conditions of Use

If terms of the following Warranty Disclaimer, Inherent Risks of Use, and Limitation of Remedies are not acceptable, return unopened package at once to the seller for a full refund of purchase price paid. Otherwise, use by the buyer or any other user constitutes acceptance of the terms under Warranty Disclaimer, Inherent Risks of Use and Limitations of Remedies.

Warranty Disclaimer

Seller warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in strict accordance with the directions, subject to the inherent risks set forth below. Seller MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR ANY OTHER EXPRESS OR IMPLIED WARRANTY.

Inherent Risks of Use

It is impossible to eliminate all risks associated with use of this product. Plant injury, lack of performance, or other unintended consequences may result because of such factors as use of the product contrary to label instructions (including conditions noted on the label, such as unfavorable temperature, soil conditions, etc.), abnormal conditions (such as excessive rainfall, drought, tornadoes, hurricanes), presence of other materials, the manner of application, or other factors, all of which are beyond the control of the Seller. All such risks shall be assumed by buyer.

Limitation of Remedies

The exclusive remedy for losses or damages resulting from this product (including claims based on contract, negligence, strict liability, or other legal theories), shall be limited to, at Seller's election, one of the following:

1. Refund of purchase price paid by buyer or user for product bought, or

10/11

2. Replacement of amount of product used

Seller shall not be liable for losses or damages resulting from handling or use of this product unless Seller is promptly notified of such loss or damage in writing. In no case shall Seller be liable for consequential or incidental damages or losses.

The terms of the Warranty Disclaimer and Inherent Risks of Use above and this Limitation of Remedies cannot be varied by any written or verbal statements or agreements. No employee or sales agent of Seller or the seller is authorized to vary or exceed the terms of the Warranty Disclaimer or this Limitation of Remedies in any manner.

*Trademark of Dow AgroSciences LLC
EPA-accepted: 06/27/03

11/11

308/2E
October 30, 2003



Document Processing Desk (NOTIF)
Office of Pesticide Programs (7504C)
U. S. Environmental Protection Agency
Room 266A, Crystal Mall 2
1921 Jefferson Davis Highway
Arlington, VA 22202

EAGLE 0.62G (A.I. MYCLOBUTANIL)
EPA REGISTRATION NUMBER: 62719-462
NOTIFICATION OF MINOR LABEL CHANGE PER PR NOTICE 98-10

Enclosed please find labeling of notification action for Eagle* 0.62G specialty fungicide based on EPA accepted copy dated June 27, 2003 and notification dated September 15, 2003. The change to the label via this notification action is as follows:

1. Per a telephone conversation between Joyce Edwards (EPA) and Kimberly Gilbert (Dow AgroSciences) on October 23, 2003, changed label claim "Rainproof" to "Rainproof – once absorbed, can't wash off."
2. Deleted label claim "Can't wash off once absorbed."

This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Contents of Submission


- Transmittal document (this letter)
- Application for Pesticide, EPA Form 8570-1
- Label entitled Eagle 0.62G (A7A/Eagle 0.62G/Notif/10-30-03)
(8 Pages plus Registration Notes) (5 Copies)

If you require further information, please contact Cindy Loy, Registration Specialist at (317) 337-4655 or Amy Hudson, Registration Assistant for this product, at (317) 337-3967.

Sincerely,

Karen M. Swayze
Regulatory Leader
Regulatory Success – Americas
(317) 337-4649 (FAX)

KMS/akh
Enclosures



*Trademark of Dow AgroSciences LLC