

62719-508

3/12/2010

1 of 14



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

OFFICE OF
PREVENTION, PESTICIDES AND
TOXIC SUBSTANCES

Ms Cindy Loy
Dow AgroSciences LLC
9330 Zionsville Road
Indianapolis, IN 46268-1054

MAR 12 2010

Subject: Label Notification(s) for Pesticide Registration Notice 2007-4

Dear Registrant:

The Agency is in receipt of your Application(s) for Pesticide Notification under Pesticide Registration Notice (PRN) 2007-4 dated December 8, 2009 for:

EPA Registration 62719-508

Conserve Fly Bait AF

The Registration Division (RD) has conducted a review of this request for applicability under PRN 2007-4 and finds that the label change(s) requested falls within the scope of PRN-2007-4. The label has been date-stamped "Notification" and will be placed in our records.

Please be reminded that 40 CFR Part 156.140(a)(4) requires that a batch code, lot number, or other code identifying the batch of the pesticide distributed and sold be placed on nonrefillable containers. The code may appear either on the label (and can be added by non-notification/PR Notice 98-10) or durably marked on the container itself.

If you have any questions, please contact me directly at 703-305-6249 or Banza Djapao of my staff at 703-305-7269.

Sincerely,

A handwritten signature in black ink, appearing to read "Linda Arrington".

Linda Arrington
Notifications & Minor Formulations Team Leader
Registration Division (7505P)
Office of Pesticide Programs

2014



United States
Environmental Protection Agency
 Washington, DC 20460

Registration
 Amendment
 Other

OPP Identifier Number

Application for Pesticide - Section I

1. Company/Product Number Dow AgroSciences/62719-508	2. EPA Product Manager Mark Suarez	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) Dow AgroSciences/Conserve Fly Bait AF	PM# 13	
5. Name and Address of Applicant (Include ZIP Code) Dow AgroSciences LLC 9330 Zionsville Road Indianapolis, IN 46268 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

Section - II

Amendment - Explain below. Final printed labels in response to Agency letter dated _____

Resubmission in response to Agency letter dated _____ "Me Too" Application.

Notification - Explain below. Other - Explain below.

NOTIFICATION
MAR 12 2010

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

Notification of label change per PR Notice 2007-4. This notification is consistent with the guidance in PR Notice 2007-4 and the requirements of EPA's regulations at 40 CFR 156.10, 156.140, 156.144, 156.146, and 156.156. No other changes have been made to the labeling or the confidential statement of formula for this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if the amended label is not consistent with the requirements of 40 CFR 156.10, 156.140, 156.144, 156.146, and 156.156, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Section - III

1. Material This Product Will Be Packaged In:

Child-Resistant Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	2. Type of Container <input type="checkbox"/> Metal <input checked="" type="checkbox"/> Plastic <input type="checkbox"/> Glass <input checked="" type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____
* Certification must be submitted		If "Yes" Unit Packaging wgt. No. per container	If "Yes" Package wgt No. per container

3. Location of Net Contents Information
 Label Container

4. Size(s) Retail Container
1 lb, 50 lb, 500 lb

5. Location of Label Directions
 On label

6. Manner in Which Label is Affixed to Product
 Lithograph Paper glued Stenciled Other _____

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)

Name Kenneth D. Racke, Ph.D.	Title Regulatory Manager	Telephone No. (Include Area Code) (317) 337-4654 (fax: 317-337-4649)
---------------------------------	-----------------------------	---

Certification
 I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.

2. Signature 	3. Title Regulatory Manager	6. Date Application Received (Stamped)
4. Typed Name Kenneth D. Racke, Ph.D. (kracke@dow.com)	5. Date January 28, 2010	

Dow AgroSciences LLC
9330 Zionsville Road
Indianapolis, IN 46268-1054



308/2E
December 8, 2009

Document Processing Desk (NOTIF)
Office of Pesticide Programs (7504P)
U. S. Environmental Protection Agency
One Potomac Yard
2777 S. Crystal Drive
Arlington, VA 22202

CONSERVE FLY BAIT AF (A.I. SPINOSAD)
EPA REGISTRATION NUMBER: 62719-508
NOTIFICATION OF MINOR LABEL CHANGE PER PR NOTICE 2007-4

Enclosed please find labeling for the notification action of Conserve® Fly Bait AF granular fly control. The following change has been made by notification:

- 1. Storage and Disposal: Revised section per PR Notice 2007-4.

Notification of label change per PR Notice 2007-4. This notification is consistent with the guidance in PR Notice 2007-4 and the requirements of EPA's regulations at 40 CFR 156.10, 156.140, 156.144, 156.146, and 156.156. No other changes have been made to the labeling or the confidential statement of formula for this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if the amended label is not consistent with the requirements of 40 CFR 156.10, 156.140, 156.144, 156.146, and 156.156, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Contents of Submission


- Transmittal document (this letter)
- Application for Pesticide, EPA Form 8570-1
- Label entitled Conserve Fly Bait AF (T6P/Conserve Fly Bait AF/Notif/12-08-09) (10 Pages plus Registration Notes) (1 Copy)

If you require further information, please contact Cindy Loy, Regulatory Specialist at (317) 337-4655.

Sincerely,

Kenneth D. Racke, Ph.D.
Regulatory Leader
(317) 337-4654
(317) 337-4649 (FAX)

Enclosures



40914

T6P / Conserve Fly Bait AF / Notif / 12-08-09
file: Conserve Fly Bait AF-508 08Dec09N.doc

Conserve[®] Fly Bait AF

EPA Reg. No. 62719-508

Registration Notes:

Source label text based on EPA-accepted copy dated February 6, 2007 (EPA cover letter dated February 6, 2008) and notification coded "T6P / Conserve Fly Bait AF / Notif / 02-21-08."


Change by notification:

1. Storage and Disposal: Revised section per PR Notice 2007-4.

NOTIFICATION

MAR 12 2010

®Trademark of Dow AgroSciences LLC



50914

(Base label):

NOTIFICATION

MAR 12 2010

Conserve[®] Fly Bait AF

Granular Fly Control

For control of the adult common fly outdoors around dog kennels, garbage cans and dumpsters, outdoor latrines, dumps, incinerators, compost areas, parks, picnic areas, fairs and camps, zoos, markets, cafes, restaurants, fast food establishments, bakeries, commissaries, supermarkets, warehouses, industrial plants, meat and poultry processing plants, beverage processing plants, canneries and food processing plants, non commercial animal housing (e.g., on hobby farms) and commercial animal housing, including poultry houses, broiler houses, caged poultry, turkeys or rabbits on wire, dairies, dairy barns, milking parlors, milk sheds, loafing sheds, hog farms, pig pens, pig parlors, livestock barns, stock barns, livestock pens, feed lots, fur bearing animal units, horse barns, stables, silos, or other animal handling or feeding facilities.

- Ready to use
- Use straight from the bag [bottle] [container]
- Contains spinosad
- Flexible application methods
- Broadcast application
- Bait station or tray application
- Hang-board or card application
- Paint-on application
- Spray-on application
- Contains the fly attracting pheromone Z-9 tricosene
- With pheromone attractant, special fly bait and fly killer
- Spinosad is biologically derived from the fermentation of saccharopolyspora spinosa, a naturally occurring soil organism
- Bait formula with Z-9 tricosene
- Kills both sexes of flies
- Contains adult fly sex attractant
- Attracts and kills flies
- Flies feed and die
- Attracts and kills resistant flies
- 1 oz treats 125 sq ft
- With a pheromone fly attractant
- Flies feed on the bait and die
- Flies ingest a lethal dose of bait and die
- For use in and around food processing plants
- For use in and around food establishments
- Contains Bitrex™

Active Ingredient:

spinosad (a mixture of spinosyn A and spinosyn D)	0.50%
(Z)-9-tricosene (Pheromone)	0.04%
Other Ingredients	99.46%
Total	100.00%

U.S. Patent No. 5,362,634 and 5,496,931

Keep Out Of Reach Of Children

Precautionary Statements

User Safety Recommendations

- Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Use of waterproof gloves is recommended when handling this product to avoid staining of skin or clothing.

60A14

Environmental Hazards

This product is toxic to aquatic invertebrates. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when cleaning equipment or when disposing of equipment washwaters.

(Storage and Disposal for rigid containers 5 gal or less)

Storage and Disposal

Do not contaminate water, food, or feed by storage and disposal.

Pesticide Storage: Store in original container, tightly closed, in a secure place. Keep out of the reach of children and domestic animals. In case of leak or spill, contain material and dispose as waste.

Pesticide Disposal: Wastes resulting from the use of this product must be disposed of on site or at an approved waste disposal facility.

Container Handling: Nonrefillable container. Do not reuse or refill this container.

Triple rinse or pressure rinse container (or equivalent) promptly after emptying. **Triple rinse** as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. **Pressure rinse** as follows: Empty the remaining contents into application equipment or a mix tank and continue to drain for 10 seconds after the flow begins to drip. Hold container upside down over application equipment or mix tank or collect rinsate for later use or disposal. Insert pressure rinsing nozzle in the side of the container, and rinse at about 40 psi for at least 30 seconds. Drain for 10 seconds after the flow begins to drip. Then offer for recycling if available or puncture and dispose of in a sanitary landfill, or by incineration, or by other procedures allowed by state and local authorities.

(Storage and Disposal for nonrigid containers any size)

Storage and Disposal

Do not contaminate water, food, or feed by storage and disposal.

Pesticide Storage: Store in original container, tightly closed, in a secure place. Keep out of the reach of children and domestic animals. In case of leak or spill, contain material and dispose as waste.

Pesticide Disposal: Wastes resulting from the use of this product must be disposed of on site or at an approved waste disposal facility.

Container Handling: Nonrefillable container. Do not reuse or refill this container. Completely empty bag into application equipment. Then offer for recycling if available, or dispose of in a sanitary landfill, or by incineration, or by other procedures allowed by state and local authorities.

(Storage and Disposal for refillable rigid containers larger than 5 gal)

Storage and Disposal

Do not contaminate water, food, or feed by storage and disposal.

Pesticide Storage: Store in original container, tightly closed, in a secure place. Keep out of the reach of children and domestic animals. In case of leak or spill, contain material and dispose as waste.

Pesticide Disposal: Wastes resulting from the use of this product must be disposed of on site or at an approved waste disposal facility.

Container Handling: Refillable container. Refill this container with pesticide only. Do not reuse this container for any other purpose.

Cleaning the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller. To clean the container before final disposal, empty the remaining contents from this container into application equipment or a mix tank. Fill the container about 10% full with water and, if possible, spray all sides while adding water. If practical, agitate vigorously or recirculate water with the pump for two minutes. Pour or pump rinsate into application equipment or rinsate collection system. Repeat this rinsing procedure two more times. Then offer for recycling if available, or puncture and dispose of in a sanitary landfill, or by incineration, or by other procedures allowed by state and local authorities.

70914

(Storage and Disposal for nonrefillable rigid containers larger than 5 gal)

Storage and Disposal

Do not contaminate water, food, or feed by storage and disposal.

Pesticide Storage: Store in original container, tightly closed, in a secure place. Keep out of the reach of children and domestic animals. In case of leak or spill, contain material and dispose as waste.

Pesticide Disposal: Wastes resulting from the use of this product must be disposed of on site or at an approved waste disposal facility.

Container Handling: Nonrefillable container. Do not reuse or refill this container.

Triple rinse or pressure rinse container (or equivalent) promptly after emptying. **Triple rinse** as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container 1/4 full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times. **Pressure rinse** as follows: Empty the remaining contents into application equipment or a mix tank and continue to drain for 10 seconds after the flow begins to drip. Hold container upside down over application equipment or mix tank or collect rinsate for later use or disposal. Insert pressure rinsing nozzle in the side of the container, and rinse at about 40 psi for at least 30 seconds. Drain for 10 seconds after the flow begins to drip. Then offer for recycling if available, or puncture and dispose of in a sanitary landfill, or by incineration, or by other procedures allowed by state and local authorities.

Refer to label booklet for Directions for Use.

Notice: Read the entire label. Use only according to label directions. **Before using this product, read Warranty Disclaimer, Inherent Risks of Use, and Limitation of Remedies at end of label. If terms are unacceptable, return at once unopened.**

In case of emergency endangering health or the environment involving this product, call 1-800-992-5994.

Agricultural Chemical: Do not ship or store with food, feeds, drugs or clothing.


EPA Reg. No. 62719-508

EPA Est. _____

Bitrex™ is a trademark of Macfarlin Smith Ltd.
®Trademark of Dow AgroSciences LLC

**Produced for
Dow AgroSciences LLC
9330 Zionsville Road
Indianapolis, IN 46268**

Net Weight _____



80914

(Label booklet cover):

Conserve® Fly Bait AF

Granular Fly Control

NOTIFICATION

MAR 12 2010

For control of the adult common fly outdoors around dog kennels, garbage cans and dumpsters, outdoor latrines, dumps, incinerators, compost areas, parks, picnic areas, fairs and camps, zoos, markets, cafes, restaurants, fast food establishments, bakeries, commissaries, supermarkets, warehouses, industrial plants, meat and poultry processing plants, beverage processing plants, canneries and food processing plants, non commercial animal housing (e.g., on hobby farms) and commercial animal housing, including poultry houses, broiler houses, caged poultry, turkeys or rabbits on wire, dairies, dairy barns, milking parlors, milk sheds, loafing sheds, hog farms, pig pens, pig parlors, livestock barns, stock barns, livestock pens, feed lots, fur bearing animal units, horse barns, stables, silos, or other animal handling or feeding facilities.

- Ready to use
- Use straight from the bag [bottle] [container]
- Contains spinosad
- Flexible application methods
- Broadcast application
- Bait station or tray application
- Hang-board or card application
- Paint-on application
- Spray-on application
- Contains the fly attracting pheromone Z-9 tricosene
- With pheromone attractant, special fly bait and fly killer
- Spinosad is biologically derived from the fermentation of saccharopolyspora spinosa, a naturally occurring soil organism
- Bait formula with Z-9 tricosene
- Kills both sexes of flies
- Contains adult fly sex attractant
- Attracts and kills flies
- Flies feed and die
- Attracts and kills resistant flies
- 1 oz treats 125 sq ft
- With a pheromone fly attractant
- Flies feed on the bait and die
- Flies ingest a lethal dose of bait and die
- For use in and around food processing plants
- For use in and around food establishments
- Contains Bitrex™

Active Ingredient:


spinosad (a mixture of spinosyn A and spinosyn D)	0.50%
(Z)-9-tricosene (Pheromone)	0.04%
Other Ingredients	99.46%
Total	100.00%

U.S. Patent No. 5,362,634 and 5,496,931

Keep Out Of Reach Of Children

Refer to inside of label booklet for additional precautionary information including Directions for Use.

Notice: Read the entire label. Use only according to label directions. **Before using this product, read Warranty Disclaimer, Inherent Risks of Use, and Limitation of Remedies at end of Directions for Use. If terms are unacceptable, return at once unopened.**



9 of 14

In case of emergency endangering health or the environment involving this product, call 1-800-992-5994.


Agricultural Chemical: Do not ship or store with food, feeds, drugs or clothing.

EPA Reg. No. 62719-508

EPA Est. _____

®Trademark of Dow AgroSciences LLC
Produced for
Dow AgroSciences LLC
9330 Zionsville Road
Indianapolis, IN 46268

Net Weight ____



10 of 14

(Page 1 through end):

Precautionary Statements

User Safety Recommendations

- Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Use of waterproof gloves is recommended when handling this product to avoid staining of skin or clothing.

Environmental Hazards

This product is toxic to aquatic invertebrates. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when cleaning equipment or when disposing of equipment washwaters.

Directions for Use

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Read entire label before using.

Storage and Disposal

Do not contaminate water, food, or feed by storage and disposal.

Pesticide Storage: Store in original container, tightly closed, in a secure place. Keep out of the reach of children and domestic animals. In case of leak or spill, contain material and dispose as waste.

Pesticide Disposal: Wastes resulting from the use of this product must be disposed of on site or at an approved waste disposal facility.

Nonrefillable rigid containers 5 gallons or less:

Container Handling: Nonrefillable container. Do not reuse or refill this container.

Triple rinse or pressure rinse container (or equivalent) promptly after emptying. **Triple rinse** as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. **Pressure rinse** as follows: Empty the remaining contents into application equipment or a mix tank and continue to drain for 10 seconds after the flow begins to drip. Hold container upside down over application equipment or mix tank or collect rinsate for later use or disposal. Insert pressure rinsing nozzle in the side of the container, and rinse at about 40 psi for at least 30 seconds. Drain for 10 seconds after the flow begins to drip. Then offer for recycling if available or puncture and dispose of in a sanitary landfill, or by incineration, or by other procedures allowed by state and local authorities.

Nonrefillable nonrigid containers:

Container Handling: Nonrefillable container. Do not reuse or refill this container. Completely empty bag into application equipment. Then offer for recycling if available, or dispose of in a sanitary landfill, or by incineration, or by other procedures allowed by state and local authorities.

Refillable rigid containers larger than 5 gal:

Container Handling: Refillable container. Refill this container with pesticide only. Do not reuse this container for any other purpose.

Cleaning the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller. To clean the container before final disposal, empty the remaining contents from this container into application equipment or a mix tank. Fill the container about 10% full with water and, if possible, spray all sides while adding water. If practical, agitate vigorously or recirculate water with the pump for two minutes. Pour or pump rinsate into application equipment or rinsate collection system. Repeat this rinsing procedure two more times. Then

offer for recycling if available, or puncture and dispose of in a sanitary landfill, or by incineration, or by other procedures allowed by state and local authorities.

Nonrefillable rigid containers larger than 5 gal:

Container Handling: Nonrefillable container. Do not reuse or refill this container.

Triple rinse or pressure rinse container (or equivalent) promptly after emptying. **Triple rinse** as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container 1/4 full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times. **Pressure rinse** as follows: Empty the remaining contents into application equipment or a mix tank and continue to drain for 10 seconds after the flow begins to drip. Hold container upside down over application equipment or mix tank or collect rinsate for later use or disposal. Insert pressure rinsing nozzle in the side of the container, and rinse at about 40 psi for at least 30 seconds. Drain for 10 seconds after the flow begins to drip. Then offer for recycling if available, or puncture and dispose of in a sanitary landfill, or by incineration, or by other procedures allowed by state and local authorities.

General Information

Conserve® Fly Bait AF granular fly control is intended for control of the adult common fly outdoors around the following: dog kennels, garbage cans and dumpsters, outdoor latrines, dumps, incinerators, compost areas, parks, picnic areas, fairs and camps, zoos, markets, cafes, restaurants, fast food establishments, bakeries, commissaries, supermarkets, warehouses, industrial plants, meat and poultry processing plants, beverage processing plants, canneries and food processing plants, non-commercial animal housing (e.g., on hobby farms) and commercial animal housing, including poultry houses, broiler houses, caged poultry, turkeys or rabbits on wire, dairies, dairy barns, milking parlors, milk sheds, loafing sheds, hog farms, pig pens, pig parlors, livestock barns, stock barns, livestock pens, feed lots, fur bearing animal units, horse barns, stables, silos, or other animal handling or feeding facilities. Conserve Fly Bait AF can also be used indoors, but only in areas where animals cannot come into contact with or ingest the granules. See specific use instructions and practices below. This product's active ingredient, spinosad, is biologically derived from the fermentation of *Saccharopolyspora spinosa*, a naturally occurring soil organism.

General Use Precautions

- Conserve Fly Bait AF contains Bitrex™. Conserve Fly Bait AF also contains a fluorescent pigment that makes the bait more attractive to flies. Use of waterproof gloves is recommended when handling Conserve Fly Bait AF to avoid staining of skin or clothing.
- Keep in original container and store out of direct sunlight in a cool and dry location. To preserve effectiveness, reseal container immediately after measuring and using the product.
- Do not allow Conserve Fly Bait AF to contact food, feedstuffs, water, milk and milking utensils. Protect exposed food, feedstuffs, water, milk and milking utensils where necessary to avoid contamination. Do not use where milk is processed or stored.
- Apply Conserve Fly Bait AF only in locations inaccessible to children, livestock animals and pets where bait granules cannot be picked up or where animals and pets cannot lick surfaces on which the bait has been placed.
- Conserve Fly Bait AF bait stations or trays and hang-boards/cards must be located at least 4 feet above the ground.
- Do not feed garbage treated with Conserve Fly Bait AF to animals.
- Except for station or hang-board/card placement, do not use in food/feed areas of food handling establishments, restaurants, or other areas where food/feed is commercially prepared or processed. Do not use in serving areas while food is exposed or facility is in operation. Serving areas are areas where prepared foods are served such as dining rooms, but excluding areas where foods may be prepared or held.

12-08-14

- Can be used in non-food/non-feed areas of food handling establishments such as garbage rooms, lavatories, floor drains (to sewers), entries, vestibules and hallways, offices, locker rooms, machine rooms, basements, boiler rooms, garages, utility rooms, mop closets and storage rooms (after canning or bottling).

Insecticide Resistance Management

Spinosad, the active ingredient in Conserve Fly Bait AF, has a novel mode of action and has shown no cross resistance with existing chemistries. However, experience has shown that the overuse of effective insecticides can lead to a build up of resistance to virtually any insecticide.

To preserve the effectiveness of Conserve Fly Bait AF as a fly pest control product, the following actions are recommended:

- Whenever possible, use an Integrated Pest Management Program including use of screens, sanitation and manure management, and preservation of predators.
- If chemical control is warranted, monitor the fly population carefully and target early infestations.
- Do not use less than the recommended labeled dose rate.
- If sequential treatments are required, rotate Conserve Fly Bait AF with at least 1 or 2 other products that have a different active ingredient (Conserve Fly Bait AF, then product A, then product B, then back to Conserve Fly Bait AF, etc.) and, if necessary, with a product that has a different method of control such as space sprays.
- Conserve Fly Bait AF should not be applied more than 7 times in any 12-month period.

Application Timing, Rate and Placement

Apply Conserve Fly Bait AF at the rate of 12 to 16 oz of bait per 2000 sq ft (6 to 8 oz per 1000 sq ft) of the total floor area of the infested building or use site. Start baiting early before the population of adult flies has reached an unacceptable level. A knockdown space or surface spray product may be used to rapidly control an initially high adult fly population. Remove manure where possible or consider the use of a larvicide treatment. Regardless of application method used, it is important to place the required amount of Conserve Fly Bait AF only in infested areas where flies are observed to be resting or feeding. Place Conserve Fly Bait AF on clean paper if floor is limed.

Bait Application Methods

One or a combination of the following bait presentation methods may be used:

Scatter Bait: Scatter Conserve Fly Bait AF evenly outdoors on surfaces where flies are observed to be resting or feeding such as, but not limited to, windowsills, tops of walls, edges or walkways, floor, ground, etc. Do not put into piles.

Station/Tray Bait: Spread Conserve Fly Bait AF evenly onto the station or tray in a thin uniform layer, avoiding heaps. To optimize bait distribution, it is recommended to hang or place 8 to 10 stations or trays per 2000 sq ft of floor space or other use site in areas where flies are observed to be resting or feeding. Do not put into piles. Stations or trays must be located at least 4 feet above the ground.

Hang-Board/Card Bait: For hang-board/card application, lightly moisten one side of the board/card with beaten eggs, beer, cola, or starch-based wallpaper glue. While still wet, sprinkle Conserve Fly Bait AF onto the card to ensure adherence of the granules using 3.5 oz of bait per 10 sq ft of hang-board/card. Allow the surface to dry and then shake off any non-adhered granules. An alternative application method for applying Conserve Fly Bait AF to hang-boards/cards is to use the paint or spray on methods described below. Use a total of 50 sq ft of hang-boards/cards per 2000 sq ft of area. To optimize bait distribution, it is recommended to hang or place 8 to 10 individual boards/cards per 2000 sq ft of floor space or use site where flies are observed to be resting or feeding (up to 25 may be used depending upon the size of the board/card). Hang-boards/cards must be located at least 4 feet above the ground.

Boat 14

Paint On Bait: In a bucket mix 12 to 16 oz of Conserve Fly Bait AF into 1/2 to 1 qt of warm water and stir vigorously until granules are completely dissolved. Use a paintbrush or roller to apply the dilution to surfaces where flies are observed to be resting or feeding. Treated areas may be continuous or made up of separate spot treatments. The finished dilution is sufficient for an area of 2000 sq ft of floor space or use site. **Conserve Fly Bait AF contains a fluorescent pigment. Do not apply to surfaces where discoloration cannot be tolerated.**

Spray On Bait: In a bucket mix 12 to 16 oz of Conserve Fly Bait AF into 1 qt of warm water and stir vigorously until granules are completely dissolved. Do not attempt to mix the granules and water in the spray equipment. Pour the mixture into a sprayer (such as, but not limited to, pump up compression, etc.) only after all the granules have completely dissolved. Apply the dilution to surfaces where flies are observed to be resting or feeding. Treated areas may be continuous or made up of separate spot treatments. The finished dilution is sufficient for an area of 2000 sq ft of floor space or use site.

Prepare only enough for use and apply immediately. Shake the mixture prior to and during application. Thoroughly rinse spray equipment, including hose and nozzle, immediately after application to avoid clogging of spray equipment from build-up of dry residues. **Conserve Fly Bait AF contains a fluorescent pigment. Do not apply to surfaces where discoloration cannot be tolerated.**

Terms and Conditions of Use

If terms of the following Warranty Disclaimer, Inherent Risks of Use, and Limitation of Remedies are not acceptable, return unopened package at once to the seller for a full refund of purchase price paid. Otherwise, use by the buyer or any other user constitutes acceptance of the terms under Warranty Disclaimer, Inherent Risks of Use and Limitation of Remedies.

Warranty Disclaimer

Seller warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in strict accordance with the directions, subject to the inherent risks set forth below. TO THE EXTENT PERMITTED BY LAW, SELLER MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR ANY OTHER EXPRESS OR IMPLIED WARRANTY.

Inherent Risks of Use

It is impossible to eliminate all risks associated with use of this product. Lack of performance or other unintended consequences may result because of such factors as use of the product contrary to label instructions (including conditions noted on the label, such as unfavorable temperature, soil conditions, etc.), abnormal conditions (such as extreme weather conditions), presence of other materials, the manner of application, or other factors, all of which are beyond the control of Seller. All such risks shall be assumed by Buyer.

Limitation of Remedies

To the extent permitted by law, the exclusive remedy for losses or damages resulting from this product (including claims based on contract, negligence, strict liability, or other legal theories), shall be limited to, at Seller's election, one of the following:

1. Refund of purchase price paid by buyer or user for product bought, or
2. Replacement of amount of product used.

To the extent permitted by law, Seller shall not be liable for losses or damages resulting from handling or use of this product unless Seller is promptly notified of such loss or damage in writing. To the extent permitted by law, in no case shall Seller be liable for consequential or incidental damages or losses.

The terms of the Warranty Disclaimer, Inherent Risks of Use, and Limitation of Remedies cannot be varied by any written or verbal statements or agreements. No employee or sales agent of the Seller is

