



**OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION**

WASHINGTON, D.C. 20460

May 8, 2025

Nneka Breaux  
US Regulatory Policy Leader  
Corteva Agriscience LLC  
9330 Zionsville Road  
Indianapolis, IN 46268

Subject: Label Amendment - Registration Review Mitigation for Noviflumuron  
Product Name: GF-1252  
EPA Registration Number: 62719-520  
Application Dates: September 19, 2023  
Decision Numbers: 597013

Dear Nneka Breaux:

The Agency, in accordance with the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, has completed reviewing all the information submitted with your application to support the Registration Review of the above referenced product in connection with the Noviflumuron Interim Decisions, and has concluded that your submission is acceptable. The label referred to above, submitted in connection with registration under FIFRA, as amended, is acceptable.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide, Fungicide, and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance Assurance.

A stamped copy of your labeling is enclosed for your records. This labeling supersedes all previously accepted labeling and must be used at your next label printing. You must

submit one copy of the final printed labeling before you release the product for shipment with the new labeling. In accordance with 40 CFR 152.130(c), you may distribute or sell this product under the previously approved labeling for 12 months from the date of this letter. After 12 months, you may only distribute or sell this product if it bears this new revised labeling or subsequently approved labeling. "To distribute or sell" is defined under FIFRA section 2(gg) and its implementing regulation at 40 CFR 152.3.

If you have any questions about this letter, please contact DeMariah Cotton by phone at (202)-566-2288 or via email at [cotton.demariah@epa.gov](mailto:cotton.demariah@epa.gov).

Sincerely,

A handwritten signature in blue ink, appearing to read "Linda Arrington", with a stylized flourish at the end.

Linda Arrington, Branch Chief  
Risk Management and Implementation Branch 4  
Pesticide Re-Evaluation Division  
Office of Pesticide Programs

ENCLOSURE: Stamped label

(Base Label):

# GF-1252

## Gel Bait

**For spot or crack and crevice treatment for the indoor and outdoor control of cockroaches**

**For Pest Control Operators and Commercial Use Only**

Active Ingredient:  
noviflumuron .....0.5%  
Inert Ingredients .....99.5%  
Total Ingredients .....100.0%

U.S. Patent 5,886,221

**Keep Out of Reach of Children**  
**CAUTION**

---

### Precautionary Statements

---

#### Hazards to Humans and Domestic Animals

**Do not tamper with bait material.**

#### Environmental Hazards

This product is highly toxic to aquatic invertebrates and possibly to fish. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters or rinsate.

**Refer to inside of label booklet for additional precautionary information including First Aid and Directions for Use.**

**Notice:** Read the entire label. Use only according to label directions. **Before using this product, read Warranty Disclaimer, Inherent Risks of Use and Limitation of Remedies at end of label booklet.**


In case of emergency endangering health or the environment involving this product, call 1-800-992-5994. If you wish to obtain additional product information, visit our web site at [www.corteva.com](http://www.corteva.com).

EPA Reg. No. 62719-520

EPA Est. \_\_\_\_\_

<sup>TM</sup>® Trademarks of Corteva Agriscience and its affiliated companies.

**Produced for**  
**Corteva Agriscience LLC**  
**9330 Zionsville Road**  
**Indianapolis, IN 46268**



**Net Weight \_\_\_\_oz**

(Datapack cover):

# GF-1252

## Gel Bait

**For spot or crack and crevice treatment for the indoor and outdoor control of cockroaches**

**For Pest Control Operators and Commercial Use Only**

Active Ingredient:  
noviflumuron .....0.5%  
Inert Ingredients .....99.5%  
Total Ingredients .....100.0%

U.S. Patent 5,886,221

**Keep Out of Reach of Children**  
**CAUTION**

**Refer to inside of label booklet for additional precautionary information including First Aid and Directions for Use.**

**Notice:** Read the entire label. Use only according to label directions. **Before using this product, read Warranty Disclaimer, Inherent Risks of Use, and Limitation of Remedies at end of label booklet.**

In case of emergency endangering health or the environment involving this product, call 1-800-992-5994. If you wish to obtain additional product information, visit our web site at [www.corteva.com](http://www.corteva.com).

EPA Reg. No. 62719-520

<sup>TM</sup>® Trademarks of Corteva Agriscience and its affiliated companies.

EPA Est. \_\_\_\_\_

**Produced for**  
**Corteva Agriscience LLC**  
**9330 Zionsville Road**  
**Indianapolis, IN 46268**

**Net Weight \_\_\_\_oz**

(Page 1 through end):

---

## Precautionary Statements

---

### Hazards to Humans and Domestic Animals

## CAUTION

**Do not tamper with bait material.**

### Environmental Hazards

This product is highly toxic to aquatic invertebrates and possibly to fish. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters or rinsate.

---

## Directions for Use

---

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Read all Directions for Use carefully before applying.

### Storage and Disposal

Do not contaminate water, food or feed by storage or disposal.

**Pesticide Storage:** Store in original container in a dry storage area.

**Disposal (If empty):** Do not reuse bait applicator. Place in trash or offer for recycling, if available.

**If partly filled:** Call your local solid waste agency or 1-800-XXX-XXXX for disposal instructions. Never place unused product down any indoor or outdoor drain.

**[Alternative Text]**

Store used bait applicators until they can be sent to an approved facility as instructed by Corteva Agriscience for disposal or recycling.

## General Information

GF-1252 Gel Bait may be used as a spot or crack and crevice treatment for the indoor and outdoor control of cockroaches. GF-1252 Gel Bait contains a highly palatable, hydrodynamic bait matrix that is a preferred food source of cockroaches.

GF-1252 Gel Bait may be used as a spot or crack and crevice treatment in residential areas and the non-food/non-feed areas of institutional, warehousing and commercial facilities, hospitals, nursing homes, motels, hotels, schools, laboratories, computer facilities, indoor drain, aircraft, buses, boats/ships, trains, pet shops and zoos. Non-food/non-feed areas include areas such as garbage rooms, lavatories, entries, and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage (after canning or bottling).

GF-1252 may also be used in food/feed areas of food/feed handling establishments as a crack and crevice or injection treatment only, as described in this label.

## General Use Precautions

- Do not apply this product in areas that are accessible to children or pets.

## Cockroach Control.

**Indoor Treatment:** GF-1252 bait placements must only be made in areas that are inaccessible to children and pets, such as areas under or behind sinks, countertops, cabinets, stoves and refrigerators, and inside (cracks and crevices). For low or moderate infestations or retreatment, apply 1 to 3 grams per 100 sq ft of area for 4 to 12 grams per 100 sq ft in areas of moderate to high infestation in inaccessible areas. Priority treatment areas should be initiated by visual inspection of cockroach activity, supplemental trapping techniques, or spot treatment with a registered synergized pyrethroid cockroach flushing product.

Apply directly into cracks and crevices by placing the applicator tip directly into cracks, crevices, holes and other small openings. Apply small amounts of gel (up to ½ gram per placement). Apply the bait in cracks and crevices between different elements of construction, between equipment and floors, openings leading into voids and hollow spaces in floors, walls, ceilings, equipment legs and bases, around plumbing pipes, doors and windows, behind and under refrigerators, cabinets, sinks, closets, stoves and other equipment where cockroaches hide. Numerous smaller placements (up to ½ gram per placement) are recommended rather than fewer larger spots, especially for control of German cockroaches.

**For outdoor use:** Place bait in cracks and crevices on, or immediately adjacent to structures where roaches may nest, breed or enter. Apply bait to cracks and crevices that are potential points of cockroach entry, such as around eaves, sills, and in expansion joints. Apply bait in protected areas only, where bait will not be washed away. Numerous smaller placements (up to ½ gram per placement) are recommended rather than fewer larger spots.

**Reapplication:** GF-1252 bait remains palatable to cockroaches as long as it is present. Reapply when bait is no longer visibly present or has been visibly depleted by feeding activity. Reapply as needed to maintain control of cockroaches.

**Refillable stations:** This product may be used in Child Resistant Packaging Tested bait stations. Do not exceed 5 grams (1 tsp) of gel bait per refillable station. Refillable stations must be placed in areas inaccessible to children and pets. Refill when bait has been visibly depleted by feeding activity.

## Use Precautions and Restrictions

**Applications in Food/Feed Handling Establishments:** Application is limited to crack and crevice treatment only within food/feed areas of food/feed handling establishments. Food/feed areas include areas for receiving, storage, packing (canning, bottling, wrapping, boxing), preparing edible waste storage, and enclosed processing systems (mills, dairies, edible oils, syrups). Serving areas are also considered a food/feed area when food is exposed and facility is in operation.

- **Application of this product in food/feed areas of food/feed handling establishments other than as a crack and crevice treatment is not permitted.**
- Do not apply bait to areas where food/feed, utensils or processing surfaces may become contaminated.
- Do not treat food preparation surfaces. Keep exposed gel away from open food and food contact surfaces. If gel contacts an exposed surface, remove gel and thoroughly wash exposed surface.
- Do not place treatments in locations where routine cleansing operations may transfer diluted bait to food or food preparation surfaces such as cracks and crevices in tops of tables, food/feed preparation and prepared food holding surfaces.
- Do not apply bait to surfaces where the temperature exceeds 130°F as bait may liquefy. Examples include, but are not limited to, portions of stoves, ovens, grills, fume hoods, heat lamps, coffee urns, steam tables, toasters, fryers, dishwashers and hot water pipes. Care should be taken to avoid depositing gel onto exposed surfaces.

- Do not apply bait gel to areas that have been recently sprayed with insecticide, and do not spray insecticide over gel as it may cause the bait to become repellent.
- Do not use this product where there is a possibility of a shock hazard.

---

### **Terms and Conditions of Use**

---

If terms of the following Warranty Disclaimer, Inherent Risks of Use and Limitation of Remedies are not acceptable, return unopened package at once to the seller for a full refund of purchase price paid. To the extent permitted by law, use by the buyer or any other user constitutes acceptance of the terms under Warranty Disclaimer, Inherent Risks of Use and Limitation of Remedies.

---

### **Warranty Disclaimer**

---

Corteva Agriscience warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in strict accordance with the directions, subject to the inherent risks set forth below. To the extent permitted by law, Corteva Agriscience MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR ANY OTHER EXPRESS OR IMPLIED WARRANTY.

---

### **Inherent Risks of Use**

---

It is impossible to eliminate all risks associated with use of this product. Crop injury, lack of performance, or other unintended consequences may result because of such factors as use of the product contrary to label instructions (including conditions noted on the label, such as unfavorable temperatures, soil conditions, etc.), abnormal conditions (such as excessive rainfall, drought, tornadoes, hurricanes), presence of other materials, the manner of application, or other factors, all of which are beyond the control of Corteva Agriscience or the seller. Corteva Agriscience will not be responsible for losses or damages resulting from the use of this product in any manner not specifically directed by Corteva Agriscience. To the extent permitted by law, all such risks associated with non-directed use shall be assumed by buyer and/or user.

---

### **Limitation of Remedies**

---

To the extent permitted by law, the exclusive remedy for losses or damages resulting from this product (including claims based on contract, negligence, tort, strict liability, or other legal theories), shall be limited to, at Corteva Agriscience's election, one of the following:

1. Refund of purchase price paid by buyer or user for product bought, or
2. Replacement of amount of product used.

To the extent permitted by law, Corteva Agriscience shall not be liable for losses or damages resulting from handling or use of this product unless Corteva Agriscience is promptly notified of such loss or damage in writing. To the extent permitted by law, in no case shall Corteva Agriscience be liable for consequential, incidental or special damages or losses.

The terms of the Warranty Disclaimer, Inherent Risks of Use and this Limitation of Remedies cannot be varied by any written or verbal statements or agreements. No employee or sales agent of Corteva Agriscience or the seller is authorized to vary or exceed the terms of the Warranty Disclaimer or this Limitation of Remedies in any manner.

™® Trademarks of Corteva Agriscience and its affiliated companies.

EPA-Accepted \_\_/\_\_/\_\_