

62719-525

04-27-2010

1/3



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
WASHINGTON, D.C. 20460

OFFICE OF  
PREVENTION, PESTICIDES AND  
TOXIC SUBSTANCES

John Jachetta  
Regulatory Leader  
Regulatory Affairs  
Dow AgroSciences LLC  
9330 Zionsville Road  
Indianapolis, IN 46268-1054

APR 27 2010

Subject: Label Amendment: Montana Only Supplemental Label for Use in Wheat  
(including Durum)  
Product Name: CleanWave Herbicide  
EPA Registration Number: 62719-525  
Decision Number: 427715

The label amendment referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended is acceptable provided that you address the following product labeling requirements:

- The term "Herbicide" must be added to the product name for it to appear on the label as "CleanWave Herbicide".

One copy of the label stamped "Accepted with Comments" is enclosed for your records. Submit one copy of the final printed label before the product is released for shipment. If you have any questions, please contact Michael Walsh by phone at (703) 308-2972 or via email at [walsh.michael@epa.gov](mailto:walsh.michael@epa.gov).

Sincerely,

A handwritten signature in black ink, appearing to read "Kathryn V. Montague".

Kathryn V. Montague  
Product Manager (23)  
Herbicide Branch  
Registration Division (7505P)

Enclosure

2  
3

**ACCEPTED**  
with **COMMENTS**  
In EPA Letter Dated:  
APR 27 2010

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act  
as amended, for the pesticide  
registered under EPA Reg. No.

# Supplemental Labeling



Dow AgroSciences LLC 9330 Zionsville Road Indianapolis, IN 46268-1054 USA

**CleanWave<sup>®</sup>**  
EPA Reg. No. 62719-525

**For Control Of Annual And Perennial Broadleaf Weeds In Wheat (Including Durum)**

**For Use Only in Montana**

- ATTENTION**
- It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
  - This labeling must be in the possession of the user at the time of application.
  - Read the label affixed to the container for CleanWave<sup>®</sup> herbicide before applying. Carefully follow all precautionary statements and applicable use directions.
  - Use of CleanWave according to this supplemental labeling is subject to all use precautions, restrictions and limitations imposed by the label affixed to the container.

### Directions for Use

#### Tank Mixtures for Wheat (including Durum)

CleanWave<sup>®</sup> herbicide may be applied in tank mix combination with labeled rates of other products registered for postemergence application in wheat. See Tank Mixing Precautions under Mixing Instructions. When tank mixing, do not exceed specified application rates and use only in accordance with the most restrictive precautions and limitations on the respective product labels. When tank mixing with 2,4-D ester, users should make certain that the crop has reached the minimum growth stage for application (4-leaf with 3-4 tillers). Applications of 2,4-D ester made prior to the 4-leaf, tillering stage of growth can result in crop injury.

The following broadleaf and grass herbicide tank mix partners are specified to improve control of certain weed species:

Tank Mix Partner	Rate/Acre	Weed Species
2,4-D ester	1/2 to 3/4 pint <sup>†</sup>	mustard, pigweed, Canada thistle, Russian thistle, field bindweed
MCPA ester or amine	1/2 to 3/4 pint <sup>†</sup>	mustard
Harmony <sup>®</sup> GT herbicide	1/12 to 3/10 oz	mustard, pigweed, Russian thistle
Express <sup>®</sup> XP herbicide	1/8 to 1/3 oz	mustard, Canada thistle, Russian thistle
Ally <sup>®</sup> XP herbicide	1/10 oz	mustard, pigweed, Russian thistle
Axial <sup>™</sup> Axial XL	8.2 fl oz 16.4 fl oz	wild oats, green foxtail, yellow foxtail, Persian dandelion
Axial+MCPA ester Axial XL+MCPA ester	8.2 fl oz+1/2 to 3/4 pint <sup>†</sup> 16.4 fl oz+1/2 to 3/4 pint <sup>†</sup>	wild oats, green foxtail, yellow foxtail, Persian dandelion, other broadleaf weeds

Discover® Discover NG	3.2-4 fl oz 12.8-16 fl oz	wild oats, green foxtail, yellow foxtail, Persian darnel
Discover+MCPA Discover NG+MCPA	3.2-4 fl oz or 3.2-4 fl oz+1/2 to 3/4 pint† 12.8-16 fl oz or 12.8-16 fl oz+1/2 to 3/4 pint†	wild oats, green foxtail, yellow foxtail, Persian darnel, other broadleaf weeds
Olympus™	0.6 - 0.9 oz	Brome species, cheat
Olympus+MCPA amine	0.6 - 0.9 oz+1/2 to 3/4 pint†	Brome species, cheat, other broadleaf weeds
Olympus Flex	3-3.5 oz	Brome species, cheat, Italian ryegrass
Olympus Flex+MCPA amine	3-3.5 oz+1/2 to 3/4 pint†	Brome species, cheat, Italian ryegrass, other broadleaf weeds
PowerFlex™	3.5 oz	Brome species, cheat, Italian ryegrass, wild oat
PowerFlex+MCPA	3.5 oz+1/2 to 3/4 pint†	Brome species, cheat, Italian ryegrass, wild oat, other broadleaf weeds

†Rate based on a 4 lb/gal formulation

**Restrictions:**

- Do not tank mix CleanWave with Osprey™ or Osprey+MCPA
- There are no restrictions on grazing following application of CleanWave at labeled rates.
- Do not apply more than 14 fl oz per acre of CleanWave per growing season.
- Do not apply more than once per growing season.
- **Preharvest Interval:** Do not apply within 14 days of harvest for hay or within 50 days of harvest for grain and straw.

®Trademark of Dow AgroSciences LLC

R328-012  
 EPA accepted \_\_\_/\_\_\_/\_\_\_  
 Replaces: Initial

