

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

September 5, 2019

Meibao Zhuang Regulatory Manager Dow AgroSciences LLC 9330 Zionsville Rd. 308/2E Indianapolis, IN 46268-1054

Subject: Supplemental Label Amendment – Dry Bulb Onions; extend expiration date

Product Name: Starane Ultra

EPA Registration Number: 62719-577

Application Date: June 4, 2019 Decision Number: 551947

Dear Ms. Zhuang:

The amended label referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, is acceptable. This approval is only for a supplemental label that is an addendum to the master label. This approval does not affect any conditions that were previously imposed on this registration. You continue to be subject to existing conditions on your registration and any deadlines connected with them.

This supplemental labeling contains some new and/or revised uses and/or directions which may be additional to the uses and/or directions found on the label on or attached to the container, but this supplemental labeling does not by itself constitute the complete set of use directions. The complete set of use directions is set forth on the container label as combined with this supplemental labeling.

A stamped copy of your labeling is enclosed for your records. You must submit one copy of the final printed labeling before you release the product for shipment with the new labeling.

Your release for shipment of the product constitutes acceptance of these conditions. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6.

If you have any questions, please contact Lydia Crawford by phone at 703-347-0622, or via email at Crawford.Lydia@epa.gov.

Sincerely,

Mindy Ondish
Mindy Ondish

Product Manager 23

Herbicide Branch

Registration Division (7505P)

Office of Pesticide Programs

Enclosure

Supplemental Labeling



ACCEPTED 09/05/2019

Under the Federal Insecticide, Fungicide and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No.

62719-577

Dow AgroSciences

Dow AgroSciences LLC

9330 Zionsville Road

Indianapolis, IN 46268-1054 USA

Starane® Ultra

EPA Reg. No. 62719-577

Control of Kochia, Volunteer Potatoes, and Other Susceptible Broadleaf Weeds in Dry **Bulb Onions**

This supplemental label expires April 1, 2023, and must not be used or distributed after this date.

(For Distribution and Use Only in the States of Colorado, Idaho, Michigan, Oregon, Texas, Utah, Washington, and Wisconsin)

- It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
- This labeling must be in the possession of the user at the time of application.
- Read the label affixed to the container for Starane® Ultra herbicide before applying. Follow all applicable directions, restrictions, PPE requirements and precautions on the label affixed to the container for Starane Ultra.
- Use of Starane Ultra according to this supplemental labeling is subject to all use precautions and limitations imposed by the label affixed to the container for Starane Ultra.

WARNING **AVISO**

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

Directions for Use

Starane® Ultra may be applied for postemergence control of kochia, volunteer potatoes, and other susceptible broadleaf weeds in dry bulb onions using ground or aerial application equipment. Refer to the product label for Starane Ultra for a complete list of weeds controlled. Follow all mixing and application instructions in the Product Information section of the product label for Starane Ultra.

Rate and Application Timing: Apply 0.35 pint Starane Ultra as a broadcast postemergence treatment. Volunteer potatoes, kochia, and other susceptible target weeds should be from 4 to 8 inches tall for optimum control.

Broadcast (over-the-top) application may be made to dry bulb onions from the 2 true leaf stage through the 6-leaf stage. Application to dry bulb onions beyond the 6-leaf stage should be made as a directed spray using drop nozzles (see crop injury warning below). Do not apply as a broadcast over-the-top spray after the 6-leaf stage of growth. Tank mix combinations with other herbicides registered for use in dry bulb onions may result in unacceptable crop injury. Adjuvants are not recommended with Starane Ultra applications in dry bulb onions.

Sequential Applications: To control heavy populations or successive flushes of kochia, volunteer potatoes, or other susceptible broadleaf weeds, two postemergence applications can be made on a 10to 14-day re-treatment interval. Do not make more than two applications per season.

Crop Injury Warning: Crop injury such as but not limited to leaf twisting may occur with some onion cultivars when Starane Ultra is applied as a broadcast treatment, especially when applications are made to larger dry bulb onions. Do not use Starane Ultra if the risk of injury is unacceptable.

Specific Use Restrictions:

- Do not allow livestock to graze treated areas or harvest treated forage within 7 days of application.
- Preharvest Interval (PHI): Do not apply within 42 days of onion harvest.
- Do not make more than 2 applications per season.
- Plant-Back Restriction: Plant only labeled crops within 120 days of application.
- Chemigation: Do not apply through any type of irrigation system.
- Do not apply Starane Ultra when furrow irrigation is running. Manage treated fields to avoid water runoff for at least 6 hours after application.

®TM Trademarks of Dow AgroSciences, DuPont or Pioneer and their affiliated companies or respective owners

R357-037 Accepted: __/_/_ Replaces: R357-034