



## OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

WASHINGTON, D.C. 20460

January 3, 2024

Nneka T. Breaux, Ph.D.  
U.S. Regulatory Policy Leader  
Corteva Agriscience LLC  
9330 Zionsville Road  
Indianapolis, IN 46268

Subject: Notification per PRN 98-10 – Add optional label claims and graphics  
Product Name: Recruit HD  
EPA Registration Number: 62719-608  
Application Date: 12/15/2022  
Case Number: 482166

Dear Nneka Breaux:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 for the above referenced product. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the action requested falls within the scope of PRN 98-10.

The label submitted with the application has been stamped “NOTIFICATION” and placed in our records.

Should you wish to add/retain a reference to the company’s website on your label, then please be aware that the website becomes labeling under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) lists examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product’s label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA’s Office of Enforcement and Compliance.

If you have any questions, please contact Kaitlin Saunders at 202-566-2890 or at [Saunders.Kaitlin@epa.gov](mailto:Saunders.Kaitlin@epa.gov).

Sincerely,

*Kaitlin Saunders* for

Elizabeth Fertich  
Product Manager 4  
Invertebrate-Vertebrate Branch 1  
Registration Division  
Office of Pesticide Programs

**NOTIFICATION**

M7A / Recruit HD / MSTR Notif / 12-18-23

62719-608

The applicant has certified that no changes, other than those reported to the Agency have been made to the labeling. The Agency acknowledges this notification by letter dated:

Page 1

**[Sub Label A Annual Service Interval]**

(base label):

01/03/2024

**Recruit HD termite bait must be used in conjunction with a service provided by a pest management professional licensed by the state to apply termite control products.**

# Recruit<sup>®</sup> HD

## TERMITE BAIT

**A durable termite bait for use in an integrated management system for protection of structures against subterranean termites**

Active Ingredient: noviflumuron .....0.5%  
Other Ingredients .....99.5%  
Total .....100.0%

### Keep Out of Reach of Children

#### Environmental Hazards

This product is highly toxic to aquatic invertebrates and possibly to fish. Do not allow the bait or its noviflumuron contents to be washed into a body of water containing aquatic life, such as a pond or stream. Do not use, handle or tamper with the bait in a manner inconsistent with this label.

#### Storage and Disposal

Do not contaminate water, food or feed by storage or disposal.

**Pesticide Storage:** Store in original container in a dry storage area.

**Pesticide Disposal:** Product not disposed of by use according to label directions shall be wrapped in paper and placed in a trash can.

**Container Handling:** Do not break open, cut into or remove protective wrapper from product until ready for use.

**Refer to label booklet for Directions for Use.**

**Notice:** Read the entire label. Use only according to label directions. **Before using this product, read Warranty Disclaimer, Inherent Risks of Use and Limitation of Remedies at end of label booklet.**

In case of emergency endangering health or the environment involving this product, call 1-800-992-5994.

EPA Reg. No. 62719-608

EPA Est. \_\_\_\_\_

<sup>™</sup><sup>®</sup> Trademarks of Corteva Agriscience and its affiliated companies.

**Produced for  
Corteva Agriscience LLC  
9330 Zionsville Road  
Indianapolis, IN 46268**

**NET WEIGHT \_\_\_\_\_**

(cover, shipping container):

**Recruit HD termite bait must be used in conjunction with a service provided by a pest management professional licensed by the state to apply termite control products.**

# Recruit<sup>®</sup> HD

## TERMITE BAIT

**A durable termite bait for use in an integrated management system for protection of structures against subterranean termites**

Active Ingredient: noviflumuron .....0.5%  
Other Ingredients .....99.5%  
Total .....100.0%

### Keep Out of Reach of Children

Refer to label booklet for Directions for Use.

**Notice:** Read the entire label. Use only according to label directions. **Before using this product, read Warranty Disclaimer, Inherent Risks of Use, and Limitation of Remedies at end of label booklet.**

In case of emergency endangering health or the environment involving this product, call 1-800-992-5994.

EPA Reg. No. 62719-608

EPA Est. \_\_\_\_\_

<sup>™</sup><sup>®</sup> Trademarks of Corteva Agriscience and its affiliated companies.

**Produced for  
Corteva Agriscience LLC  
9330 Zionsville Road  
Indianapolis, IN 46268**

**NET WEIGHT \_\_\_\_\_**

(bait label):

**Recruit HD termite bait must be used in conjunction with a service provided by a pest management professional licensed by the state to apply termite control products.**

# **Recruit<sup>®</sup> HD**

## **TERMITE BAIT**

Active Ingredient: noviflumuron .....0.5%  
Other Ingredients .....99.5%  
Total .....100.0%

### **Keep Out of Reach of Children**

**Refer to label booklet for Directions for Use.**

EPA Reg. No. 62719-608

EPA Est. \_\_\_\_\_

<sup>™</sup><sup>®</sup> Trademarks of Corteva Agriscience and its affiliated companies.

**Produced for  
Corteva Agriscience LLC  
9330 Zionsville Road  
Indianapolis, IN 46268**

**NET WEIGHT \_\_\_\_\_**

(Page 1 through end):

## Environmental Hazards

This product is highly toxic to aquatic invertebrates and possibly to fish. Do not allow the bait or its noviflumuron contents to be washed into a body of water containing aquatic life, such as a pond or stream. Do not use, handle or tamper with the bait in a manner inconsistent with this label.

---

## Directions for Use

---

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Read all Directions for Use carefully before applying.

## Storage and Disposal

Do not contaminate water, food or feed by storage or disposal.

**Pesticide Storage:** Store in original container in a dry storage area.

**Pesticide Disposal:** Product not disposed of by use according to label directions shall be wrapped in paper and placed in a trash can.

**Container Handling:** Do not break open, cut into or remove protective wrapper from product until ready for use.

## General Information

Recruit® HD termite bait contains an insect growth regulator (IGR) noviflumuron that prevents successful molting and development of subterranean termites. This disruption of development causes a decline of the termite colony to the point where the colony can no longer sustain itself and is eliminated.

Recruit HD is used in the Sentricon® Colony Elimination System for prevention and elimination of subterranean termite colonies, including *Coptotermes*, *Reticulitermes*, and *Heterotermes* spp., and is intended to form the basis of an on-going program providing structural protection against subterranean termites. Use of this termite baiting system involves the installation of Recruit HD for delivery of noviflumuron coupled with concurrent monitoring and baiting of the site. When Recruit HD is inspected and replenished per label instructions, it provides on-going prevention and elimination of termite colonies.

Target sites for this system can include buildings, fences, utility poles, decking, landscape plantings and trees, or other features that could be damaged by termite feeding and foraging activity. Recruit HD can be used on the inside or outside of foundation walls of crawl space areas, or through access holes made through concrete and asphalt if adequate soil is not accessible and such action is warranted. Recruit HD may be used in lieu of a pre-construction termiticide (chemical barrier) treatment as a means of preventing termite infestation of new structures.

## Installation of Recruit HD

Install Sentricon stations around the target site at intervals not to exceed 20 feet where soil access is not restricted. If the structural foundation is known to have been previously treated with a soil-applied termiticide, do not install Sentricon stations in the soil closer than 18 inches from the foundation.

Based upon the professional evaluation of the installer, install additional Sentricon stations in areas conducive to termite activity in proximity to the structure. Examples of areas to be evaluated include:

- locations near visible termite activity (foraging tubes; termite infested plants, wood, and other materials)
- bath traps
- moist soil in shaded areas
- irrigation sprinkler heads
- roof downspouts and other moist areas
- planting beds or other areas with plant root systems

If present, remove shrink wrap from Recruit HD. Place Recruit HD in each Sentricon station upon station installation. Recruit HD may also be placed in previously installed Sentricon stations upon removal of the existing monitoring device or bait.

## **Service of Recruit HD**

The purpose of the service phase is to detect the presence of subterranean termites or signs of termite activity in Recruit HD to monitor for termites, to aid Recruit HD replacement, and to confirm colony elimination. This procedure does not attract termites from other locations.

Recruit HD is inspected manually for detection of termites, termite activity, or to identify the need to replace Recruit HD. If Recruit HD is more than 1/3 depleted, replace it with new Recruit HD. If possible, gently tap the termites from the used Recruit HD into the Sentricon station containing the new Recruit HD, being careful to not injure the termites. Introduce these termites after the new Recruit HD has been installed into the Sentricon station.

Sentricon stations containing Recruit HD are inspected and serviced on at least an annual basis. When annual service is being provided, an annual inspection date must be assigned for each structure. Stations must be inspected and serviced at intervals not exceeding 30 days beyond the annual inspection date unless unfavorable conditions exist. Unfavorable conditions include frozen or water-saturated soil or normal seasonal decline in subterranean termite foraging activity that may temporarily disrupt feeding on Recruit HD. Do not allow more than fifteen months to elapse between inspections. Seasonal effects on termite activity vary geographically, but feeding activity typically declines during periods when the local historical average daily temperature falls below 50°F. Inspection and servicing may be suspended during these periods; however, do not allow more than fifteen months to elapse between inspections. Refer to National Weather Service data or contact Corteva Agriscience for information regarding local historical average daily temperature.

---

## **Terms and Conditions of Use**

---

If terms of the following Warranty Disclaimer, Inherent Risks of Use and Limitation of Remedies are not acceptable, return unopened package at once to the seller for a full refund of purchase price paid. Otherwise, to the extent permitted by law, use by the buyer or any other user constitutes acceptance of the terms under Warranty Disclaimer, Inherent Risks of Use and Limitation of Remedies.

---

## **Warranty Disclaimer**

---

Corteva Agriscience warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in strict accordance with the directions, subject to the inherent risks set forth below. To the extent permitted by law, Corteva Agriscience MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR ANY OTHER EXPRESS OR IMPLIED WARRANTY.

---

## **Inherent Risks of Use**

---

It is impossible to eliminate all risks associated with use of this product. Lack of performance or other unintended consequences may result because of such factors as use of the product contrary to label instructions (including conditions noted on the label, such as unfavorable temperatures, soil conditions, etc.), abnormal conditions (such as excessive rainfall, drought, tornadoes, hurricanes), presence of other materials, the manner of application, or other factors, all of which are beyond the control of Corteva Agriscience or the seller. To the extent permitted by law, all such risks shall be assumed by buyer.

---

## **Limitation of Remedies**

---

To the extent permitted by law, the exclusive remedy for losses or damages resulting from this product (including claims based on contract, negligence, strict liability, or other legal theories), shall be limited to, at Corteva Agriscience's election, one of the following:

1. Refund of purchase price paid by buyer or user for product bought, or
2. Replacement of amount of product used.

To the extent permitted by law, Corteva Agriscience shall not be liable for losses or damages resulting from handling or use of this product unless Corteva Agriscience is promptly notified of such loss or damage in writing. To the extent permitted by law, in no case shall Corteva Agriscience be liable for consequential or incidental damages or losses.

The terms of the Warranty Disclaimer, Inherent Risks of Use and Limitation of Remedies cannot be varied by any written or verbal statements or agreements. No employee or sales agent of Corteva Agriscience or the seller is authorized to vary or exceed the terms of the Warranty Disclaimer or Limitation of Remedies in any manner.

<sup>TM</sup><sup>®</sup> Trademarks of Corteva Agriscience and its affiliated companies.

EPA accepted \_\_/\_\_/\_\_



~~[Editor's note: Supplemental labels for annual service interval.]~~

**List of Supplemental Labels – Annual Service Interval**

<b>Supplemental Name</b>	<b>EPA Approval Date</b>
Requirements for Recruit HD Installed at New Structures (Florida only)	April 27, 2011
Service of Recruit HD	April 27, 2011

# Supplemental Labeling



~~Dow AgroSciences LLC~~ ~~Corteva Agriscience~~ 9330 Zionsville Road Indianapolis, IN  
46268-1054 USA

## Recruit® HD

EPA Reg. No. 62719-608

### Requirements for Recruit HD Installed at New Structures (For Distribution and Use Only in the State of Florida)

#### ATTENTION

- It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
- This labeling must be in the possession of the user at the time of application.
- Read the label booklet accompanying the container for Recruit HD before applying. Carefully follow all precautionary statements and applicable use directions.
- Use of Recruit HD according to this supplemental labeling is subject to all use precautions and limitations imposed by the label booklet for Recruit HD.

**In Florida, Recruit HD may be installed for protection of new structures in lieu of a preconstruction termiticide treatment.** Sentricon stations containing Recruit HD are inspected and serviced on at least an annual basis. When annual service is being provided, an annual inspection date must be assigned for each structure. Stations must be inspected and serviced at intervals not exceeding 30 days beyond the annual inspection date unless unfavorable conditions exist. Unfavorable conditions include frozen or water-saturated soil or normal seasonal decline in subterranean termite foraging activity that may temporarily disrupt feeding on Recruit HD. Do not allow more than fifteen months to elapse between inspections. Seasonal effects on termite activity vary geographically, but feeding activity typically declines during periods when the local historical average daily temperature falls below 50°F. Inspection and servicing may be suspended during these periods; however, do not allow more than fifteen months to elapse between inspections. Refer to National Weather Service data or contact [Dow AgroSciences Corteva Agriscience](#) for information regarding local historical average daily temperature.

~~®Trademark of Dow AgroSciences LLC~~ ~~™~~® Trademarks of Corteva Agriscience and its affiliated companies

R377-0045

EPA accepted: ~~04/27/14~~ / /

~~Initial printing~~ Replaces R377-001.

# Supplemental Labeling



~~Dow AgroSciences LLC~~ ~~Corteva Agriscience~~ 9330 Zionsville Road Indianapolis, IN  
46268-1054 USA

## Recruit® HD

EPA Reg. No. 62719-608

### Service of Recruit HD

#### ATTENTION

- It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
- This labeling must be in the possession of the user at the time of application.
- Read the label booklet accompanying the container for Recruit® HD termite bait before applying. Carefully follow all precautionary statements and applicable use directions.
- Use of Recruit HD according to this supplemental labeling is subject to all use precautions and limitations imposed by the label booklet for Recruit HD.

#### Directions for Use

The purpose of the service phase is to detect the presence of subterranean termites or signs of termite activity in Recruit HD, to monitor for termites, to aid Recruit HD replacement, and to confirm colony elimination. This procedure does not attract termites from other locations.

Recruit HD is inspected manually for detection of termites, termite activity, or to identify the need to replace Recruit HD. If Recruit HD is more than 1/3 depleted, replace it with new Recruit HD. If possible, gently tap the termites from the used Recruit HD into the Sentricon station containing the new Recruit HD, being careful to not injure the termites. Introduce these termites after the new Recruit HD has been installed into the Sentricon station.

Sentricon stations containing Recruit HD are inspected and serviced on at least an annual basis. When annual service is being provided, an annual inspection date must be assigned for each structure. Stations must be inspected and serviced at intervals not exceeding 30 days beyond the annual inspection date unless unfavorable conditions exist. Unfavorable conditions include frozen or water-saturated soil or normal seasonal decline in subterranean termite foraging activity that may temporarily disrupt feeding on Recruit HD. Do not allow more than fifteen months to elapse between inspections. Seasonal effects on termite activity vary geographically, but feeding activity typically declines during periods when the local historical average daily temperature falls below 50°F. Inspection and servicing may be suspended during these periods; however, do not allow more than fifteen months to elapse between inspections. Refer to National Weather Service data or contact [Dow AgroSciences-Corteva Agriscience](#) for information regarding local historical average daily temperature.

[®Trademark of Dow AgroSciences LLC™® Trademarks of Corteva Agriscience and its affiliated companies](#)

R377-0036

EPA accepted: 04/27/14 / /

Replaces R377-0023

**[Sub Label B Semi-Annual Service Interval]**

(base label):

**Recruit HD2 termite bait must be used in conjunction with a service provided by a pest management professional licensed by the state to apply termite control products.**

# Recruit<sup>®</sup> HD2

## TERMITE BAIT

**A durable termite bait for use in an integrated management system for protection of structures against subterranean termites**

Active Ingredient: noviflumuron .....0.5%  
Other Ingredients .....99.5%  
Total .....100.0%

### Keep Out of Reach of Children

#### Environmental Hazards

This product is highly toxic to aquatic invertebrates and possibly to fish. Do not allow the bait or its noviflumuron contents to be washed into a body of water containing aquatic life, such as a pond or stream. Do not use, handle or tamper with the bait in a manner inconsistent with this label.

#### Storage and Disposal

Do not contaminate water, food or feed by storage or disposal.

**Pesticide Storage:** Store in original container in a dry storage area.

**Pesticide Disposal:** Product not disposed of by use according to label directions shall be wrapped in paper and placed in a trash can.

**Container Handling:** Do not break open, cut into or remove protective wrapper from product until ready for use.

**Refer to label booklet for Directions for Use.**

**Notice:** Read the entire label. Use only according to label directions. **Before using this product, read Warranty Disclaimer, Inherent Risks of Use and Limitation of Remedies at end of label booklet.**

In case of emergency endangering health or the environment involving this product, call 1-800-992-5994.

EPA Reg. No. 62719-608

EPA Est. \_\_\_\_\_

<sup>™</sup><sup>®</sup> Trademarks of Corteva Agriscience and its affiliated companies.

**Produced for  
Corteva Agriscience LLC  
9330 Zionsville Road  
Indianapolis, IN 46268**

**NET WEIGHT \_\_\_\_\_**

(cover, shipping container):

**Recruit HD2 termite bait must be used in conjunction with a service provided by a pest management professional licensed by the state to apply termite control products.**

# Recruit® HD2

## TERMITE BAIT

**A durable termite bait for use in an integrated management system for protection of structures against subterranean termites**

Active Ingredient: noviflumuron .....0.5%  
Other Ingredients .....99.5%  
Total .....100.0%

### Keep Out of Reach of Children

Refer to label booklet for Directions for Use.

**Notice:** Read the entire label. Use only according to label directions. **Before using this product, read Warranty Disclaimer, Inherent Risks of Use, and Limitation of Remedies at end of label booklet.**

In case of emergency endangering health or the environment involving this product, call 1-800-992-5994.

EPA Reg. No. 62719-608

EPA Est. \_\_\_\_\_

™® Trademarks of Corteva Agriscience and its affiliated companies.

Produced for  
Corteva Agriscience LLC  
9330 Zionsville Road  
Indianapolis, IN 46268

**NET WEIGHT** \_\_\_\_\_

(bait label):

**Recruit HD2 termite bait must be used in conjunction with a service provided by a pest management professional licensed by the state to apply termite control products.**

# Recruit<sup>®</sup> HD2

## TERMITE BAIT

Active Ingredient: noviflumuron .....	0.5%
Other Ingredients .....	99.5%
Total .....	100.0%

### Keep Out of Reach of Children

Refer to label booklet for Directions for Use.

EPA Reg. No. 62719-608

EPA Est. \_\_\_\_\_

<sup>™</sup><sup>®</sup> Trademarks of Corteva Agriscience and its affiliated companies.

**Produced for  
Corteva Agriscience LLC  
9330 Zionsville Road  
Indianapolis, IN 46268**

**NET WEIGHT \_\_\_\_\_**

(Page 1 through end):

## Environmental Hazards

This product is highly toxic to aquatic invertebrates and possibly to fish. Do not allow the bait or its noviflumuron contents to be washed into a body of water containing aquatic life, such as a pond or stream. Do not use, handle or tamper with the bait in a manner inconsistent with this label.

---

## Directions for Use

---

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Read all Directions for Use carefully before applying.

## Storage and Disposal

Do not contaminate water, food or feed by storage or disposal.

**Pesticide Storage:** Store in original container in a dry storage area.

**Pesticide Disposal:** Product not disposed of by use according to label directions shall be wrapped in paper and placed in a trash can.

**Container Handling:** Do not break open, cut into or remove protective wrapper from product until ready for use.

## General Information

Recruit® HD2 termite bait contains an insect growth regulator (IGR) noviflumuron that prevents successful molting and development of subterranean termites. This disruption of development causes a decline of the termite colony to the point where the colony can no longer sustain itself and is eliminated.

Recruit HD2 is used in the Sentricon® Colony Elimination System for prevention and elimination of subterranean termite colonies, including *Coptotermes*, *Reticulitermes*, and *Heterotermes* spp., and is intended to form the basis of an on-going program providing structural protection against subterranean termites. Use of this termite baiting system involves the installation of Recruit HD2 for delivery of noviflumuron coupled with concurrent monitoring and baiting of the site. When Recruit HD2 is inspected and replenished per label instructions, it provides on-going prevention and elimination of termite colonies.

Target sites for this system can include buildings, fences, utility poles, decking, landscape plantings and trees, or other features that could be damaged by termite feeding and foraging activity. Recruit HD2 can be used on the inside or outside of foundation walls of crawl space areas, or through access holes made through concrete and asphalt if adequate soil is not accessible and such action is warranted. Recruit HD2 may be used in lieu of a pre-construction termiticide (chemical barrier) treatment as a means of preventing termite infestation of new structures.

In Florida, when Recruit HD2 is installed for protection of new structures in lieu of a preconstruction termiticide treatment, the requirements for monitoring specified in supplemental labeling entitled Requirements for Recruit HD2 Installed at New Structures must be followed. This supplemental label must be in the possession of individuals installing or inspecting Recruit HD2 at new structures.

## Installation of Recruit HD2

Install Sentricon stations around the target site at intervals not to exceed 20 feet where soil access is not restricted. If the structural foundation is known to have been previously treated with a soil-applied termiticide, do not install Sentricon stations in the soil closer than 18 inches from the foundation.

Based upon the professional evaluation of the installer, install additional Sentricon stations in areas conducive to termite activity in proximity to the structure. Examples of areas to be evaluated include:

- locations near visible termite activity (foraging tubes; termite infested plants, wood, and other materials)
- bath traps
- moist soil in shaded areas
- irrigation sprinkler heads

- roof downspouts and other moist areas
- planting beds or other areas with plant root systems

If present, remove shrink wrap from Recruit HD2. Place Recruit HD2 in each Sentricon station upon station installation. Recruit HD2 may also be placed in previously installed Sentricon stations upon removal of the existing monitoring device or bait.

## **Service of Recruit HD2**

The purpose of the service phase is to detect the presence of subterranean termites or signs of termite activity in Recruit HD2, to monitor for termites, to aid Recruit HD2 replacement, and to confirm colony elimination. This procedure does not attract termites from other locations.

Recruit HD2 is inspected manually for detection of termites, termite activity, or to identify the need to replace Recruit HD2. If Recruit HD2 is more than 1/3 depleted, replace it with new Recruit HD2. If possible, gently tap the termites from the used Recruit HD2 into the Sentricon station containing the new Recruit HD2, being careful to not injure the termites. Introduce these termites after the new Recruit HD2 has been installed into the Sentricon station.

Sentricon stations containing Recruit HD2 are inspected and serviced on at least a semi-annual basis. When semi-annual service is being provided, semi-annual inspection dates must be assigned for each structure. Stations must be inspected and serviced at intervals not exceeding 15 days beyond the semi-annual inspection dates unless unfavorable conditions exist. Unfavorable conditions include frozen or water-saturated soil or normal seasonal decline in subterranean termite foraging activity that may temporarily disrupt feeding on Recruit HD2. Do not allow more than nine months to elapse between inspections. Seasonal effects on termite activity vary geographically, but feeding activity typically declines during periods when the local historical average daily temperature falls below 50°F. Inspection and servicing may be suspended during these periods; however, do not allow more than nine months to elapse between inspections. Refer to National Weather Service data or contact Corteva Agriscience for information regarding local historical average daily temperature.

---

## **Terms and Conditions of Use**

If terms of the following Warranty Disclaimer, Inherent Risks of Use and Limitation of Remedies are not acceptable, return unopened package at once to the seller for a full refund of purchase price paid. Otherwise, to the extent permitted by law, use by the buyer or any other user constitutes acceptance of the terms under Warranty Disclaimer, Inherent Risks of Use and Limitation of Remedies.

---

## **Warranty Disclaimer**

Corteva Agriscience warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in strict accordance with the directions, subject to the inherent risks set forth below. To the extent permitted by law, Corteva Agriscience MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR ANY OTHER EXPRESS OR IMPLIED WARRANTY.

---

## **Inherent Risks of Use**

It is impossible to eliminate all risks associated with use of this product. Lack of performance or other unintended consequences may result because of such factors as use of the product contrary to label instructions (including conditions noted on the label, such as unfavorable temperatures, soil conditions, etc.), abnormal conditions (such as excessive rainfall, drought, tornadoes, hurricanes), presence of other materials, the manner of application, or other factors, all of which are beyond the control of Corteva Agriscience or the seller. To the extent permitted by law, all such risks shall be assumed by buyer.

---

## **Limitation of Remedies**

To the extent permitted by law, the exclusive remedy for losses or damages resulting from this product (including claims based on contract, negligence, strict liability, or other legal theories), shall be limited to, at Corteva Agriscience's election, one of the following:



1. Refund of purchase price paid by buyer or user for product bought, or
2. Replacement of amount of product used.

To the extent permitted by law, Corteva Agriscience shall not be liable for losses or damages resulting from handling or use of this product unless Corteva Agriscience is promptly notified of such loss or damage in writing. To the extent permitted by law, in no case shall ~~Dow AgroSciences~~Corteva Agriscience be liable for consequential or incidental damages or losses.

The terms of the Warranty Disclaimer, Inherent Risks of Use and Limitation of Remedies cannot be varied by any written or verbal statements or agreements. No employee or sales agent of Corteva Agriscience or the seller is authorized to vary or exceed the terms of the Warranty Disclaimer or Limitation of Remedies in any manner.

<sup>TM</sup>® Trademarks of Corteva Agriscience and its affiliated companies.

EPA accepted \_\_/\_\_/\_\_

~~[Editor's note: Supplemental labels for less than annual service interval.]~~

~~List of Supplemental Labels – Semi-Annual Service Interval~~

<del>Supplemental Name</del>	<del>EPA Approval Date</del>
<del>Requirements for Recruit HD2 Installed at New Structures (Florida only)</del>	<del>April 27, 2011</del>

# Supplemental Labeling



~~Dow AgroSciences LLC~~ ~~Corteva Agriscience~~

9330 Zionsville Road

Indianapolis, IN

46268-1054 USA

## Recruit<sup>®</sup> HD2

EPA Reg. No. 62719-608

### Requirements for Recruit HD2 Installed at New Structures (For Distribution and Use Only in the State of Florida)

#### ATTENTION

- It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
- This labeling must be in the possession of the user at the time of application.
- Read the label booklet accompanying the container for Recruit<sup>®</sup> HD2 termite bait before applying. Carefully follow all precautionary statements and applicable use directions.
- Use of Recruit HD2 according to this supplemental labeling is subject to all use precautions and limitations imposed by the label booklet for Recruit HD2.

**In Florida, Recruit HD2 may be installed for protection of new structures in lieu of a preconstruction termiticide treatment.** During the first year of installation, termite stations containing Recruit HD2 must be inspected and serviced at intervals not exceeding three months.

~~®Trademark of Dow AgroSciences LLC™® Trademarks of Corteva Agriscience and its affiliated companies~~

R395-004~~2~~

EPA accepted: ~~04/27/14~~ / /

~~Initial printing Replaces R395-001~~

**Optional Label Claims for either: Sublabel A or Sublabel B**

- TEAR OUT AND REMOVE THIS STRIP TO OPEN
- SENTRICON®
- RTI STATIONS
- READY TO INSTALL

**Optional Label Graphics for either: Sublabel A or Sublabel B**

