



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

June 18, 2020

Stephanie Burton
Regulatory Leader
Dow AgroSciences LLC
9330 Zionsville Road
Indianapolis, IN 46268

Subject: Amendment to Add a Supplemental Label – Supplemental Label to Add Pre-Transplanting and Post-Crown-Planting Applications in Artichoke.
Product Name: Pindar GT
EPA Registration Number: 62719-611
Application Date: 06/04/2020
Decision Number: 563630

Dear Ms. Burton:

The amended label referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable. This approval is only for a supplemental label that is an addendum to the master label. This approval does not affect any conditions that were previously imposed on this registration. You continue to be subject to existing conditions on your registration and any deadlines connected with them.

This supplemental labeling contains some new and/or revised uses and/or directions which may be additional to the uses and/or directions found on the label on or attached to the container, but this supplemental labeling does not by itself constitute the complete set of use directions. The complete set of use directions is set forth on the container label as combined with this supplemental labeling.

A stamped copy of your labeling is enclosed for your records. You must submit one copy of the final printed labeling before you release the product for shipment with the new labeling.

Your release for shipment of the product constitutes acceptance of these conditions. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6. If you have any questions, please contact Manjula Unnikrishnan by phone at 703-347-8520, or via email at unnikrishnan.manjula@epa.gov.

Page 2 of 2
EPA Reg. No. 62719-611
Decision No. 563630

Sincerely,

A handwritten signature in black ink, appearing to read "Erik Kraft". The signature is written in a cursive style with a large initial "E" and a long, sweeping tail.

Erik Kraft, Product Manager 24
Fungicide and Herbicide Branch
Registration Division (7505P)
Office of Pesticide Programs

Enclosure

Supplemental Labeling



Dow AgroSciences

Pindar[®] GT

EPA Reg. No. 62719-611

This supplemental label expires June 17, 2023 and must not be used or distributed after this date.

For Pre-Transplanting and Post-Crown Planting Applications in Artichoke

(For Use in the states of Arizona, California, and Texas)

ATTENTION

- It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
- This labeling must be in the possession of the user at the time of application.
- Read the label affixed to the container for Pindar[®] GT herbicide before applying. Carefully follow all precautionary statements and applicable use directions.
- Use of Pindar GT according to this supplemental labeling is subject to all use precautions and limitations imposed by the label affixed to the container for Pindar GT.

Directions for Use

Artichoke (Globe)

Post-Directed Spray Application

Weed Control	Rate (pt/acre)	Specific Use Directions
Preemergence Postemergence	2 – 3 (0.0208 lb ai/acre penoxsulam + 0.983 lb ai/acre oxyfluorfen to 0.0311 lb ai/acre penoxsulam + 1.474 lb ai/acre oxyfluorfen)	<p>Application Method: Apply as a directed spray to the soil surface between the rows and at the base of artichoke plants in a minimum spray volume of 10 gallons per acre. Use higher spray volumes to ensure thorough coverage in high densities of emerged weeds.</p> <p>Timing to Crop: Apply after completion of ditching operations. Separate applications of up to 2 pt/acre may be made 30 days apart (to a maximum of a total of 3 pt/acre) or a single application of up to 3 pt/acre may be made. Any cultural practices which disturb or redistribute surface soil following treatment with Pindar[®] GT, including cutting water furrows, cultivation, disking treated soil areas, etc., will reduce weed control effectiveness.</p> <p>Timing to Weeds: Preemergence up to 4 leaf stage. The best weed control is obtained by application to weeds preemergence or early postemergence when weeds are small and actively growing.</p>
<p>Precautions:</p> <ul style="list-style-type: none"> • Application of Pindar GT to artichoke plantings ought to be delayed a minimum of 60 days after cutting back or transplanting. 		

Restrictions:

- **DO NOT** apply over-the-top. Contact with direct spray or drift will cause injury to artichoke fronds or severe injury to buds or flowers.
- **DO NOT** apply more than 3 pints of Pindar GT per acre per year (0.0311 lbs per acre of Penoxsulam and 1.474 lbs per acre Oxyfluorfen) as a result of a single application or split applications.
- **DO NOT** apply more than 1.5 lb ai oxyfluorfen per acre per year from any combination of applications of Pindar GT or any product containing oxyfluorfen.
- **DO NOT** apply Pindar GT more than twice per year.
- **Retreatment Interval (RTI):** 30 days between sequential applications.
- **Preharvest Interval: DO NOT** apply within 5 days of harvest.

Key Weeds Controlled

Preemergence	Postemergence
cheeseweed (malva)	cheeseweed (malva)
groundsel, common	groundsel, common
lambsquarters, common	mustard, common yellow
mustard, common yellow	nettle, burning
oxalis (bermuda buttercup) †	oxalis (bermuda buttercup)
shepherdspurse	shepherdspurse
sowthistle, annual	sowthistle, annual

† Suppression

®™ Trademarks of Dow AgroSciences, DuPont or Pioneer and their affiliated companies or respective owners

R375-023
EPA accepted 05/05/20
Initial printing.