

PM 3

63120-2

1/21/98

1/2

INSECT/ARTHROPOD REPELLENT TREATMENT FOR MILITARY BATTLE DRESS UNIFORM FABRIC

INDUSTRIAL FABRIC TREATMENT ONLY
FOR MILITARY USE ONLY
OUTER CLOTHING TREATMENT ONLY

EPA Reg. NO. 63120-2

EPA Est. No.

ACTIVE INGREDIENT:

Permethrin*40.00%

INERT INGREDIENTS:60.00%

TOTAL 100.00%

*(3-phenoxyphenyl) methyl (+)cis-trans-3-(2,2-dichloroethenyl)-2,2-dimethyl-cyclopropanecarboxylate;
cis/trans isomers ratio: min 35% (+) cis and max 65% (+) trans

NET CONTENTS: 30 gallons (114 liters)


WARNING

KEEP OUT OF REACH OF CHILDREN

SEE BACK PANEL FOR ADDITIONAL PRECAUTIONS

Produced and Packaged For:
DEPARTMENT OF DEFENSE
DEFENSE GENERAL SUPPLY CENTER
RICHMOND, VIRGINIA 23297-5000

ACCEPTED
JAN 21 1998
Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 63120-2



PRECAUTIONARY STATEMENTS

HAZARD TO HUMANS AND DOMESTIC ANIMALS

WARNING

HARMFUL IF SWALLOWED OR INHALED
CAUSES EYE IRRITATION

DO NOT APPLY TO SKIN. Keep away from food, eating utensils and water supplies. Thoroughly wash any items contaminated with this product. Avoid breathing vapors or contact with face, eye, or skin. Use protective gloves and wash thoroughly after handling fluid, container, or wet treated clothing and before eating and smoking. Wear protective gloves when mixing and loading.

STATEMENT OF PRACTICAL TREATMENT FOR EXPOSURE TO PERMETHRIN

If on skin: Wash affected areas with soap and water.

If in eyes: Flush eyes with plenty of water. Contact a physician if irritation persists.

If swallowed: Contact a physician or Poison Control Center immediately. Do not induce vomiting unless directed by a physician. Vomiting may cause aspiration pneumonia.

If inhaled: Remove person to well ventilated area. Apply artificial respiration if indicated.

ENVIRONMENTAL HAZARD

This pesticide is extremely toxic to fish and other aquatic organisms. Do not apply directly to any body of water. Do not contaminate water by cleaning of equipment or disposal of equipment washwaters.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Treated outer clothing, netting and tentage provides protection to covered areas of body from bites of mosquitoes, ticks, chiggers, and human body lice. Fabrics to be treated are described in MIL-C-43468, CLOTH, CAMOUFLAGE PATTERN: WIND RESISTANT POPLIN, COTTON; MIL-C-44031 CLOTH, CAMOUFLAGE PATTERN: WOODLAND COTTON AND NYLON; AND MIL-C-44034 CLOTH, TWILL, CAMOUFLAGE PATTERN, COTTON AND NYLON FOR DESERT UNIFORM.

6840-01-XXX-XXXX

Military Specification Mil-I-44411

Application Procedure: Apply 40% permethrin/water emulsion to Battle Dress Uniforms using the Metered Addition of Chemicals method resulting in a treatment level of 0.125mg/cm².

STORAGE AND DISPOSAL

Do not store below 32° F. Do not contaminate water, food, or eating utensils by storage or disposal. Pesticide or treatment mixture that cannot be used according to label instructions must be disposed of according to Federal or approved State procedures under the Resource Conservation and Recovery Act. Container disposal: Triple rinse (or equivalent); then offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill, or by other approved State and local procedures.