

PM 32

63163-2

5-22-97

10/4



U.S. ENVIRONMENTAL PROTECTION AGENCY

Office of Pesticide Programs
Registration Division (H7505C)
401 "M" St., S.W.
Washington, D.C. 20460

EPA Reg. Number:

63163-2

Date of Issuance:

MAY 22 1997

Term of Issuance:

Conditional

NOTICE OF PESTICIDE:

- Registration
- Reregistration

Name of Pesticide Product:

Microcide

(under FIFRA, as amended)

Name and Address of Registrant (include ZIP Code):

KC Laboratories
625 North Avenue West
Missoula, MT 59801

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c) (7) (A) provided that you:

1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for reregistration of your product under FIFRA section 4.

2. Make the following label changes:

- a. Revise the EPA Registration Number to read, "EPA Reg. No. 63163-2".
- b. Include a heading "Directions for Use".
- c. Identify the types of equipments intended for treatment.

Signature of Approving Official:

Date:

MAY 22 1997

2014

- d. Identify "hollow article" intended for treatment.
- e. "Revise the misuse statement "IT IS IN VIOLATION ..." to read; "IT IS A VIOLATION...".
- F. Revise the statement "Discard the used solution daily or sooner if it becomes soiled or diluted" to read; "Fresh solution should be prepared daily or more often if the solution becomes diluted or soiled".

3. Submit two copies of the revised final printed label for the record.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

EPA Reg. No.63163-E

MICROCIDE™

EQUIPMENT & SURFACE DISINFECTANT

Active Ingredients:

2-benzyl-4-chlorophenol 1.0%
2-phenylphenol 9.0%

Inert Ingredients 90.0%
100%

KEEP OUT OF REACH OF CHILDREN
DANGER: See back panel for additional
precautionary statements.

Contents: 1/2 gallon (64 fl. oz.) - 1.875 liters

Virucidal*

Fungicidal

Tuberculocidal

Bactericidal

* Viruses including Polio virus types 1 & 2, Vaccinia virus, Herpes simplex types 1 & 2, Influenza virus type A1 (New Jersey) and influenza B (Maryland) on hard, non-porous, inanimate surfaces.

Manufactured by:



KC LABORATORIES
625 North Ave. West
Missoula, MT 59801

Proposed front Label

ACCEPTED
with COMMENTS
to EPA Letter Dated:

MAY 22 1997

Under the Federal Insecticide,
Fungicide, and Rodenticide Act as
amended for the pesticide
registered under EPA Reg. No. 63163-2

h/ae

PROCEDURE FOR DISINFECTION:

MICROCIDE should be diluted 1:32 with water for disinfection. All equipment must be thoroughly cleaned to remove excess organic debris, rinsed and rough dried prior to immersion in MICROCIDE. Clean and rinse the lumens of hollow articles before filling with solution. Immerse in 1:32 concentration of MICROCIDE for a minimum of 10 minutes to destroy the indicated bacteria: *Salmonella typhosa*, *Escherichia coli* 0113, *Staphylococcus aureus*, *Pseudomonas aeruginosa*, *Mycobacterium tuberculosis* (If tuberculosis contamination is suspected, thoroughly preclean surface prior to application of this product. MICROCIDE is effective in 10 minutes at 20° Celsius), fungi including *Trichophyton interdigitale*. MICROCIDE is an effective fungicide for use on shower room floors, locker room benches and bath mats. MICROCIDE is effective against the following viruses: Polio virus types 1 & 2, Influenza virus type A1 (New Jersey) and Influenza B (Maryland) on hard, nonporous, inanimate surfaces. The ability of this product to destroy the etiologic agent for viral hepatitis has not been established or demonstrated. Rinse disinfected items thoroughly after immersion. Discard the used solution daily or sooner if it becomes soiled or diluted.

All label claims of effectiveness are based on previously unused batches of MICROCIDE diluted as directed. Organic material or water introduced into the diluted product may affect the product effectiveness.

MICROCIDE should not be used for the disinfection of hypodermic needles or any item with deep and/ or narrow crevices.

This product is not intended to be used as a terminal sterilant/high level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body, or (2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body. This product may be used to preclean or decontaminate critical or semi-critical medical devices prior to sterilization or high level disinfection.

MICROCIDE is recommended for use in hospitals, dental offices, laboratories, nursing homes, public and health care institutions.

IT IS IN VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING

PREPARATION OF 1:32 USE DILUTION:

WATER	MICROCIDE
1 pint	1/2 oz. (15ml.)
1 quart	1oz. (30ml.)
1/2 gallon	2 oz. (60ml.)
1 gallon	4 oz. (120ml.)

STORAGE AND DISPOSAL:

DO NOT reuse empty container. Triple rinse with water and dispose in trash. Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. This product should be stored at room temperature, preferably

PRECAUTIONARY STATEMENT - HAZARD TO HUMANS AND DOMESTIC ANIMALS DANGER:

Causes eye and skin damage. Corrosive to tissue. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed

FIRST AID:

In case of contact, immediately flush eyes or skin thoroughly with water. For eyes, call a physician. If swallowed, drink lots of water, avoid alcohol and call a physician. If on clothing, remove contaminated clothing immediately. Wash before reuse.

Note to Physician: Probable mucosal damage may contraindicate the use of gastric lavage.

For use on metal, glass, rubber and plastics including teflon, polyvinyl chloride, polyethylene, polystyrene, polypropylene and polymethylpentene. Polycarbonate plastic may be adversely affected by prolonged storage in MICROCIDE. Do not store lensed instruments in MICROCIDE.

BEST AVAILABLE COPY

Proposed Back Label

ACCEPTED
with COMMENTS
in EPA letter Dated

MAY 22 1997
Under the Federal Insecticide,
Fungicide, and Rodenticide Act as
amended, for the pest:
registered under EPA

63163-2

Wafy