

63243-4

1/4

July 16, 2002

Gary L. Sams
Norwalk Wastewater Equipment Company
220 Republic Street
Norwalk, OH 44857-1196

Subject: Blue Crystal
EPA Registration No. 63243-4
Submission Dated: 4/26/02
Receipt Date: 5/8/02

Dear Mr. Sams:

The following amendment, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, is acceptable with the condition listed below:

- Label revised per Agency letter dated April 18, 2002

Condition


Revise the label as follows:

1. Remove the heading "Statement of Practical Treatment" it should be replaced by **First Aid** to comply with PR Notice 2001-1.

A stamped copy of the labeling accepted with conditions is enclosed. Submit one copy of your final printed labeling before distributing or selling the product bearing the revised labeling.

Should you have any questions or comments concerning this letter, please contact Wanda Mitchell at (703) 308-6345.

Sincerely,



Robert S. Brennis
Product Manager - Team 32
Regulatory Management Branch II
Antimicrobials Division (7510C)

CONCURRENCES

SYMBOL	7510C						
SURNAME	Mitchell						
DATE	7-16-02						

2/4

NORWECO, INC.

Norwalk Wastewater Equipment Company

BLUE CRYSTAL[®] TABLETS

A Calcium Hypochlorite Disinfecting Tablet for
Residential Wastewater Treatment Systems

Active Ingredient:

Calcium Hypochlorite.....73%

Inert Ingredients.....27%

Minimum Available Chlorine.....70%

EPA Registration Number 63243-4

EPA Establishment Number -

ACCEPTED
with COMMENTS
EPA Letter Dated:

JUL 16 2002

Under the Federal Insecticide,
Fungicide, and Rodenticide Act as
amended, for the pesticide,
registered under EPA Reg. No.

63243-4

KEEP OUT OF REACH OF CHILDREN DANGER

Statement of practical treatment (First Aid)

IF IN EYES: Hold eye open and rinse slowly and gently for 15-20 minutes. Remove contact lenses, if present after the first 5 minutes, then continue rinsing eye. Call poison control center or doctor for treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call poison control center or doctor for treatment advice.

IF SWALLOWED: Call poison control center or doctor for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person. (See additional precautions on side label)


Manufactured By:

220 Republic Street

Norwalk, Ohio USA 44857-1196

(419)668-4471

NET CONTENTS -



-NOTICE-

Federal Law requires that this product be sold in its original container and in the quantity shown on the label.

**PRECAUTIONARY
STATEMENTS**

**Hazards to Humans
and Domestic Animals**

DANGER - Highly corrosive. Causes skin and eye damage. May be fatal if swallowed. Do not get into eyes, on skin or on clothing. Wear goggles or safety glasses and rubber gloves when handling. Irritating to nose and throat. Avoid breathing dust. Remove and wash contaminated clothing before reuse.

Environmental Hazards

This pesticide is toxic to fish and aquatic organisms. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.


Physical and Chemical Hazards

Strong Oxidizing Agent: Mix only with water. Use only clean dry utensils made of metal or plastic each time product is taken from the container. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction leading to fire or explosion. Contamination with moisture, acids, organic matter, or other chemicals will start a chemical reaction with generation of heat, liberation of hazardous gases and possible generation of fire and explosion. In case of contamination or decomposition, do not reseal container. If possible, isolate container in open air or well-ventilated area. Flood with large volumes of water, if necessary.

ACCEPTED
with COMMENTS
EPA Letter Dated:

JUL 16 2002

Under the Federal Insecticide,
Fungicide, and Rodenticide Act as
amended, for the pesticide,
registered under EPA Reg. No. 63243-4



Directions for Use

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Sewage & Wastewater Effluent Treatment

The disinfection of sewage effluent must be evaluated by determining the total number of coliform bacteria and/or fecal coliform bacteria, as determined by the *Most Probable Number* (MPN) procedure, or the chlorinated effluent has been reduced to or below the maximum permitted by the controlling regulatory jurisdiction.

On the average, satisfactory disinfection of secondary wastewater effluent can be obtained when the chlorine residual is 0.5 ppm after 15 minutes contact. Although the chlorine residual is the critical factor in disinfection, the importance of correlating chlorine residual with bacteria kill must be emphasized.

The MPN of the effluent, which is directly related to the water quality standards requirements, should be considered an operating standard valid only to the extent verified by the coliform quality of the effluent.

The following are critical factors affecting wastewater disinfection:

1. **Mixing:** It is imperative that the product be instantaneously and completely mixed to assure reaction with every chemically active soluble & particulate component of the wastewater.
2. **Contacting:** Upon flash mixing, the flow through the system must be maintained.
3. **Dosage/Residual Control:** Successful disinfection is extremely dependent on response to fluctuating chlorine demand to maintain a predetermined chlorine level. Secondary effluent should contain 0.2 to 1.0 ppm chlorine residual after a 15 to 30 minute contact time. A reasonable average of chlorine is 0.5 ppm after 15 minutes contact time.

Septic Tanks

(Small Wastewater Treatment Plants)

To refill a residential, or small scale wastewater treatment chlorinator, remove tubes holding tablets, if applicable, and fill as follows:

1. Remove caps and rinse tubes. Clean with water.
2. Fill each tube to top, one tablet at a time.
3. Tablets must lie flat, or tubes will clog.
4. Replace caps and install tubes so they rest in channel in floor of chlorinator.
5. See Manufacturer's chlorinator brochures for additional instructions.

Note: This product degrades with age. Use a chlorine test kit and increase dosage, as necessary, to obtain the required level of available chlorine.

Storage and Disposal

Keep this product tightly closed when not in use. Keep in original container. Store in a cool, dry, well-ventilated area away from heat or open flame. In case of decomposition, isolate container (if possible) and flood area with large amounts of water to dissolve all material before discarding this container. Do not reuse empty container. Place in trash collection. Do not contaminate food or feed by storage, disposal or cleaning of equipment.

4/4

ACCEPTED
with COMMENTS
EPA Letter Dated:
JUL 16 2002
Under the Federal Insecticide,
Fungicide, and Rodenticide Act as
amended, for the pesticide,
registered under EPA Reg. No. 63243-4