NGTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered

The commission is a conditionally neglectered in new relation with TIPP- chetia, Charly Was provided that wout

- 1. Submit Wite all data or other material required for revistret(in/reregistration of your product under FIFRA section Stall5) or FIRRA section 4 when the Agency requires all registrants of cimilar predicts to submit such data.
- 2. Add the phase. "FPA Registration No. 63244-1" to your label before you release the product for shipment.
- 3. On the label, under "Environmental Hapards", after "Do not apply directly to water" add "to areas where surface water is present or to intertidal areas below the mean high water mark".
- 4. Under the Directions for Use delete "over smaller area" and add "one pound per 500 square feet." so it reads "For heavier moss growth, apply one pound per 500 square feet.".
- One year storage stability data at ambient warehouse conditions must be submitted to EPA within 15 months of the date on this registration notice.

ATTACHMENT IS APPLICABLE	BEST	AVAILABLE	CUPY
GNATURE OF APPROVING OFFICIAL	1	2 ~ (2/2)	DATE

UNTIL SUPPLY IS EXHAUSTED.

EPA Form 8570-6 (Rev. 5-76)

وشاية

6. Submit three (3) copies of your final printed labeling, before you release the product for shipment. Refer to the A-79 previously mailed to you for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Joanne I. Miller Product Manager (23) Fungicide-Herbicide Branch Registration Division (H7505C)

Enclosure

BEST AVAILABLE CON

CONCURRENCES									
SYMBOL	H7505C								
SURNAME	Robbins								
DATE	10/28/91							*********	
EPA Form	1320-1 (12-70)					(FFICIAL FIL	LE COPY	

GPO : 1963 O - 403-201

3044

Journal Label

Similar de

FRONT PANEL:

ROOF SAVER

Long-lasting control of moss on roofs.

ACTIVE INGREDIENTS:

Zinc (Zn)..... 19.60%

Copper (Cu)..... 9.00%

100.0%

Keep out of reach of children

CAUTION <

See back panel for additional precautionary statements

NET WEIGHT 3 LBS. (48 Oz.)

ACCEPTED
with COMMENTS
in EPA Letter Dated:

JOT 65 1881

Under the Federal Insecticide. Fungicide, and Recontacide Act as amended, for the pesticide registered under EPA Reg. No.

BEST AVAILABLE COPY

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Harmful if swallowed. Avoid inhalation. Avoid contact with skin, eyes or clothing. Wash contaminated skin promptly with soap and water. For eyes, flush with plenty of water. Get medical attention if irritation persists.

ENVIRONMENTAL HAZARDS

Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

- Apply when moss is wet after a rain, after watering, or with early morning dew.
- 2. Apply ROOF SAVER to lightly affected areas at the rate of one pound per 1,000 square feet. For heavier moss growth, apply over smaller area.
- 3. In two to four weeks, moss will turn from green to yellow to brown.
- 4. Removal of dead moss is not advised. Continual action of ROOF SAVER will occur. Leave dead moss because it will break down and gradually weather away.

STORAGE AND DISPOSAL

Store in a cool, dry area away from heat or open flame. Do not recuse empty container. Wrap container in several layers of newspaper and put in trash collection.

CAUTION: ROOF SAVER is corrosive to copper.

NOTICE: Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risks of use and/or handling of this material when such use and/or handling is contrary to label instructions.

GREG RIPKE Veneta, Oregon 97487

EPA Reg. No.

EPA Est. No.

