

63281-4

1/4/2001

Page 1 of 7

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

JAN - 4 2001

Mr. Brian C. Brodahl
Manager, North American Registrations
ECOLAB, INC.
370 N. Wabasha Street
St. Paul, Minnesota 55102-1390

Dear Mr. Brodahl:

Subject: Response to Revised Labeling for New Label Claims
MTR PHENOLIC GERMICIDAL CLEANER
EPA Registration Number 63281-4
Amended Application Dated November 1, 2000

The amendment referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable with the following comment.

The "First Aid" statements must be revised in accordance with PR Notice 2000-3.

Submit three (3) copies of your final printed labeling before you release the product for shipment. A stamped copy of the labeling is enclosed for your records.

Sincerely,



Adam Heyward
Product Manager (34)
Regulatory Management Branch II
Antimicrobials Division (7510C)

Enclosure:		CONCURRENCES					
SYMBOL	7510C						
SURNAME	W. Heyward						
DATE	1/4/01						

EPA Form 1320-1A (1/90) OFFICIAL FILE COPY

Printed on Recycled Paper

MTR PHENOLIC GERMICIDAL CLEANER

Germicidal Detergent

Cleans, Disinfects, Deodorizes

PSEUDOMONACIDAL STAPHYLOCIDAL TUBERCULOCIDAL *VIRUCIDAL FUNGICIDAL

A multi-purpose germicidal detergent proven effective by the AOAC Use-Dilution Method in the presence of 5% organic bioload (Fetal Bovine Serum). Disinfects, cleans and deodorizes in one labor-saving step.

Effective against the following pathogenic organisms:

- | | |
|---|---|
| <i>Candida albicans</i> | <i>Pseudomonas cepacia</i> |
| <i>Clostridium difficile</i> | <i>Stenotrophomonas maltophilia</i> |
| <i>Enterobacter aerogenes</i> | <i>Salmonella choleraesuis</i> |
| <i>Enterobacter cloacae</i> | <i>Salmonella typhimurium</i> |
| <i>Enterococcus faecalis</i> | <i>Serratia marcescens</i> |
| <i>Enterococcus faecalis</i> (vancomycin resistant) | <i>Shigella flexneri</i> |
| <i>Escherichia coli</i> | <i>Streptococcus pyogenes</i> |
| <i>Klebsiella pneumoniae</i> | <i>Staphylococcus aureus</i> (ATCC 6538) |
| <i>Mycobacterium bovis</i> (BCG) | <i>Staphylococcus aureus</i> (vancomycin resistant) |
| <i>Proteus mirabilis</i> | <i>Staphylococcus epidermidis</i> |
| <i>Proteus vulgaris</i> | <i>Trichophyton mentagrophytes</i> |
| <i>Providencia rettgeri</i> | <i>Pseudomonas aeruginosa</i> |

- | | | |
|--------------------------|--------------------------|---------------------------|
| *Adenovirus Type 2 | *Herpes Simplex Type 1 | *HIV-1 (AIDS Virus) |
| *Influenza Type A (H3N2) | *Newcastle Disease Virus | *Rubella (German measles) |
| | *Vaccinia | |

ACTIVE INGREDIENTS:

o-phenylphenol	7.06%
o-benzyl-p-chlorophenol	10.40%
p-tert-amylphenol	3.51%
INERT INGREDIENTS:	79.03%
TOTAL	100.00%

ACCEPTED
with COMMENTS
in EPA Letter Dated
JAN - 4 2001

KEEP OUT OF REACH OF CHILDREN
DANGER

63281-4

(See side panel for additional precautionary and practical treatment statements)

EPA Reg. No. 63281-4

EPA Est. 303-IN-1(L), 1677-IL-2(J), 1677-NJ-1(W), 1677-TX-1(D), 1677-GA-1(M), 1677-MN-1(P), 1677-CA-1(S), 1677-PR-1(B), 1677-OH-1(H) Superscript refers to first letter of the date code.

RSP Private Label Packaging.
Ecolab Inc
370 N. Wabasha Street, St. Paul, MN 55102

Net Contents: 1 U.S. Gal./3.78 L
5 U.S. Gal./18.9 L

STATEMENT OF PRACTICAL TREATMENT

In case of skin contact, wash thoroughly with soap and water. In case of eye contact, immediately flush eyes with water for 15 minutes and get prompt medical attention. If swallowed, promptly drink a large quantity of water. Avoid alcohol. Call a physician immediately.

FOR EMERGENCY MEDICAL INFORMATION, CALL 1-800-328-0026

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression, and convulsion may be needed.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: CORROSIVE: Concentrate causes eye and skin damage. May be absorbed through the skin. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Use of rubber gloves is recommended when handling use solutions. Wash thoroughly with soap and water after handling. Remove and wash contaminated clothing before reuse. Harmful if swallowed

ENVIRONMENTAL HAZARDS: (for 5 gallon and larger only)

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label directions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: [1 gal] Do not reuse empty containers. Wrap container and put in trash. [5 gal plastic] Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

[Reusable container statement] Container can be reused once the container is empty. Empty container of concentrate into dilution dispenser [specific equipment such as "Simplex dispenser" can be named to replace "dilution dispenser".] Dispenser will automatically dilute a sanitizer [or disinfectant] solution. Remove concentrate label. Refill container with use dilution of concentrate from the dispenser. Replace cap with spray nozzle provided. Place correct use dilution label on the spray bottle.

ACCEPTED
with COMMENTS
in EPA Letter Dated
JAN 4 2000

Under the Federal Insecticide, Fungicide, and Rodenticide Act...

63281-4

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in manner inconsistent with its labeling.

USES: For use on hard, non-porous surfaces such as floors, walls, metal surfaces, painted surfaces, exterior bowl surfaces, empty basins, showers, conductive flooring, lavatory fixtures and tanning beds that are constructed of a hard, non-porous material. For use in hospitals, nursing homes, schools, colleges, medical and dental offices, farms, hog farms, equine farms, poultry and turkey farms, federally inspected meat and poultry plants, tack shops, kennels, pet shops, veterinary clinics, and animal life science laboratories. This includes barns, calf pens, laying operations, breeder operations, hatcheries, agricultural buildings and premises, live haul equipment, trucks, and meat and poultry processing plants.

APPLICATIONS: Use 1/2 ounce per gallon of water for a minimum contact time of 10 minutes in a single application. For disinfecting, remove gross filth and heavy soil deposits, then thoroughly wet surfaces. This product can be applied with a cloth, mop, sponge; or by soaking. The recommended use solution is used once and discarded. Rinsing is not necessary on floor surfaces unless floors are to be waxed or polished.

TUBERCULOCIDAL: This product is tuberculocidal diluted 1 ounces per gallon of water with a 10 minutes contact time at 20°C. Apply as directed above.


HATCHERY: Can be used for cleaning, disinfecting and deodorizing floors, walls and equipment throughout the hatchery. This includes incubators, setters, and racks. Add 1/2 ounce per gallon of water. Hot or cold water may be used. Remove loose waste, gross filth, and heavy soil deposits prior to disinfecting. Repeat with fresh solution to disinfect.

USDA: For use in federally inspected meat and poultry plants as a floor and wall cleaner. Before use of this compound, food products and packaging materials must be removed from the room and carefully protected. After use of this compound, all surfaces in the area must be thoroughly rinsed with potable water. Use 1/2 ounce per gallon of water.

ACCEPTED
with COMMENTS
in EPA Letter Dated:
JAN - 4 2001

Under the Federal Insecticide,
Fungicide, and Rodenticide Act as
amended, for the purpose of
the Federal Insecticide, Fungicide,
and Rodenticide Act.

63281-4



3 9 1

MTR PHENOLIC GERMICIDAL CLEANER

***KILLS HIV-1 (AIDS VIRUS) ON PRE-CLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS** in health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for the transmission of Human Immunodeficiency Virus Type 1 (HIV-1) (associated with AIDS).

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 (AIDS VIRUS) OF SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS.

PERSONAL PROTECTION: Disposable latex or vinyl gloves, gowns faces masks, or eye coverings must be worn during all cleaning of body fluids, blood, and decontamination procedures.

CLEANING PROCEDURE: Blood/body fluids must be thoroughly cleaned from surfaces and objects before application. This cleaning may be accomplished with any cleaning solution, including this product.

CONTACT TIME: 10 minutes.

DISPOSAL OF INFECTIOUS MATERIALS: Blood and other body fluids should be autoclaved and disposed of according to local regulations for infectious waste disposal.


[Can be used as an insert or hang tag or place on label.]

ACCEPTED
WITH COMMENTS
in EPA Letter Dated

JAN - 4 2001

Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
amended for the purpose of
requiring use of the following

63281-4



MTR PHENOLIC GERMICIDAL CLEANER

Dilution 1:256 1/2 ounce per gallon

DIRECTIONS FOR USE

[Farm premise, Livestock, Turkey, Poultry, Hog Farm] Disinfectant

1. Do not use in milking stalls, milking parlors, or milk houses.
2. Remove all animals and feeds from premises, trucks, coops, crates, and enclosures.
3. Remove all litter and manure from floors, walls and surfaces of barns, pens, stalls, chutes, and other facilities and fixtures occupied or traversed by animals.
4. Empty all troughs, racks, and other feeding and watering appliances.
5. Thoroughly clean all surfaces with soap or detergent and rinse with water.
6. Saturate all surfaces with the recommended disinfecting solution for a period of 10 minutes.
7. Immerse all halters, ropes, and other types of equipment used in handling and restraining animals, as well as forks, shovels, and scrapers used for removing litter and manure.
8. Ventilate buildings, coops, cars, boats, and other closed spaces. Do not house poultry, livestock or employ equipment until treatment has been absorbed, set, or dried.
9. Thoroughly scrub all treated feed racks, troughs, automatic feeders, fountains, and waterers with soap or detergent, and rinse with potable water before reuse.

(Refer to label for precautionary and practical treatment statements.)

EPA Reg. No. 63281-4


[To be used as an insert or hang tag or inserted on label.]

ACCEPTED
with COMMENTS
in EPA Letter Dated

JAN - 4 2001

Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
amended, for the purpose of
registered under EPA Reg. No.

63281-4



Additional indoor, non-food use site per PR Notice 98-10

MTR PHENOLIC GERMICIDAL CLEANER

DISINFECTION OF BARBER AND BEAUTYSHOP INSTRUMENTS AND TOOLS

For disinfecting of non-metal salon implements, rinse to remove excess hair, skin, nails, cremes, lotions and soaps from the comb, brush or file. Screw dosar cap onto bottle. Fill concentrate to the line (1/8 ounce) and add 32 ounces of water. Completely immerse brushes, combs, washable files and other non-metal implements in solution and soak for 10 minutes. Fresh solution should be prepared daily or more often if the solution becomes diluted or soiled. After disinfection, wipe dry the product as appropriate.

ACCEPTED
with COMMENTS
in EPA Letter Dated
JAN - 4 2001

Under the Federal Insecticide,
Fungicide, and Rodenticide Act as
amended for the pesticides
registered under FIFRA Section 63281-4

