

KEEP OUT OF REACH OF CHILDREN

CAUTION

GRAPE GENERAMIL
DUAL RELEASE GRAPE GUARD
SO₂ GENERATOR

ACTIVE INGREDIENT

Sodium bisulfite anhydrous.....94.0%

ASSOCIATED IMPURITIES

Sodium sulfite & sodium sulfate6.0%

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

AGRICULTURAL USE

To assure freshness by the fungicidal control of Botrytis Cinerea on table grapes.

DISPOSAL


Individual pads damaged in the grape packing process or otherwise should be collected for disposal in a polyethylene garbage bag. Tie bag and place in regular trash receptacle.

In case of damage to the shipping container for the pads, inspect for damage to the individual polyethylene sealed packages of 100 pads, any damaged package should be inspected and the pads tested for purity of the sodium bisulfite anhydrous prior to use.

In case the active ingredient is spilled on the floor or elsewhere in the plant, the area should be flooded with sufficient water to wash it down the drain. Only sulfur dioxide and caustic soda will result and therefore care should be taken not to expose personnel to excessive sulfur dioxide gas. The unpleasant effect of this gas will assure that anyone so exposed would leave the area if dangerous concentrations were present.


MANUFACTURED BY:

RELKON LTDA.
R. Matte Perez 0145
Santiago, Chile



EPA Reg. No. _____ EPA Es. No. _____

Net Contents: 500 pads Net Wt. 18.3 pounds of pads per box.



PAD LABELING

KEEP OUT OF REACH OF CHILDREN

CAUTION

GRAPE GENERAMIL
DUAL RELEASE GRAPE GUARD
SO₂ GENERATOR

ACTIVE INGREDIENT

Sodium bisulfite anhydrous.....94.0%

ASSOCIATED IMPURITIES

Sodium sulfite & sodium sulfate6.0%

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

AGRICULTURAL USE

To assure freshness by the fungicidal control of Botrytis Cinerea on table grapes.

DISPOSAL

Collect pads for disposal in a polyethylene garbage bag and place in regular trash receptacle.

Remove pad from case before display of grapes for sale or after removal of container from retail store refrigeration facilities.

If this pad is torn, remove pad and damaged grapes and hold remainder of contents for 24 hours before displaying.


MANUFACTURED BY:


RELKON LTDA.
R. Matte Perez 0145
Santiago, Chile

EPA Reg. No. _____

EPA Est. No. _____

Net Contents: 0.145 ozs. (4.1 g) per pad.





(SUPPLEMENTAL LABEL IN WHOLESALE CONTAINER)

**GRAPE GENERAMIL,
DUAL RELEASE GRAPE GUARD**

DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELLING.

AGRICULTURAL USE

TO ASSURE FRESHNESS BY THE FUNGICIDAL CONTROL OF BOTRYTIS CINEREA ON TABLE GRAPES.

1. The generator device (pad) contents should never come into direct contact with table grapes.
2. Do not use defective pad, e.g. torn pad or broken seal.
3. Use a polyethylene liner in an appropriate shipping container.
4. Cover bottom of the polyethylene liner with fine wood shavings or other suitable packing material.
5. A sheet of tissue may be placed on the packing material and over the sides of the box.
6. Tissue wrap grape bunches, if desired, and pack in box.
7. If tissue is used, fold it over the top of the grapes. If not, place other suitable packing material between the top of the grapes and the pad.
8. Lay a single generator device (pad) containing sodium bisulfite anhydrous over the tissue, or over the packing material. Do not place more than one generator (pad) for each 18 lb (8.2 Kg) of table grapes.
9. Fold the polyethylene liner over the generator device (pad). Seal the box.
10. Place the boxes of packed grapes in a refrigerated storage at 0 to +2 degrees C.
11. Remove Generator Device (pad) from case before display of grapes for sale or after removal of container from retail store refrigeration facilities.
12. If the device (pad) is torn, remove pad and damaged grapes and hold remainder of contents for 24 hours before displaying.

BEST AVAILABLE COPY