EPA REGISTRATION NO. 63639-4

DATE OF ISSUANCE NOV 02

US ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS **REGISTRATION DIVISION /TS-767/** WASHINGTON, DC 20460

-

14

г

L

NOTICE OF PESTICIDE: REGISTRATION REREGISTRATION

(Under the Federal Insecticide, Fungicide, and Rodenticide Act, as affiended)

TERM OF ISSUANCE

NAME OF PESTICIDE PRODUCT Bacteriostatic Water Treatment Unit-

Padercounter Model RDC-15

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

Kelco Water Engineering, Inc. 229 South Clark Drive Tempe, AZ 85281

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungiciae, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indursement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered

by others. The second conditionally requestores is accordance with which sects α 3(c)(7)(5) provided that you:

- 1. Submit/once all data required for redistration/reregistration of your product under PIPRA section 3(c)(5) or 4(a) when the Adency requires all remistrate of critical promotions to submit com para.
- 2. Make the likeling proposed listed below before you release the proposed for the market
 - Control to the control of the transport of FAGAC = 1. "
 - Revise the entire indrestent statement to read:

white is the representations merkila aliver the transfer of the transfer of

the first transfer of the transfer of the contract of the cont

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL

DATE

c. Include the misuse statement and place it directly below the "Directions For Use" heading:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

John H. Lee

Product Manager (31)

Antimicrobial Program Branch

Registration Division (H7505C)

Enclosures

KELCO WATER ENGINEERING

Bacteriostatic Water Treatment Unit

Undercounter Model KUC-15

KEEP OUT OF PREACH OF CHILDREN

CAUTION

DISPOSAL - WEAP IN PAPER AND DISGARD WITH TRASH

This product will remove chlorine taste, colors and odors making the water clearer and better tasting. The filter media inhibits the growth of bacteria within the unit.

The unit is capable of treating 15,000 gallons of water. If your family used an average of 10 gallons per day, it would last 4 years. However, actual unit life is determined by

individual use and local water conditions.

DIRECTIONS FOR USE

FOR HOME USE ON MUNICIPALLY TREATED COLD TAP WATER ONLY.

DO NOT THE FOREST ONLY THE ONLY OF WHITE OF THE ORIGINAL OF THE ORIG

Installation instructions have been packed with this unit. -READ THEM CAREFULLY BEFORE USE.

Maximum Influent Water	Temperature	 	 . 100 f.
Maximum Water Pressure			
Marinum Flow Cate			2 0 COM

EPA Registration No. XXXXX EPA Estab. No. 63639-AZ-001 Product Serial No. XXXXX

kelco Water Eng. Inc. 228 S. Clark Dr. Tempe, Arizona 85231

CONTENTS - ONE BACTERIOSTATIC WATER FILTER

KELCQ

BACTERIOSTATIC WATER TREATMENT UNIT UNDERCOUNTER MODEL KUC-15

Costs less than 1 cent per gallon.

Post the bush out of bathlad

Dominion

Classic Calmidation - Commence

Property electron areas and water

Clarifies water by removing dirt and particles as small as 20 millionths of an inch in size.

Removes chlorine taste, colors and odors

Freshens water by removing chlorine, bad tastes, colors and odors.

Malles better tasting coffee, tea, juices, etc.

Lemoves chicking that makes coffee bitter over

Decine that water preserves the or great discussions theregoes the preserves the preserves the preserves the preserves the preserves the preserves and a final state of the preserves and the preserves and the preserves are a final state of the preserves and the preserves are a final state of the preserves and the pre

Use less coffee grounds, tea, concentrates and drink mixes, (Eitra tlangants have to be added to obtained the concentrate).

Makes bread dough rise better. flakier. (Chiotine Chiotine)

•

Pegistered filter media. Meets lingueriment regulations besteriostatic water

15,000 gallen capacity.

Made in UpA.

MIG CEPTED

NOV P. 1 1900

63639-4

US ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (TS-767) **WASHINGTON, DC 20460**

PA REGISTRATION NO. 63639-4

NOV 6 2 100

TERM OF ISSUANCE

NOTICE OF PESTICIDE: REGISTRATION REREGISTRATION

(Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)

NAME OF PESTICIDE PRODUCT

Machemiostatic Mater Oregiment Main " Percounter Note: Pro-15

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

saled seem assisteering, two. But Charles Hard Comme

Note that the second

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

The second second second * 1 profes

The more than the state of the traduction of the transfer of the state of t State of the state The transfer of the second second second

where the transfer of the same of the transfer of the contract of the same of the contract of

- A test of ratio (Both to september 1994) Compared to the second of the se
- the lower than enter a time to realist the totals

BEST AVAILABLE COPY

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL

EPA Form 8570-6 (Rev. 5-76)

PRE' IOUS EDITION MAY BE USED UNTIL SUPPLY IS EXHAUSTED.

61720:I/C:CR-31:Leavy:L31-5:KENCO:10/24/96:11/24/90:CL:VO:EK:DD

c. Include the misuse statement and place it directly below the "Directions For Use" heading:

It is a violation of Federal law to use this product in a sanner inconsistent with its labeling.

3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

John H. Lee
Product Manager (31)
Antimicrobial Program Branch
Registration Division (H7505C)

Enclosures

KELCO WATER ENGINEERING

Bacteriostatic Water Treatment Unit

Undercounter Model KUC-15

KEEP OUT OF TREACH OF CHILDREN

CAUTION

DISPOSAL - WRAP IN PAPER AND DISGARD WITH TRASH

This product will remove chlorine taste, colors and odors making the water clearer and better tasting. The filter media inhibits the growth of bacteria within the unit.

The unit is capable of treating 15,000 gallons of water. If your family used an average of 10 gallons per day, it would last 4 years. However, actual unit life is determined by

individual use and local water conditions.

DIRECTIONS FOR USE

FOR HOME USE ON MUNICIPALLY TREATED COLD TAP WATER ONLY.

DO NOT THE COMPONENT ON THE PROPERTY OF WHITE OF THE COLD TAP WATER ON THE COLD TAP WATER ONLY.

Installation instructions have been packed with this unit. -READ THEM CAREFULLY BEFORE USE.

Maximum Influent Water	Temperature		 •	•		. 100 F.
Maximum Water Pressure						
Maximum Flow Rate						2.0 COM

EPA Registration No. XXXXX EPA Estab. No. 63639-92-001 Product Sérial No. XXXXX

Kelco Water Eng. Inc. 228 S. Clark Dr. Tempe, Arizona 85281

CONTENTS - ONE BACTERIOSTATIC WATER FILTER

Acres 70 b vin 6 com 58 hr I. A

IN O 2 MAK

63639-4

BEST AVAILABLE COPY

210PM

KELCO

BACTERIOSTATIC WATER TREATMENT UNIT UNDERCOUNTER MODEL KUC-15

Costs less than I cent per gallon.

Post the business of bothled and

Donie

Cleaning Street

Promote election great testing water

Clarifies water by removing dirt and particles as small as 20 millionths of an inch in size.

Removes chlorine taste, colors and odors

Freshens water by removing chlorine, bad tastes, colors and odors.

Malles better tasting coffee, tea, juices, etc.

Lemovos chierane chat makes coffee witter over

Decinerinate water preserves the project of the function of th

We less coffee grounds, tea, concentrates and drink mixes, (fitte flavorants have to be added to obtain the first of the concentrates and drink mixes.

Males bread dough rise better, flakier. (Chroming the major that t

Registered filter media. Maeta il government regulation. La bacteriostatic valor

15.000 gallen capacity.

Made in USA.

ACCIPTON With CO.

NOV n : 1990

63639-4

BEST AVAILABLE COPY