US ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS
REGISTRATION DIVISION /75-767)
WASHINGTON, DC 20480

NOTICE OF PESTICIDE: REGISTRATION PROPERTY OF PESTICIDE:

(Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)

PA REGISTRATION NO. 63639-12

TERM OF ISSUANCE

DATE OF ISSUANCE

NOV 0 2 1901

NAME OF PESTICIDE PRODUCT

Bacteriostatic Water Treatment Phit Model FCT+2

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

г

Kelco Water Engineering, Inc. 226 South Clark Drive Tempe, AZ 85281

_

NGTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with Firma section $3(c)(7)(\Lambda)$ provided that you:

- 1. Submit/cite all cata required for registration/reregistration of your product under PIPRA section 3(c)(5) or 1(a) when the Adency requires all registrants of similar products to obtain such data.
- 2. Make the labeling changes listed below before you release the project for shipment;
 - a. Add the phrase "PDA Tempetration to, 63639-12."
 - b. Pevise the entire ingredient statement to read:

Note: Active and Inert must have the same type size.

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL

DATE

c. Include the misuse statement and place it directly below the "Directions For Use" heading:

> It is a violation of Pederal law to use this product in a manner inconsistent with its labeling.

3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the λ -79 enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Product Manager (31)

Antimicrobial Program Branch Registration Division (H7505C)

Enclosures

KELCO WATER ENGINEERING

Bacteriostatic Water Treatment Unit

Countertop Model KCT-2

ACTIVE INGREDIENT

1

1

KEEP OUT OF MEACH OF CHILDREN

CAUTION

DISPOSAL - WRAP IN PAPER AND DISGARD WITH TRASH

This product will remove chlorine taste, colors and odors making the water clearer and better tasting. The filter media inhibits the growth of bacteria within the unit.

The unit is capable of treating 2,000 gallons of water. If your family used an average of 1.8 gallons per day, it would last 36 months. However, actual unit life is determined by individual use and local water conditions.

DIRECTIONS FOR USE

FOR HOME USE ON MUNICIPALLY TREATED COLD TAP WATER ONLY.
DO NOT ATTEMPT TO PROJECT UNITED NATER OF WATER OF

installation instructions have been packed with this unit. -READ THEM CAREFULLY BEFORE USE.

Maximum	Influent Water	Temperature		 _			. 190 F.
Maximum	Water Pressure					•	125 FSI
Maximum	Flow Rate		_	 	_		1 25 GEM

EPA Registration No. XXXXX EPA Estab. No. 63639-AZ-001 Froduct Serial No. XXXXX

Kelco Water Eng. Inc. 228 S. Clark Dr. Tempe, Arizona 85281

CONTENTS - ONE BACTERIOSTATIC WATER FILTER

NON 5 1880

63639-12

KELCO

BACTERIOSTATIC WATER TREATMENT UNIT COUNTERTOP MODEL KCT-2

Costs less than 1 cent per gallon.

and he said statement

Olean, close unberger and creek

Provides clean grant bearing water.


Clarifies water by removing dirt and particles as small as 20 millionths of an inch in size.

Removes chlorine taste, colors and odors.

Freshens water by removing chlorine, bad tastes, colors and odors.

Makes better tasting coffee, tea, juices, etc.

Romanandarinamakes coffee bitter over time.



Use less coffee grounds, tea, concentrates and drink mixes. (Extra 5) warrants have to be added to chlorinated water to

Makes bread dough rise better. flakier. (DMlorine kills yeast, Most major bakers dechlorinate water).

Fegistered filter media. Meets all government regularious for bacteriostatic water, filters.

2000 gallon capacity.

Made in USA.

NOV 12 1990

63639-12

DIRECTIONS FOR USE:

Melco bacteriostatic water treatment units are intended for home use on municipally treated cold tap water only.

The unit is capable of treating 2,000 gallons of water. If your family used an average of 1.8 gallons per day, it would sast 36 months. However, actual unit life is determined by individual use and local water conditions.

ACTIVE INGREDIENT

EFA Registration No. : XXXXX

EPA Establishment No.: 63639-AZ-001

Manufactured by: ECLCO WATER ENGINEERING

228 S. Clark Dr. Fempe. Az. 85281 (602)829-1115

CONTENTS: ONE BACTERIOSTATIC WATER TREATMENT UNIT

ACCITION

MINGS COLUMN

POLICIO COLUMN

POLICI

NOV 0 2 1990

63639-12