

P M 14 63660-1

Page 1 of 1

Front



Active Ingredients:

Methyl Nonyl Ketone	1.90%
Related Compounds	0.10%
Inert Ingredients	98.00%
	100.00%

KEEP OUT OF REACH OF CHILDREN
CAUTION

FLAMMABLE: Keep away from heat, sparks and open flame.

See side panel for additional pre-cautionary statements

EPA REG. NO. 63660-1

EPA EST. NO. 42705-MN-01

Net Contents 10 FL. OZ.

6/2/92
7/24/92

Back

ACCEPTED
AUG 13 1992

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 63660-1

STATEMENT OF PRACTICAL TREATMENT

For Eye Contact: Flush eyes with plenty of water. Call physician if irritation persists.
IF ON SKIN: Wash with plenty of soap and water. Get medical attention.

PRECAUTIONARY STATEMENT

Hazards to Humans and Domestic Animals

CAUTION:

Causes moderate eye injury. Harmful if absorbed through skin. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling.

PHYSICAL AND CHEMICAL HAZARDS:

Flammable. Keep away from heat, sparks and open flames.

STORAGE AND DISPOSAL

Storage: store in original container or not less than 45 ft. Preferably in a locked storage area. Do not contaminate water, food, or feed by storage or disposal.

Container Disposal: Securely wrap original container in several layers of newspaper and discard in trash.

NOTICE:

Our recommendations for use of this product are based upon tests believed to be reliable. The use of this product being beyond the control of the manufacturer, no guarantee, expressed or implied, is made as to the effects of such or the results to be obtained if not used in accordance with directions or established safe practice. The buyer must assume all responsibility, including injury or damage, resulting from its misuse as such, or in combination with other materials.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Do not apply to food crops.

Iris borer hatch in the spring after 2 consecutive days of 70° weather or above. Apply Iris Guard just before temperatures reach 70°.

New Plantings. (Late Summer-Early fall)

Spray Rhizomes thoroughly on all surfaces.

Allow to dry well as soil is prepared for planting. Prepare soil as directed for Iris. Spray prepared soil with a heavy mist. Plant Iris and spray soil and rhizome for about 6" around each planting.

Established Plants. (Spring and fall)

Spray ONLY AFTER SUNSET or on Cloudy Days
(This will prevent sunspotting of leaves.)

Spray all surfaces of leaves, exposed rhizomes and ground around each plant with a heavy mist. Spray soil between rows or bedding areas.

Reapply if the weather has been cold and growth is retarded or if there has been a series of drenching rains and growth spurts.

New Growth must be protected.

New research indicates that iris borers can hatch throughout the growing season. To protect your Iris, spray in the spring, mid-summer and at the time of transplanting. Spray the tubers well when replanting and spray the ground into which the new tubers are set.

ALILA CORPORATION
WHITE BEAR LAKE, MN
EPA LICENSE NO. PAT. PENDING

BEST AVAILABLE COPY