



063761-00002-052799

Printed: 10:45:14 Friday, 25 Jun, 1999 # 15 / 3466

Systems Integration Group, Inc.

PM31

63761-2

5/27/99

1 of 6



U.S. ENVIRONMENTAL PROTECTION AGENCY
Office of Pesticide Programs
Registration Division (H7505C)
401 "M" St., S.W.
Washington, D.C. 20460

EPA Reg. Number:

Date of Issuance:

63761-2

5/27/99

Term of Issuance:

Conditional

Name of Pesticide Product:

Ultra Kleen CW-502

NOTICE OF PESTICIDE:

- Registration
- Reregistration

(under FIFRA, as amended)

Name and Address of Registrant (include ZIP Code):

Sterilex Corporation
7-1 Gywnns Mill Court
Owings Mill, MD 21117

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c) (7) (A) provided that you:

1. Submit and/or cite all data required for registration/ reregistration of your product under FIFRA sec. 3(c) (5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for reregistration of your product under FIFRA section 4.
2. Make the following label changes:
 - a. Revise the EPA Registration Number to read, "EPA Reg. No. 63761-2.
 - b. Page 1: Remove "The" from the statement, "KEEP OUT OF **THE** REACH OF CHILDREN".

Signature of Approving Official:

Date:

for

Velma Noble
Product Manager 31
Regulatory Management Branch I
Antimicrobials Division (7510C)

5/27/99

- b. "Precautionary Statements" Revisions:
 - a. The statement, "Hazard to Humans and Domestic Animals," should be placed on a separate line after the "Precautionary Statements" heading.
 - 2. Revise the sentence, "harmful if swallowed," to read "harmful if swallowed or absorbed through skin".
 - c. Remove the heading (it's in bold), **Storage and Disposal of Pesticide**, that precedes the storage and pesticide disposal statements.
 - d. Change the "**Container Disposal**" heading to the same font and capital letters as the "STORAGE AND PESTICIDE DISPOSAL" headings.
3. Submit two copies of the revised final printed label for the record.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Tracy Lentz

for Velma Noble
Product Manager 31
Regulatory Management Branch I
Antimicrobials Division (7510C)

ULTRA-KLEEN CW-502

Penetrates and Removes Biofilm and other organic contaminants. For use as a Bactericide, Slimicide and Algicide in:

- Recirculating Cooling Water Systems
- Brewery Pasteurizing Systems
- Air Washers
- Pulp and Paper Mills producing pulp and paper that will not come in contact with food products
- Dye Machines
- Water-Jet Looms
- Tanks and Piping used to store and convey Industrial Process Water or Aqueous Mixtures not related to food processing.
- Deionized Water Supply Systems not used in food processing, for human drinking water or in dental lines.

Active Ingredient:

N-Alkyl(C ₁₄ 95%,C ₁₂ 3%,C ₁₆ 2%) dimethylbenzylammonium chloride.....	10.0%
Inert Ingredients.....	90.0%
TOTAL	100.0%

KEEP OUT OF THE REACH OF CHILDREN

DANGER

STATEMENT OF PRACTICAL TREATMENT

IF IN EYES: Hold eyelids open and flush with a steady, gentle stream of water for 15 minutes. Get medical attention.

IF ON SKIN: Wash with plenty of soap and water. Get medical attention.

IF SWALLOWED: Call a doctor or get medical attention. Do not induce vomiting or give anything by mouth to an unconscious person. Drink promptly a large quantity of milk, egg whites, gelatin, or if these are not available, drink large quantities of water. Avoid alcohol.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

NET WEIGHT _____
LOT NO. _____


ACCEPTED
with COMMENTS
in EPA Letter Dated:

MAY 27 1999

Under the Federal Insecticide,
Fungicide, and Rodenticide Act as
amended, for the pesticide,
registered under EPA Reg. No.

63761-2

EPA REG. NO. 63761-XXXX
EPA EST. NO. 4875-NJ-001



EC
with G
in EPA Label

MAY 27 1999

Under the Federal Insecticide,
Fungicide, and Rodenticide Act as
amended, for the pesticide,
registered under EPA Reg. No.

63761-2

STERILEX CORPORATION
1450 SOUTH ROLLING ROAD
4TH FLOOR
BALTIMORE, MD 21227

NOTE: Seller warrants that this product complies with the specifications expressed in this label. Seller makes no other warranties, and disclaims all other warranties, express or implied, including but not limited to warranties of merchantability and fitness for the intended purpose. Seller's liability or default, breach or failure under this label shall be limited to the amount of the purchase price. Seller shall have no liability for consequential damages.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS. DANGER. Corrosive. Causes irreversible eye damage and skin burns. Harmful if swallowed. Wear goggles and/or face shield, protective clothing and rubber gloves. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash clothing before reuse.

ENVIRONMENTAL HAZARDS. This product is toxic to fish. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, ocean or other waters unless in accordance with the requirements of a National Pollution Discharge Elimination system (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously consulting the local sewage treatment plant authority. For guidance, contact your Local State Water Board or Regional Office of the EPA.

PHYSICAL AND CHEMICAL HAZARDS. When exposed to fire, Ultra-Kleen CW-502 may release oxygen and oxides of carbon and/or nitrogen.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

RECIRCULATING COOLING WATER SYSTEMS, INCLUDING COOLING TOWERS, EVAPORATIVE CONDENSERS AND BREWERY PASTEURIZERS. Effectively removes and controls biofilm and other organic contaminants in commercial and industrial cooling towers; influent water systems such as flow-through filters; and heat exchange water systems.

DOSAGE RATES. Initial Dose for badly fouled systems. Add 5 to 20 lbs. Ultra-Kleen CW-502 per 1000 gallons water contained in the system.

Subsequent Dose: When microbial control is evident, subsequent slug additions of 1 to 5 lbs. Ultra-Kleen CW-502 per 1000 gallons of water should be employed every 2 to 5 days or as needed. The frequency of addition depends on the relative amount of bleedoff, the quality of the makeup water and rate of inflow of airborne or other contaminants. Slug additions should be made in the sump of water cooling towers.

04/28/99
ACCEPTED
with COMMENTS
in EPA Letter Dated:

MAY 27 1999

AIR WASHERS. For use only in industrial air washing systems that maintain effective mist eliminating components. Effectively removes and controls biofilm and other organic contaminants in Industrial Water Scrubbing Systems.

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide, registered under EPA Reg. No.

DOSAGE RATES. **Initial Dose for badly fouled systems.** Add 16 to 80 lbs. of Ultra-Kleen CW-502 per 1000 gallons of water contained in the system. If necessary, apply a solution containing 0.016 to 0.08 lbs. Ultra-Kleen CW-502 per gallon of water onto interior surfaces of the system that are not continuously submerged.

63761-2

Subsequent Dose: When microbial control is evident, subsequent slug additions of 1 to 5 lbs. Ultra-Kleen CW-502 per 1000 gallons of water should be employed every 1 to 5 days or as needed. The frequency of addition depends on the relative amount of bleedoff, the quality of the makeup water and rate of inflow of airborne or other contaminants. Slug additions should be made in the sump of Industrial Water Scrubbing Systems.

PULP AND PAPER MILLS. For use only in the production of pulp and paper that will not contact food. Effectively removes and controls biofilm and other organic contaminants in pulp and paper mill fresh and seawater influent water systems, wastewater treatment systems, nonpotable water systems, and other process water.

DOSAGE RATES. **Initial Dose for badly fouled systems.** Add 16 to 80 lbs. of Ultra-Kleen CW-502 per 1000 gallons of water contained in the system. If necessary, apply a solution containing 0.016 to 0.08 lbs. Ultra-Kleen CW-502 per gallon water onto interior surfaces of the system that are not continuously submerged.

Subsequent Dose: When microbial control is evident, subsequent slug additions of 0.3 to 2 lbs. Ultra-Kleen CW-502 per 1000 gallons of water should be employed every 1 to 5 days or as needed. The frequency of addition depends on the quality of the makeup water and rate of inflow of airborne or other contaminants.


DYE MACHINES. Effectively removes and controls biofilm and other organic contaminants in Textile Dyeing Machines.

DOSAGE RATES. Clean badly fouled systems by adding 80 to 200 lbs. of Ultra-Kleen CW-502 per 1000 gallons of water contained in a dye storage tank. Circulate the solution from the dye storage tank through the dye machine and all associated piping and other dye storage tanks. If necessary, apply a solution containing 0.08 to 0.2 lbs. Ultra-Kleen CW-502 per gallon of water onto surfaces of the system that are not continuously submerged.

WATER-JET LOOMS. Effectively removes and controls biofilm and other organic contaminants in Water-Jet Looms.

DOSAGE RATES. **Initial Dose for badly fouled systems.** Prepare a solution of 0.08 to 0.20 lbs. of Ultra-Kleen CW-502 per gallon of water and pump through the Water-Jet Loom and all associated piping. If necessary, apply a solution containing 0.08 to 0.2 lbs. Ultra-Kleen CW-502 per gallon of water onto surfaces of the system that are not continuously submerged.

Subsequent Dose: When microbial control is evident, subsequent slug additions of 0.2 to 1.0 lbs. Ultra-Kleen CW-502 per 1000 gallons of daily water use should be employed every 1 to 5 days or as needed. The frequency of addition depends on the quality of the makeup water and rate of inflow of airborne or other contaminants.



TANKS AND PIPING USED TO STORE AND CONVEY INDUSTRIAL PROCESS WATER OR AQUEOUS MIXTURES. **Do Not Use in equipment that will contact food.** Effectively removes and controls biofilm and other organic contaminants in Tanks and Piping used to store and convey Industrial Process Water or Aqueous Mixtures. DOSAGE RATES. Fill equipment as completely as possible with a solution of 40 to 400 lbs. of Ultra-Kleen CW-502 per 1000 gallons of system capacity. Circulate for at least 4 hours and then drain system. Rinse system with 6 volumes of water. If necessary, apply a solution containing 0.04 to 0.2 lbs. Ultra-Kleen CW-502 per gallon onto surfaces of the equipment that are not submerged.

DEIONIZED WATER SUPPLY SYSTEMS NOT USED IN FOOD PROCESSING, FOR HUMAN DRINKING WATER OR IN DENTAL LINES. Effectively removes and controls biofilm and other organic contaminants in Tanks, Filters and Piping used to store and convey Deionized Water. Do Not Use where deionized water will be used for food processing, for human drinking water or for medical/dental procedures. DOSAGE RATES. Add 16 to 80 lbs. of Ultra-Kleen CW-502 per 1000 gallons of system capacity. Circulate for at least 4 hours and then drain system. Rinse system with 6 volumes of water. If necessary, apply a solution containing 0.016 to 0.08 lbs. Ultra-Kleen CW-502 per gallon onto surfaces of the equipment that are not submerged.

STORAGE AND DISPOSAL

Storage and Disposal of Pesticide

Do not contaminate water, food or feed by improper storage or disposal. STORAGE: Keep product in closed original container when not in use. Store in a cool; dry area away from potential sources of heat, open flames, sunlight or other chemicals. Product should be stored below 100°F. PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

Container Disposal

Completely empty plastic liner bag into application equipment. Dispose of empty liner and drum in a sanitary landfill, or incinerate. Burn only if allowed by state and local authorities.

ACCEPTED
with COMMENTS
in EPA Letter Dated:
MAY 27 1999

Under the Federal Insecticide,
Fungicide, and Rodenticide Act as
amended, for the pesticide,
registered under EPA Reg. No.

63761-2

