### PRECAUTIONARY STATEMENTS

### HAZARDOUS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed or absorbed through the skin or inhaled. Causes moderate eye imitation. Avoid contact with eyes, skin or clothing. Avoid breathing spray mist. Remove contaminated clothing and wash clothing before reuse.

### **User Safety Recommendations**

Users should wash hands before eating, drinking, chewing gum, using tobaccp or using the toilet.

Users should remove clothing immediately if pesticide gets inside, Then wash thoroughly and put on clean clothing.

Users should remove personnel protective equipment immediately after handling this product. Wash the outside of gloves before removing. As soon as possible wash thoroughly.

### **ENVIRONMENTAL HAZARDS**

This product is toxic to fish. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other water unless in accord with the requirements of a National Pollution Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

The information and data contained herein are correct to the best of our knowledge and tests. We recommend that adequate tests be made by the purchaser to determine if a product is suitable for the interded purpose

Important: Foster Products Corporation warrants that each of its products will be manufactured in accordance with Foster Products' specifications in effect on the date of manufacture. If a product fails to meet this limited warranty, the purchaser's sole and exclusive remedy is reptacement of the product or, at Foster's option, refund of the purchase price. FOSTER PRODUCTS' ACCEPTANCE OF ANY ORDERS FOR THIS PRODUCT IS EXPRESSLY CONDITIONAL UPON THE PURCHASER'S ASSENT TO THE TERMS ON THE APPLICABLE PRODUCT DATA SHEET AND INVOICE.

U.S. Patent No. 5,314,719

# Foster® 40-20

### **Fungicidal Protective Coating**

Active Ingredients: Barium Metaborate 3-lodo-2-propynyl butylcarbamate Other Ingredients:

9.00% 0.16% 90.84%

This contains 1.06 pounds of Barium Metaborate and 0.02 pounds of 3-lodo-2-propynyl butylcarbamate per gallon.

### KEEP OUT OF REACH OF CHILDREN CAUTION

### **FIRST AID**

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration preferable mouth-to-mouth if possible. Call a Poison Control Center or doctor for further treatment advice. IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present after the first 5 minutes, then continue rinsing. Call a Poison Control Center or doctor for treatment advice. IF ON SKIN: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a Poison Control Center or doctor for treatment advice. IF SWALLOWED: Call a Poison Control Center or doctor immediately for treatment advice, Have person signal

glass of water if able to swallow. Do not induce vomiting unless told by a Poison Control Center or doctor.

In case of emergency call 1-888-853-1758. Have the product container or label with you when calling a Poison Control Center or doctor or going for treatment.

Foster Products Corporation An H.B. Fuller Company 6107 Industrial Way Houston, Texas 77011

EPA Registration No. 63836-1 EPA Est. No. 63836-TX-001 Net Contents: 59 lbs. 8 oz.(5 gallons) ACCEPTED

JAN 23 2003

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the

Foster 6 40-20 contains fungicides that will effectively prevent the growth and spread of odor-causing bacteria and molds on its surface.

### **DIRECTIONS FOR USE**

It is a violation of federal law to use this product in a manner inconsisten; with its labeling. Do not apply this product in a way that will contact workers or other

Surface Preparation: Apply only to clean, dry surfaces free of all dirt, grease. mold or other contaminants. Follow the surface preparation directions on the product data sheet for the type of surface to be coated.

DO NOT THIN! Apply Foster 40-20 by brush or airless spray at a rate of approximately 1.25 gallons per 100 square feet. Always ensure adequate ventilation. Brushing will require two heavy coats applied at 90° to each other. Under normal circumstances a spray application can be completed in one coat, but for extremely porous or irregular surfaces, a second coat may be required. Insure that the finished surface is smooth and homogeneous. For airless spray application, use an electric 30:1 unit such as a Graco Ultra-Max 1095 with a .021-.025 fluid tip and 700-900 psi atomizing pressure at the gun. Clean brushes and equipment with warm water before product dries. Refer to the product data sheet for more complete information on product use sites and application procedures.

#### STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

PESTICIDE - STORAGE - Protect from freezing - product stability may be affected. Do not store or apply at temperatures over 190°F (38°C) or below. 40°F (4.4°C). Keep container closed when not in use.

PESTICIDE - DISPOSAL - State or local hazardous waste regulations may apply if they are different from the federal regulations. Wastes resulting from the use of this product may be disposed of according to applicable federal. state, or local procedures. For additional waste disposal information call the H.B. Fuller Company Environmental Services at (800) 338-2975.

CONTAINER DISPOSAL - Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or, if allowed by state and local authorities, by burning, if burned, stay out of smoke,

27520, Rev. B

## COLOR PLACEMENT PROOF

Date: 10-18-02

Job Number: 21450

**Proof #: 2** 

Customer Name: FOSTERS PRODUCTS

Colors: (the following colors will be used to print your label.)

