



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, DC 20460

OFFICE OF
PREVENTION, PESTICIDES
AND TOXIC SUBSTANCES

May 27, 2008

Michael Harvey
President
Enviro Tech Chemical Services, Inc.
500 Winmoore Way
Modesto, CA 95358

Subject: Notification Application Per PR Notice 98-10
Clearaid SCP
EPA Registration No.63838-8
Application Dated: May 9, 2008
Receipt Date: May 19, 2008

Dear Mr. Harvey:

This acknowledges receipt of your notification, submitted under the provision of PR Notice 98-10, FIFRA section 3(c)9.

Proposed Notification:

- Revised labeling

General Comment:

Based on a review of the material submitted, the following comment applies:

The notification application is acceptable and has been inserted in your file for future reference.

Should you have any questions concerning this letter, you may contact me by telephone at (703) 308-6422 or by e-mail at heyward.adam@epa.gov or Lisa McKelvin by telephone at (703) 308-7496 or by email at mckelvin.lisa@epa.gov during the hours of 8:00 am to 4:00 pm EST. When submitting information or data in response to this letter, a copy of this letter should accompany the submission to facilitate processing.

Sincerely,

Lisa R. McKelvin

JH Adam Heyward
Product Manager (34)
Regulatory Management Branch II
Antimicrobials Division (7510P)

2 7 4

Please read instructions on reverse before completing form

Form Approved, OMB No. 2070-0060, Approval expires 5-31-98



United States
Environmental Protection Agency
Washington, DC 20460

Registration
 Amendment
 Other

OPP Identifier Number

Application for Pesticide – Section I

1. Company/Product Number 63838-8	2. EPA Product Manager Adam Heyward	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) Clearaid SCP	PM # 34	
5. Name and Address of Applicant (Include ZIP Code) Enviro Tech Chemical Services, Inc. 500 Winmoore Way Modesto, CA 95358 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg No. _____ Product Name _____	

Section - II

<input type="checkbox"/> Amendment – Explain below	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application
<input type="checkbox"/> Notification – Explain below	<input checked="" type="checkbox"/> Other – Explain below

Explanation: Minor label changes as requested by the Agency in letter dated April 28, 2008
Notification per PR Notice 98-10: This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 USC Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notice is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 13 of FIFRA.

Contact Person: Michael Harvey (mikeharvey@envirotech.com) tel.: 209-581-9576 x104; Fax 209-581-9653

Section III

1. Material This Product Will be Packaged in:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		<input type="checkbox"/> Metal	<input checked="" type="checkbox"/> Plastic
*Certification must be submitted		If "Yes" Unit Packaging wt.	No. per container	If "Yes" Package wt.	No. per container
				<input type="checkbox"/> Paper	<input type="checkbox"/> Other (Specify) _____
3. Location of Net Contents Information <input type="checkbox"/> Label <input checked="" type="checkbox"/> Container		4. Size(s) Retail Container 55 gallons		5. Location of label directions <input checked="" type="checkbox"/> On Label <input type="checkbox"/> On Label accompanying product	
6. Manner in Which Label is Affixed to Product		<input checked="" type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled	<input type="checkbox"/> Other _____		

Section IV

1. Contact Person (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name MICHAEL HARVEY	Title REGULATORY OFFICER	Telephone No. (Include Area Code) 209-581-9576 ext. 104
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law		6. Date Application Received (Stamped)
2. Signature 	3. Title President	
4. Typed Name Michael Harvey	4. Date May 9, 2008	



3 8 4

500 Winmoore Way
Modesto, Ca 95358
209-581-9576 Fax 209-581-9653

May 7, 2008

Document Processing Desk
Office of Pesticide Programs (7504P)
U.S. EPA
1200 Pennsylvania Ave NW
Washington, D.C. 20460-0001

Re: EPA #63838-8 (reply to Agency Letter)

Dear Sir or Madam;

This letter shall accompany several copies of our revised label to comply with the Agency Letter of April 28, 2008 requesting that we make several minor changes to our label. All the changes the Agency has requested have been accomplished. The only other change was to group the "Storage and Disposal" directions together (under) the Precautionary Statements. No other changes have been made.

Please do not hesitate to call if you have any questions.

Respectfully,

A handwritten signature in cursive script, appearing to read "Mike Harvey".

Mike Harvey
Regulatory Affairs
X 104

Faint, illegible markings or text in the bottom right corner of the page.

CLEARAID SCP

ACTIVE INGREDIENT:

Poly [oxyethylene(dimethyliminio)ethylene(dimethyliminio)ethylene dichloride] 60.0%
 INERT INGREDIENTS 40.0%
 TOTAL 100.0%

**KEEP OUT OF REACH OF CHILDREN
 CAUTION**

FIRST AID	
If in Eyes	-Hold eye open and rinse slowly and gently with water for 15-20 minutes. -Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. -Call a poison control center or doctor for further treatment advice.
If on Skin	-Take off contaminated clothing. -Rinse skin immediately with plenty of water for 15-20 minutes. -Call a poison control center or doctor for further treatment advice.
If Swallowed	-Call poison control center or doctor immediately for treatment advice. -Have person sip a glass of water, if able to swallow. -Do not induce vomiting unless told to do so by the poison control center or doctor. -Do not give anything by mouth to an unconscious person.
If Inhaled	-Move person to fresh air. -If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth if possible. -Call a poison control center or doctor for further treatment advice.
HOTLINE NUMBER	
Have the product container or label with you when calling a Poison Control Center or doctor or going for treatment.	

IN CASE OF EMERGENCY ENDANGERING LIFE OR PROPERTY, CALL: 800-424-9300

**PRECAUTIONARY STATEMENTS
 HAZARDS TO HUMANS AND DOMESTIC ANIMALS
 CAUTION:**

Avoid contact with eyes, skin or clothing. Harmful if swallowed. Avoid breathing vapors.
 Wash thoroughly with soap and water after handling.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish and aquatic organisms. Do not discharge effluent containing this product into lakes, streams, ponds or estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharging. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA.

STORAGE AND DISPOSAL

DO NOT CONTAMINATE WATER, FOOD, OR FEED BY STORAGE OR DISPOSAL.

PESTICIDE STORAGE: Do not stack more than four (4) drums high. Leaking or damaged drums should be placed in over-pack drums for disposal. Spills should be absorbed in sawdust or sand and disposed of in a sanitary landfill. Keep container closed when not in use.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on-site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Nonrefillable container. Do not use this container to hold materials other than pesticides or dilute pesticides (rinsate). After emptying and cleaning, it may be allowable to temporarily hold rinsate or other pesticide-related materials in the container. Contact your state regulatory agency to determine allowable practices in your state. Clean container promptly after emptying. Offer for recycling if available. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container 1/4 full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Clearaid SCP is used to control the growth of algae in swimming pools, heated swimming pools, exterior whirlpools, hot baths, and decorative fountains and ponds. It is used to control algae, bacteria, and fungi in recirculating commercial and industrial cooling water towers.

COOLING WATER TOWERS

Prior to using Clearaid SCP in cooling water towers, systems should be cleared to remove algal growth, microbiological slime, and other deposits. Then make an initial slug addition of 0.9-2.2 fluid ounces of Clearaid SCP per 1000 gallons of water to provide 8-20 ppm Clearaid SCP, based on the total weight of water in the system. Repeat initial dosage until control is evident. Make subsequent slug additions of 0.2-2.2 fluid ounces of Clearaid SCP per 1000 gallons of water (2-20 ppm) every 2-5 days or as needed. The frequency of addition depends upon the relative amount of bleed-off and the severity of the microbiological problem. Slug additions should be made in the cooling water tower sump.

INDUSTRIAL AIR WASHING SYSTEMS

Clearaid SCP is used to control bacteria in industrial air washing systems that maintain effective mist eliminating components. Prior to its use, systems should be cleaned to remove bacterial slime and other deposits. An initial slug dose of 3.33-5.55 fluid ounces of Clearaid SCP per 1000 gallons of water is recommended. Repeat initial dosage until control is evident. Subsequent slug additions of 2.25-5.55 fluid ounces of Clearaid SCP per 1000 gallons of water should be employed every 1-5 days, or as needed. The frequency of addition depends upon the relative amount of bleed-off and severity of the bacterial problem. Slug additions may be made to the sump or to the water collection trays of the air wash system.

SWIMMING POOLS, HEATED SWIMMING POOLS, EXTERIOR WHIRLPOOLS, AND HOT BATHS

For maximum effectiveness of Clearaid SCP in swimming pools, heated swimming pools, exterior whirlpools, and hot baths, those with heavy growths of algae should be cleaned prior to using Clearaid SCP. For pools having just visible algae growth, add an initial dose of 11-17 fluid ounces of Clearaid SCP per 10,000 gallons of water and remove settled algae debris by cleaning. For treatment of a freshly cleaned and filled pool, add initially 6-11 fluid ounces of Clearaid SCP per 10,000 gallons of water. To maintain pools free of visible algae growth, subsequent additions of 2-4 fluid ounces of Clearaid SCP per 10,000 gallons of water should be made every 5-7 days after the initial treatment. Uniform distribution of Clearaid SCP throughout the water in the pool is necessary for maximum effectiveness. Clearaid SCP is compatible with those chemicals normally used to treat pools and is effective at both acid and alkaline pH. Clearaid SCP can be used in pools treated with chlorine chemicals and may reduce the amount of those chemicals normally required. However, do not mix Clearaid SCP with concentrated dry or liquid chlorine products.

DECORATIVE/ORNAMENTAL WATER SYSTEMS

Clearaid SCP is used to control the growth of algae in fresh or recycled water features, ponds and lined reservoirs for non-potable uses. Systems containing heavy growths of algae should be manually cleaned prior to treatment. Systems with just-visible algae growth require an initial dose of 1.0-2.0 fluid ounces of Clearaid SCP per 1000 gallons of water in the system. To treat a freshly cleaned and filled system, add 0.5-1.5 fluid ounces of Clearaid SCP per 1000 gallons of water. Maintenance dosages of 0.2-0.5 fluid ounces of Clearaid SCP per 1000 gallons of water should be added as needed every 5-7 days, or on a continuous basis for larger systems. Additions of Clearaid SCP should be made at a point to ensure uniform distribution throughout the system. Clearaid SCP may be used in systems treated with chlorine chemicals and may reduce the amount of those chemicals normally required, but do not mix Clearaid SCP with concentrated dry or liquid chlorine products.

PAPER MANUFACTURE

Pulp, Paper, and Paperboard Mills: This product is only for use in non-food applications, such as Brown Paper mills, Sheet for Corrugated Board, Kraft Paper, newsprint and similar paper/paperboard not intended for food contact uses. Clearaid SCP will retard microbial growth that causes degradation of cooked starch used in paper manufacture. Clearaid SCP is added at a rate of 25-250 ppm based on the total weight of the starch and water. The treatment rate necessary to retard spoilage of the starch will vary with the extent of contamination of the make-up water and the length of storage.

Manufactured by:

ENVIRO TECH CHEMICAL SERVICES, INC.
 500 Winmoore Way
 Modesto, CA 95358 USA
 209-581-9576

EPA Est. No. 63838-CA-01
 EPA Reg. No. 63838-8

Item 041x-V2a

NOTIFICATION
 Date Reviewed: 5/27/08
 Reviewed By: L. J. Trevino

Net Contents: _____ lbs/kgs

Handwritten marks: 11, 2, 4