8/26/2014



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

AUG 2 6 2014

Mr. Michael S. Harvey President of, Enviro Tech Chemical Services, Inc. 500 Winmoore Way Modesto, CA 95358

Subject: Perasan

EPA Registration Number 63838-13 Your Amendment Dated January 10, 2014 EPA Received Date January 28, 2014

The amendment referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act(FIFRA), as amended, to clarify the dosage instructions under the "Evaporated or Condensed Water" section, is acceptable.

Submit and/or cite all data required for registration/reregistration/registration review of your product when the Agency requires all registrants of similar products to submit such data. A stamped copy of your labeling is enclosed for your records. This labeling supersedes all previously accepted labeling. The next label printing of this product must use this labeling unless subsequent changes have been approved. You must submit one (1) copy of the final printed labeling before you release the product for shipment with the new labeling. In accordance with 40 CFR 152.130(c), you may distribute or sell this product under the previously approved labeling for 18 months from the date of this letter. After 18 months, you may only distribute or sell this product if it bears this new revised labeling or subsequently approved labeling. "To distribute or sell" is defined under FIFRA section 2(gg) and it's implementing regulation at 40 CFR 152.3.

If you have any questions concerning this letter, please contact Karen M. Leavy-Munk at (703)-308-6237.

Sincerely,

Miedalul

Eric Miederhoff /

Acting Product Manager, Team 33 Regulatory Management Branch I Antimicrobials Division (7510P) Office of Pesticide Programs Environmental Protection Agency

without proper respiratory protection. May be fatail if inhale of cascorbed through skin. Harmful if wallowed. Do not give see that a regard mats. Do not gless the see a regard mats. Do not gless when handling. What should get the eyes, not skin, or on cholding. West agogets and face shield and bubber gloses when handling. What throughly with sop and wake after handling and before testing, chewing guin. Pulng observe or that the constitution of the second and wash before testing.

Strong oxidisting agent. Cornosive. Mix only with potable water below 140° F. Product must be diluted in accordance with their diseasons prior to use. PER/SAN C.5. in not combustible, however, it improves because we exceeding 156° F. decomposition occurs releasing oxygen. The oxygen eleases could inliate combustion. HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER CORROSIVE: Causes inversible eye damage and skin burns. Do a without proper respiratory protection. May be lettal if inheate or absorbed through riskin. Hall beather ways suppressed through riskin. Hall beather ways systym mist. Do not get in eyes, on skin, or on ordning. West goggles a

pesticide is tooic to birds, fish and aquatic inventebrates. Caution should be used when applying indoors because rims be at risk. Do not dischaige enfluent containing this profice into lakes, stemsting profits estimating, because it was the requirements of the National Prolitical Dischaige System (NPDES) permit in the permitting authority has been notified in writing prior to dischaige. Do not dischaige effluent containing this usuf information with the requirement of the profit of the Environmental Hazards
This pesticide is toxic to birds, sish ar pets may be at risk. Do not dischaig other waters unless in accordance wanter the permitting authority has bee product into sewer systems without pu

Storage and Disposal

Storage and Dusposa.

Storage and Dusposa.

You have a procession of the conginal container after it has been temoved. Avoid all procession septicity agents, and into no yellow metals. Containing the container, especially diff, caustic, reducing agents, and into no yellow metals. Containing the container, elected and an interest of the spilled product. Avoid damage to containers with root water and ditter eRASAN CS with large volumes of water. Sodium cathonate EPA douse containers with root water and ditter expects. So with large volumes of water. Sodium cathonate EPA douse containers with root water and ditter expects. The spilled product, Avoid damage to conflainers. Keep container closed at all times when not in use. To maintain product quality store this product in a cool dynamage, you mel direct sungith and heat.

Procedure for Leak or Spill: Stop teak if this can be done without risk. Shut off grains or spark producing tools. Keep combustible and organic materials was y. Flush spilled material should not retter conflicted spaces. If material has been spilled, an acceptable method of disposal is spinlide area with soda sah, then dilute with at least 20 volumes of water follower. Every conflicting the spilled spill

Directions For Use

it is a violation of Federal law to use this product in a manner inconsistent with its labeling.

PERASAN C.5 peroxyacetic acid sanitzer is recommended for use on precleaned surfaces such as equipment, plpelines, tanks, vats, filters, evaporations, pasteurizers, and assplic equipment in daines, breventes, whretes, breventes, whenese, and assplic placeting placifies and possibilities and product is effective as a promiser and placeting placeting placeting placeting and placeting and placeting and placeting and placeting placeting

<u>Sanitizing Food Contact Surfaces</u>: This product can be used in Federally inspected Meet and Poultry facilities passable in the sanitizing through the product of particles, the sanitizing increases gross hostilded and particles, the delegant solution, fallowed by a passable water in First Cast Cast EFEASAN CS diluted file Sallons of water (80-500 Supply occurs areas, Esternation of A. This dilution, FEFASAN CS; is effectly against information of a fall of the supply occurs areas, Esternation of the supply occurs areas, Esternation of the supply occurs areas, Esternation of the supply of the supply occurs areas, Esternation solutions of the supply of the supply occurs areas, Esternation of the supply of the supply occurs areas should be exposed to sanitaring solution for a period of all least 60 seconds or more it specified by a governing code. Dain any excess solution. Do

<u>462.</u> For use in the static or continuous sanitizing, washing or rinsing of conveyors, slicers, saws, and apply a solution of this pooted using 1,0.56 oz. <u>PERASAN CS diruded in 5 glalons of water. Apply, that the tellulation of the conveyor or equipment using cases spray or similar means of verting one say to affect draining and prevent puddling. Allow sanitizer to thoroughly wet surface for a minarum 60 or as to affect draining and prevent puddling. Allow sanitizer to thoroughly wet surface for a minarum 60.</u> r solution to the re s, so as to affect d s contact time. No

PERASAN® C-5

(ACID SANITIZER/DISINFECTANT)

FOR USE IN ORGANIC PRODUCTION:

Porous Food Contact Surfaces in: Dairies, Wineries, Breweies, Food and Beverage Plants Poultry Egg Facilities, Hospitals, Schools, Industrial Facilities, Office Buildings, Veterinary Clinics Bacteria, Siline, Odor and Algae Control in: Air Washers, Reverse Osmosis and other Membrane Filtation Systems. PERASANe C-5 is a peroxyacetic acid-based sanitizer/disinfectant developed for the following uses: Institutional/Industrial Sanitizer and Disinfectant for Previously Cleaned Hard, Non-

ACTIVE INGREDIENT

Peroxyacetic Acid Hydrogen Peroxide INERT INGREDIENTS

EPA Reg. No. 63838-13 EPA Est. No. 63838-CA-01; 60156-IL-01

Before Using This Product, Please Read This Entire Label Carefully. KEEP OUT OF REACH OF CHILDREN DANGER

FIRST AID

old eye open and mise slowly and gently with water for 15-20 minutes. Remove contact lenses if present enter first first indices, then continue inising eye. Call a poison control center or doctor for treatment advice. ON SKIN 50 RIOTH WAS CLOTHING.

Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison ntrol center or doctor for treatment advice.

Call a poison control center or doctor immediately for treatment advice. Have person sip glass of water if able to swallow. Do not induce vorniting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person. IF INHALED:

Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth. Call a poison control center or doctor for treatment advice.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Have the product container, label, or MSDS with you when calling a poison control center or a doctor, or going

for treatment advice.

To remergency information on this product, call the National Pesticide Information Center at 1-800-858-7378
6:30 AM to 4:30 PM PST. During other times, call the Poison Control Center at 1-800-222-1222. Both numbers are 7 days/week.

Sanitizing of Casing, Shell or Hatching Eggs; to sanitze clean shell eggs intended for food or food more products, spray will as solution of PGASAN C.5 of yeldung 10.25 acz. PERASAN C.5 diluted in 5 gallons of confined and as solution on the solution of this product (E.0.10) of the Selection Solution of the solution of this product (E.0.10) of the Selection Solution of the solution of this product (E.0.10) of the Selection Solution of the solution of this product (E.0.10) of the Selection Solution of this product (E.0.10) of the Selection Solution of the solution of this product (E.0.10) of the Selection Solution of the solution of th

ACCEPTED ACCEPTED

AUG 2 S 2014

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the

Purchanne Romaniery Amenally or metabulicably before 1-5.6 fill act of the product and 5-10 il. 22 of PERAFCAAM (learn additive) per 5 gallors of wheat. The distriction was the strained by a post and an additive) per 5 gallors of wheat. The distriction was the strained of the strained by a post and the strained by a post and an additive) per 5.0 feet of the strained and an additive) per 5 gallors of wheat. The distriction was the strained by a post and strained an anticle of the strained and an additive) per 5.0 feet of the strained and strained by a post and an additive of the strained and the strained and the strained carbon per 5.0 feet wash to strain and strained on must be instead on the other of the strained the strained carbon per 5.0 feet and strained and strained and the strained carbon per 5.0 feet and strained and strained and the strained carbon per 5.0 feet and strained and strained and the strained carbon per 5.0 feet and strained and stra

In water of ice that contacts raw, unprocessed fulls and vegetables. The commodity should be the contact with coarse space, or submerged using a solution containing 11 oz. PERASAN C.5 per 20 r. Adjust doze as necessary to use managed using a solution containing 11 oz. PERASAN C.5 per 20 Adjust doze as necessary to use more than 725 ppm adrive pervyacetic acid. Remove allow to drain. If using the submersion method, replace with a fresh solution as necessary or when it is Fruit and Vegetable Water Treatment: This product may be used to becomes visibly soiled. A final potable water rinse is not necessary

Manufactured By: Enviro Tech Chemical Services, Inc. 500 Winmoore Way, MODESTO, CA (209-581-9576) 24 hr Transportation Emergency ChemTrec No.: 800-424-9300

Code: 038/ V4-01-2014

LOT #:

stabilized, with acids, water and not more than 5% peroxyacetic peroxide and peroxyacetic acid mixtures, UN3149; Hydrogen acid; 5.1(8), PG II