page 1 9 3



U.S. ENVIRONMENTAL PROTECTION AGENCY Office of Pesticide Programs

EPA Reg. Number: 63950-8

JAN 13 1997

Biopesticides and Pollution Prevention Division (7501W)
401 M Street, S.W.
Washington, DC 20460

Term of Issuance: Unconditional

NOTICE OF PESTICIDE:

x Registration

__ Reregistration

(under PERA, as amended)

Name of Pesticide Product:
Blue Circle Seed Treatment
Biological Nematicide

Name and Address of Registrant (include ZIP Code): Stine Microbial Products, 2225 Laredo Trail, Adel, IA 50003

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Bioposticides and Pollation Prevention Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pessicide is hereby registered/reregistered under the Federal Insecticide, Pungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is unconditionally registered in accordance with FIFRA section 3(c)(5) provided that you:

- 1. Add the phrase "EPA Reg. No. 63950-8" to the label prior to releasing the product for shipment.
- 2. The first sentence following the heading, "If in Eyes:" must be revised to read, "Flush eyes with plenty of water."
- 3. Submit five copies of the final printed labeling before releasing the product for shipment.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

Unconditional registration does not eliminate the need for continual reassessment of a pesticide. If EPA determines, at any time, that additional data are required to maintain in effect an existing registration, the Agency will require submission of such data under section 3(c)(2)(B) of FIFRA.

A stamped copy of the label is enclosed for your records.

Signature of Approving Official:

Conduse

Date:

.4" 3 1997

EPA Form 8370-6

Expiration
Date [*****]

JAN 13 1997

BLUE CIRCLE 1 the Federal Investigation TREATMENT

registered under EPA flee HOLOGICAL NEMATICIDE
63950 8 HIOLOGICAL NEMATICIDE

SPA Rog. Number: 63950-	EPA Spr. Number: 7173-WI-003	U.S. Peters: 5,264,210
Active Ingredient:	•	
	acia type Wisconsin lacista Mi6	3.8% (by weight)
Total	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	100.0% (by weight)
	e cells of Isolats M36/lb. (10° cells/gm.) of produ	
·	EP OUT OF REACH OF CHILDREN	7

CAUTION

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals: CAUTION

May cause moderate eye hvitation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling.

Personal Protective Equipment (PPE) - Applicators and other handlers must weer..... I) long-alseved shirt and long pants, 2) shoes plus socks, 3) protective cyewear and 4) dust mask TCXI NIOSH approved.

Environmental Hazards: Do not apply directly to water, or to areas where surface water is present or to inter-tidal areas below the mean highwater mark. Do not contaminate water when cleaning equipment or disposing of equipment washwaters.

STATEMENT OF PRACTICAL TREATMENT

If in Eyes: Flush with plenty of water. Call a physician if irritation persists.

DIRECTIONS FOR USE

It is a violation of Foderal law to use this product in a manner inconsistent with its labeling. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

In this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard committee requirements for the promotion of agricultural workers on them, investe, and granulouses, and handless of agricultural posterioles. It committee permissing the statements for training, decommendation, notification, and emergency ancienates. It also contains specific herenotions and exceptions permissing to the statements on this label above personal promotive equipment (FFE) and contributed statement. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

* Do not cases or allow worker every into treated arous dering the restricted carry interval (REE) of 4 hours.

* FPE required for early every to rested arous that is parabled under the Worker Protection Standard and that involves contact with servicing that has been treated, such as plants, soil, or water in:

1) Coveratie

2) Waterproof glores

J) Shoes plus socies

Application Site: Seed at planting, ornamental bulbs, base of ornamental vegetative cuttings for rooting.

Application Method: BLUE CIRCLE should be mixed with seed immediately prior to planting. The indicated amount of seed is added to the planter box and moistened lightly with water from a spray bottle. BLUE CIRCLE is then added to the planter box and mixed thoroughly with the seed using a paddle to assure uniform coverage. The

W

1 4

(Meloidiogyne twoogratis) and sting (Belonolaisms) neustodos. THE PARTY Discase caused by lecton (Protylenchau), spiral (Heliconylenchau), lauce (Hopiolainnu), root knot

Consumental builts, communical vegetative cuttings, and greenhouse crops. Turney Plants: Scade of vegetables, fruits, ners, vinc crops, herbs, spices, terfprass, flowers and field crops

plant grouping, the higher rate given applies to smaller seeded species and outlivers while the lower rate applies to the larger seeded species and outlivers. For orops not listed within a grouping, use the rate that corresponds most closely with your crop seed size. At the highest dosage rate, this bag will treat 16 pounds of seed. Use sufficient Donage Rain: The dosage rate for BLUE CIRCLE is determined by the size of the seed to be treated. product to assure uniform sood coverage. Within a

PLANT GROUPINGS:

Ξħ	9	>	
tollowing:			
Š.	Š.	716	
F	1	Ħ	
	ָם בי	8	
1	2	õ	
		×	
1 TT	\$	쳜	
	7	ï	
	큚	뜅	
	R	B	
	-	7	
	8	셯	
	3	Ħ	
	¥	-	
	8-4 1977	Ē	
	ğ	8	
	8	7	
	2	÷	
	Ĭ	8	
	Þ	8	
	O	됮	
	3	1	
	ā	×,	
	Ē	3	
	莡	ď.	
	Ē	ጀ	
	2	*	
	쵲	E	
	#	9	
	<u>F</u>	_	
	Ĭ	2	
•	쿵	夏	
	of seed, up to a High Rate of I otnoe per I pound of seed). Crop examples are such as, but not limited to, the	ALL FIELD CROPS - Rate range is I ounce per I-20 pounds of seed (Low Rate of I ounce per 20 pounds	
		¥	
•	Ž.	5	
ī	Ş	ğ	
	₽	8	
•		-	

ر د د د د د د د د د د د د د د د د د د د
Small grains
₽ 2
:
:
:
:
-
-
:
:
:
•
:
1
:
ğ
걸
是
8
2,
夏

Ħ	鼠	2
B.	×	Έ
such as, but not limited to, the following:	-	<
.	8	짱
Ā	Ħ	ä
벚	9	7
×	푯	
E	×	K
¥	Ā	ja
<u>~</u>	8	I
В	ĕ	3
₽	Ē	7
=	3	2
뫁	X.	K
3	드	Z
Ē	Ž	Čα
T:	Ē	10
	Ξ	Ħ
	ä	Н
		2
	0	
•	3	
	ĭ	ę.
	9	B.
•	ۇ	*
	¥	ب
	¥	2
	-	8
	8	Ä
	8	A
	D	2
	Ä	~
	8	Ž
	8	Z
	O	6
	3	5
	ā	ğ
	of 1/2-1 canoe per 20 pounds of seed, up to a High Rate of 1/2-1 cance per 1 pound of seed). Crop cramples are	ALL. VEGETABLES, FRUITS, HERBS, SPICES - Rate range is 14-1 ounce per 1-20 pounds of seed (Low Rate
	曷	٤
	¥	₹.
	Ē	2
	3	

Beans, Fous 2 outces per 40 pounds of sead	Squash, Melons Ye ounce per I pound of seed	Tomatocs, Cabbage
:	:	•
:	:	:
:	:	:.
:	:	:
:	:	:
:	:	-
÷	:	:
:	:	:
:	:	-
	;	i
:	:	:
:	:	:
:	:	:
	:	:
	:	:
Ş	×	<u>.</u>
C	8	8
Ī	ğ	\$
\$	Ā	ች
ğ	Ā	Ä
8	g	9
8	8	<u>о</u> .
	*	8
B,	Σ	8,

ORNAMENTAL AND GREENHOUSE CROPS - Crop examples are such as, but not limited to, the following: Turigrasses 4-6 ounces per 50 pounds of seed Sapali Flower Seeds Sufficient product to coat seed Strail Flower Seeds Sun Ornamental Bulbs and Ornamental Vegetative Cattings Dip and shake off excess

Progressy of Application: Once at planting time.

DO NOT USE EXCESS TREATED SEED, ORNAMENTAL BULLS OR ORNAMENTAL VEGETATIVE CUTTINGS FOR FOOD, FEED OR OIL FUR?OSES.

STORAGE AND DISPOSAL

do not contaminate water, food or feed by storage or disposal

Pastiside Storage: BLUE CIRCLE should be stored in the original scaled bags until used. Bugs should be kept in a dry place at a semperature between 10°F-75°F. This product contains live bacteria. AVOID heat, sun and

disposal facility. reginide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste

Container Disposed: Empty beg completely into application equipment. Then, dispose of empty beg in a sanitary landfill or by incineration, or if allowed by State and local authorities, by burning. If burned, keep out of anoks

Due to conditioner beyond the control of Stine Marchiel Froduce, such as the time, place and rate of application; wrather conditions; dispensing equipment, storage facilities; etc.; the verneity shall be limited to perform produce or replacement produce. Such is suggested to by the Buyer of the excitative sole namedy. In no event thall Sine Microbiel Produce be Make for indicator consequential demagns. The manufacturer various that this product consists of the specified ingradient fixed on the label and is reasonably the Str the purpose unter when yield in accordance with the directions under sound conditions of use, yield one other time a WARRANTIES AND LIABILITIES: The somulicator guarantes that the contents and total amount are at sained within inwish limits. Moor of Salme Monobial Pro ductr is and/orded to its eny other manney or patenton contents in product No one other than an

Stine Microbial Products 2225 Larado Trail Manufactured for

Adol, IA 50003

MLUB CINCLE® is a registered tredement of State Microbial Products

NET WEIGHT: 1 LB. (0.453 kgs.)