/of 3

Please read instructions on reverse before complet	ing form.	Form Approv	ed. OMB No. 2070-0	0060, Approval expires 05-31-98	
United States			Registration	OPP Identifier Number	
Environmental Protection Ag			X Amendmen	t 249768	
PM 90 64004-2 Washington, DC 20460		2.22.96	Other	243100	
	Application for	Pesticide - Section			
Company/Product Number 64004-2		2. EPA Product Manager		3. Proposed Classification	
4. Company/Product (Name) Frostban B		PM#		None Restricted	
5. Name and Address of Applicant (Include ZIP Code)		6. Expedited Review. In accordance with FIFRA Section 3(c)(3)			
Frost Technology Corporation		(b)(i), my product is similar or identical in composition and labeling			
P.O. Box 198 Lathrop, CA 95330		to: EPA Reg. No.			
Check if this is a new address		Product Name			
	Sec	ction - II			
		<u></u>			
Amendment - Explain below.	Final printed labels in response to Agency letter dated				
Resubmission in response to Agency letter	"Me Too" Application.				
Notification - Explain below.	Other - Explain below.				
Explanation: Use additional page(s) if necessary	r. (For section I and S	ection II.)		·	
Product qualifies for a red	duced REI acco	rding to PR Noti	ce 95-3. Thi	s application	
contains labeling and cert	fication state	ements in accord	lance with the	Notice.	
	Sec	tion - III			
1. Materiel This Product Will Be Packaged in:			T		
Child-Resistant Packaging Unit Packs sing Wa		r Soluble Packaging 2. Type of Cont			
H _{No} H-No		No	Pic	estic	
	No. per if "Ye	<u> </u>		nss per	
* Certification must Unit Packaging wgt.		ss" No. per age wgt container	· · · · · · · · · · · · · · · · · · ·	her (Specify)	
3. Location of Net Contents Information	4. Size(s) Retail Contr	alner 5	i. Location of Label D	irections	
Label Container			On Labeling a	scompanying product	
6. Manner in Which Label is Affixed to Product	Lithograph	Other			
	Paper glued Stenciled	t-ml		 -	
	Sec	tion - IV			
1. Contact Point (Complete items directly below for	or identification of indi	vidual to be contacted, if	necessary, to proces	s this application.)	
Name Lisa J. Strong		•		phone Na.4Include Area Code) 209-858-2511	
	Certification			6. Qete Application	
I certify that the statements I have made on I ecknowledge that any knowingly false or n both under ap .!icable law.	this form and all attac			The street	
		. Title			
TIME YOUR		Regulatory Consultant		* · · · ·	
4. Typed Name	5. Date				
Lisa J. Strong		2/20/96			

FROSTBAN™ B

For reduction of frost and frost damage on cherry, apple, pear, almond, peach, tomato, potato, and strawberry. Aids in fire blight control on apple and pear.

ACTIVE INGREDIENTS:

 Pseudomonas fluorescens A506
 71%

 INERTS
 29%

 TOTAL
 100%

(Contains 11.3 x 1010 CFU/gm)

EPA Reg. No. 64004-2 EPA Est. No.

FROSTBAN™ is a registered trademark of Frost Technology Corporation.

KEEP OUT OF REACH OF CHILDREN CAUTION

STATEMENT OF PRACTICAL TREATMENT

IF IN EYES, flush with plenty of water. Get medical attention if irritation persists.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Avoid contact with eyes, skin or clothing.

PERSONAL PROTECTIVE EQUIPMENT

APPLICATORS AND OTHER HANDLERS MUST WEAR:

- · Long-sleeved shirt and long pants
- · Waterproof gloves
- Shoes plus socks
- Dust/mist filtering respirator (MSHA/NIOSH approval number prefix TC-21C)

Follow manufacturer's instructions for cleaning and maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS

Users should: (1) Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet; (2) Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing; (3) Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

Keep out of lakes, ponds or streams. Do not contaminate water when disposing of equipment washwaters.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage and disposal.

STORAGE: Keep container unopened until use. Store unused product in original container. This product should be stored at temperatures between -4°F and 40°F (frozen or refrigerated) for long-term storage. This product may be stored at room temperature not to exceed 70°F for one week prior to use. Keep out of reach of children and animals.

PESTICIDE DISPOSAL: Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. Unused material will be collected by the program manager.

CONTAINER DISPOSAL: Completely empty bag into application equipment. Then dispose of bag in a sanitary landfill, by incineration or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirement specific to your State or Tribe, consult the agency responsible for pesticide regulation.

DO NOT APPLY THROUGH ANY TYPE OF IRRIGATION SYSTEM.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about Personal Protective Equipment (PPE), notification to workers and Restricted Entry Interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Lo not enter or allow worker entry into treated areas during the Restricted Entry Interval (REI) of 4 hours. PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil or water, is: Coveralls; waterproof gloves; shoes plus socks.

GENERAL INFORMATION

MODE OF ACTION: FROSTBAN™ contains non-frost forming strains of naturally-occurring Pseudomonas which competitively reduce or prevent the growth of frost-forming and fire blight inducing bacteria on plant leaves, blossoms, and fruit.

FROST PROTECTION:

For frost protection, apply 5 ounces of FROSTBAN™ B in concentrate sprays (50-150 gallons per acre) or 7 ounces in dilute sprays (200-350 gallons per acre). Use higher rates within each recommended range depending upon coverage characteristics of application equipment and plant size.

Mixing and Application Instructions:

 For best results, make initial spray when plants are: Tomato, Potato—Two true-leaf expansion.
 Strawberry—First bloom initials emerging from crown.
 Almond, Peach—First bloom at about 10% fully-opened.

Apple, Pear, Cherry-Late green tip - half-inch green tip.

 Repeat treatments as necessary (total 2-3 applications) to ensure uniform coverage to primary blossom and leaf tissue.

· Uniform spray coverage is required.

Fill spray tank ¼ full with water and add recommended amount of this product to tank. Mix thoroughly
while adding remainder of water, Agitate as necessary to maintain suspension.

Spray solution should be used within 48 hours after mixing.

· Standard municipal chlorinated water does not significantly reduce viability.

FIRE BLIGHT REDUCTION:

FROSTBAN™ B should be used in an integrated fire blight control program. FROSTBAN™ B improves control with any existing antibiotic spray program.

As an aid in the control of fire blight in pears and apples, apply 5 ounces of FROSTBANTM B in concentrate sprays (50-150 gallons per acre) or 7 ounces in dilute sprays (200-350 gallons per acre). Better control is obtained with concentrate sprays of at least 100 gallons per acre. The first application should be made at 15-20% bloom followed by a second application at first petal fall—full bloom, and a third application at ":attail" bloom for pear, or post petal fall for apples. Do not tank mix with ziram, mancozeb, maneb, copper-based compounds. FROSTBANTM B is compatible with streptomycin, Terramycin®, Rovral®, and Benlate®. COPPER SPRAYS OR COPPER DUST APPLICATIONS ARE INCOMPATIBLE WITH THE PERFORMANCE OF THIS PRODUCT.

DISCLAIMER OF WARRANTIES: Seller warrants that the chemical composition of this product conforms to the chemical description given on this tabel. THIS WARRANTY IS EXPRESSLY IN LIEU OF ALL OTHER WARRANTIES AND REPRESENTATIONS EXPRESSED, IMPLIED, OR STATUTORY, INCLUDING WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR USE. Timing, rate and method of application, weather and crop conditions, mixtures with chemicals not specifically recommended on this label or an accompanying written recommendation are beyond the control of seller. Buyer as Jumes all risks of use, storage and handling of this material not in strict accordance with directions given herewith. Buyer further agrees in the event of damages arising from the use of this product of accept a replacement of the product or a refund of the purposes price of, the product, at buyer is option, as full discharge of seller's liability. No one is authorized to make any other warranty, guarantee or directions concerning this, product, and no such warranties, guarantees or directions shall be valid or briding upon seller.

PHT 20375PEC (2/96)

NET WEIGHT 1.3 LBS. (600 grams)

P.O. Box 198 • Lathrop, CA 95330

REI