UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

| ~. | UMITED STATES | 75 |
|-------|---------------|--------|
| WHORN | 2 | * AGEN |
| 6 | THE PROTECT | Ρ. |

U.S. ENVIRONMENTAL PROTECTION AGENCY Office of Pesticide Programs Registration Division (H7505C) 401 "M" St., S.W. Washington, D.C. 20460 EPA Reg. Number:

Date of Issuance: MAY | 2 2000

64014-12

Term of Issuance:

Conditional

Name of Pesticide Product:

Tree Tech Dicamba

NOTICE OF PESTICIDE:

x Registration
Reregistration

(under FIFRA, as amended)

Name and Address of Registrant (incluse ZIP Code):

Florida Silvics Inc., dba Tree Tech Microinjection Systems 479 S.W. 42nd St. Williston FL 32696

Williston, FL 32696

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any

On the basis of information furnished by the registrant, the above mened pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Addenticide Act. -

correspondence on this product always refer to the above EPA registration number.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticize in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

- 1. Submit/cite all data required for the registration/reregistration/registration review of your product when the Agency requires all registrants of similar products to submit such data.
 - 2. Make the following label changes:
 - a. Revise the EPA Registration Number to read, "EPA Reg. No. 64014-12".

| Signature of Approving Official: | Date: |
|----------------------------------|-------|
| | |
| | |
| | |

EPA Form 8570-6

| CONCURRENCES | | | | | | | | | | | |
|--------------|---------|---|--|--|--|--|--|--|--|--|--|
| SYMBOL > | 7505C | , | | | | | | | | | |
| SURNAME > | Molfan | | | | | | | | | | |
| DATE | 5/12/00 | | | | | | | | | | |

EPA Form 1320-1 (12-70)

OFFICIAL FILE COPY

page 2 EPA Reg. No. 64014-12

3. Submit two copies of the revised final printed label for the record.

A stamped copy of the label is enclosed for your records.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

Joanne I. Miller Product Manger (23) Herbicide Branch Registration Division (7505C)

Enclosure

TREE TECH® DICAMBA HERBICIDE

A Systemic Herbicide Administered by the Tree Tech Microinjection System for the Control of Certain Undesirable Ornamental and Forest Trees, Vines and Woody Shrubs.

ACTIVE INGREDIENT: Dicamba (Dimethylamine salt of 3,6dichloro-o-anisic acid). 13.3% OTHER INGREDIENTS. 86.7%

NET CONTENTS: Each microinjection unit contains 0.55 grams a.i. of 3,6-dichloro-o-anisic acid.

Tree Tech is a Reg. TM of Florida Silvics, Inc. Morriston, FL 32668

EPA Reg. No. 64014-XX EPA Est. No. 64014-FL-001

STOP: READ THE LABEL BEFORE USE

J

LER USE BY COMMERCIAL ARBORISTS

(APPLICATORS)

KEEP OUT OF THE REACH OF CHILDREN

CAUTION

See Rear Panel for Statements of Practical Treatment and Other Precautionary Statements

NET CONTENTS

5 mL per microinjection unit 100 microinjection units (500 mL total) per carton

Sold by: Florida Silvles, Inc. (dba TREE TECH MICROINJECTION SYSTEMS) 950 SE 215th Avenue Morriston, FL 32668

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions exist for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

CAUTION: Avoid contact with eyes or clothing. Harmful if swallowed. Avoid breathing mist. Protective eye wear and chemical-resistant gloves must be worn while handling or installing microinjection units to prevent accidental contact with the eyes or skin. Wash thoroughly with soap and water after handling. In case of contact, wash skin with soap and water; for eyes, flush with water for 15 minutes and get medical attention. Remove contaminated clothing and wash separately from household items before reuse.

Personal Protective Equipment (PPE):

Some materials that are chemical-resistant to this pro are listed below. If you want more options, following the instructions of category C on an EPA chemical resistant selection chart.

Applicators and other handlers when installing or removing this product must wear:

- · Long-sleeved shirt and long pants
- Chemical resistant gloves, such as barrier laminate, or butyl rubber, or polyvinyl chloride
- · Shoes plus socks
- Protective eyewear

USER SAFETY RECOMMENDATIONS

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove clothing immediately if pesticide gets inside.Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

STATEMENTS OF PRACTICAL TREATMENT

<u>If Inhaled</u>: Remove victim to fresh air. Get medical attention. If not breathing, give artificial respiration, preferably mouth-to-mouth.

If Swallowed: Call a physician or poison control center immediately. Give one or two glasses of water and induce vomiting by gently touching back of throat with finger. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious or convulsing person.

If on Skin: Remove contaminated clothing and wash affected area with soap and warm water.

If in Eyes: Flush eyes with plenty of water. Call a physician if irritation exists.

ENVIRONMENTAL HAZARDS

Keep out of lakes, streams or ponds. For terrestrial uses, do not apply directly to water or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwater. Apply this product only as directed.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact workers or other persons. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

PRECAUCION AL USARIO: Si Usted no entiende la etiqueta, busque a alguien para que se la explique a Usted en detaile. (If you do not understand this label, find someone to explain It to you in detail.)

(TO THE USER: If you cannot read or understand English, do not use this product until the label has been fully explained to you.)

IMPORTANT: Read these entire DIRECTIONS FOR USE, GENERAL INFORMATION, and CONDITIONS OF SALE before using DICAMBA herbicide as they are written exclusively for using DICAMBA applied internally in the Tree Tech microinjection unit only.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and the Worker Protection Standard, 40 CFR 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE). The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard (WPS).

Applying DICAMBA herbicide using the Tree Tech microinjection system:

The DICAMBA herbicide label and microinjection instructions must be read and understood prior to use or installation of Tree Tech Microinjection Systems' microinjection units. Failure to follow these directions may lead to injury to the installer or other persons, mechanical damage to treated trees, and phytotoxic damage to non-treated plants. The following instructions must be heeded to ensure effective use of the microinjection units containing DICAMBA herbicide:

- 1. DICAMBA herbicide may be translocated from treated plants to non-treated plants through functional root contacts or grafts. To prevent the accidental damage to or death of non-treated plants, soil trenching and root severing at or near all root contacts or grafts prior to herbicide injection are required. Failure to disrupt all functional root contacts or grafts will increase the likelihood of damage to, or death of, non-treated plants. Buyers and users of DICAMBA herbicide are solely responsible for translocated herbicide damage to non-treated plants.
- 2. Protective eye wear and rubber or neoprene gloves must be worn while handling or installing the microinjection unit to prevent accidental contact with eyes or skin.
- 3. When properly installed and activated, the microinjection unit generates internal pressure resulting in the flow of DICAMBA herbicide through the dispenser tip. The microinjection unit must never be activated unless installed correctly and securely in the tree to be treated. Never leave the microinjection units unattended during uptake.
- 4. Microinjection units containing DICAMBA herbicide may require several hours to empty depending on the health of the treated tree and local weather conditions. Never assume that the microinjection units have been depressurized completely because they appear nearly empty or empty. When removing microinjection units, individuals must wear proper eye protection and rubber or neoprene gloves. The individual should then cover the microinjection unit with one hand near the point of insertion into the stem while gracping the barrel end of the microinjection unit with the other hand. The microinjection unit should be turned slightly as it is slowly withdrawn from the tree.
- 5. After microinjection units and removed from the treated trees they must be discarded into the heavy-outly plastic disposal bag included in each case of microinjection units. The bag should be properly ace'ed and placed in the original carton. Sealed cartons may be returned freight prepaid to Florida Sitvics, Inc., (dba Tree Tech Microinjection Systems), 950 S.E. 215th Ave., Morriston, FL 32668 for disposal.

Installing Microinjection Units:

- 1. Determine the number of microinjection units to be installed based upon the spacing of microinjection units at 6-inch intervals around the stern. Unless otherwise noted. microinjection units should be installed in the stem and root flares near the ground line, i.e., 2.0-to-8.0 in, or 5-to-20 cm from the soil surface.
- 2. Using a cordless electric drill (600-800rpm) with a sharp, clean 11/64-in. (0.4-cm) bit, the installer should drill a hole at the correct stem circumference spacing to a depth of 3/8-to-1/2 in. (1.0-to-1.3 cm) into the wood (xylem) under the bark. A downwardly angle of 45 degrees is recommended for more complete drainage of the microinjection unit.
- 3. After reaching the proper depth range, the drill b-t should be withdrawn carefully to avoid dislodging bark fragments around the exterior opening of the hole. Insert the microinjection unit into the hole without delay. Placing the plastic installation cap over the rear barrel end, strike the cap with a plastic hammer to seat the microinjection unit firmly in the hole. If the microin ection unit is not pron. W positioned in the hole, strike the cap again until) seated. By striking the microinjection unit, the frontal dispenser tip is forced into the funnel-shaped section dislodging an internal septum which allows the DICAMBA herbicide to flow from the microinjection unit into the tree. When the microinjection unit is positioned correctly in the tree and the septum is dislodged, remove the cap. Push the rear barrel portion of the unit downwardly until the locking mechanism is engaged. This pressurizes the microinjection unit and assists in the movement of DICAMBA herbicide into the vascular system of the tree.
- 4. When the microinjection unit is positioned correctly in the tree and the septum is dislodged, remove the cap. Push the rear barrel portion of the unit downwardly until the locking mechanism is engaged. This pressurizes the microiniection unit and assists in the movement of DICAMBA herbicide into the vascular system of the tree.
- 5. Each hole should be drilled and a microinjection unit ins* d without delay. After the unit is properly seated, it be activated. This sequence minimizes the flow of tree sap or resin into the hole prior to uptake of DICAMBA herbicide during the microinjection process.
- 6. When properly installed, the microinjection unit generates internal pressure resulting in the flow of DICAMBA herbicide through the dispenser tip. The microinjection unit must never be activated unless installed correctly and securely in the tree to be treated.
- 7. MicroInjection units containing DICAMBA herbicide may require several hours to empty depending on the health of the treated tree and local weather conditions. Microinjection units should be removed as soon as the evacuation of DICAMBA herbicide is completed.

APPLICATION: Apply in all cases when plant root systems are established and plants are actively growing. DICAMBA herbicide should be applied to the following woody plants to maximize the potential for herbicidal control:

Ailanthus altissima Albizzia sp. Alder Ash Aspen Basswood

Beach Ri-h Black gum Brazilan peppertree Carrohor Cevtar

Cherry, black

Chokecherry

Chinaberry

Chinese tallow tree

Chinquapin

Cottonwood Creosotebush

Doowwood

Far.

Eucalyptus

Fo(Ficus) Gallbarry

Grape, wild

Hackberry

Hewthorn

Hemlock Hickory

Honeylocust

Hombeam.

lvy poison

Locust, black

Mante

Melaleuca quinquenervia

Oat

Persimmon, eastern

Pine

Pine Australian

Poplar

Redcedar, eastern

Sassafras

Serviceberry

Spruce

Sumac

Sweetgum

Sycamore

Ti Ti

Wax myrtle

Willow

Witch-hazel

Yaupon

Install one (1) microinjection unit every six (6) inches around the circumference of the stem approximately 2-to-8 inches from the ground line. Make application of DICAMBA herbicide when plant roots are established and plants are actively growing.

STORAGE and DISPOSAL

Do not contaminate water, food, or feed by storage or

STORAGE: Store product in the closed, original container in a ∞ ol, dry, locked place out of reach of children. Store microinjection units at room temperature (45 degrees to 75 degrees F). Do not freeze

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site according to local regulations or at an approved waste disposal facility.

MICROINJECTION UNIT CONTAINER DISPOSAL:

Do not reuse microinjection units. Used microinjection units should be placed in the heavy-duty plastic bag which accompanies each case of microinjection units. The bag should be properly sealed, placed into the original shipping carton and may be returned for disposal freight prepaid to Tree Tech Microinjection Systems, 950 S.E. 215th Ave... Morriston, FL 32668.

GENERAL INFORMATION

DICAMBA systemic herbicide solution is for use by commercial applicators on certain species of trees, vines and woody shrubs in commercial and residential landscapes, interior and exterior plantscapes, roadsides, gardens, parks, golf courses, lawns, grounds, and other areas where plants are grown.

CONDITIONS OF SALE

THE DIRECTIONS ON THIS LABEL WERE DETERMINED THROUGH RESEARCH TO BE APPROPRIATE FOR THE CORRECT USE OF THIS PRODUCT THIS PRODUCT HAS BEEN TESTED UNDER DIFFERENT ENVIRONMENTAL CONDITIONS INDOORS AND OUTDOORS UNDER SIMILAR TO THOSE THAT ARE AND CUSTOMARY WHERE THE BOTH CONDITIONS SIMILAR ORDINARY AND CUSTOMARY WHERE THE PRODUCT IS TO BE USED. INSUFFICIENT CONTROL OF PESTS OR PLANT INJURY MAY RESULT FROM THE OCCURRENCE OF EXTRAORDINARY OR UNUSUAL CONDITIONS, OR FROM FAILURE TO FOLLOW LABEL DIRECTIONS. IN ADDITION, FAILURE TO FOLLOW LABEL DIRECTIONS MAY CAUSE INJURY TO ANIMALS, MAN, AND DAMAGE TO THE ENVIRONMENT. TREE TECH MICROINJECTION SYSTEMS OFFERS, AND THE BUYER ACCEPTS AND USES. THIS PRODUCT SUBJECT TO THE CON-DITIONS THAT EXTRAORDINARY OR UNUSUAL EN-VIRONMENTAL CONDITIONS, OR FAILURE TO FOL-LOW LABEL DIRECTIONS ARE BEYOND THE CON-TROL OF TREE TECH MICROINJECTION SYSTEMS. AND ARE THERE- FORE, THE RESPONSIBILITY OF THE BUYER

- 1. Tree Tech Microinjection Systems warrants that this product conforms to the chemical description on the label and is reasonably fit for the use under average conditions when used strictly in accordance with the directions on the labeling. Tree Tech Microinjection Systems does not make or authorize any agent or representative to make any other warranty, guarantee or representation, express or implied, concerning this product. Specifically, NO IMPLIED WARRANTY OR MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE IS MADE.
- 2. Critical and unforeseeable factors beyond the control of Tree Tech Microinjection Systems prevent it from eliminating all risks in connection with the use of this product. Such risks, include, but are not limited to, damage to plants to which the product is applied, lack of complete control over the handling and application of this product, and damage caused by movement to other plants or crops. Such risks occur even though the product is reasonably fit under average conditions for the uses stated on the labeling and even though label directions are followed. Buyer and user acknowledge and assume all risks and liability (except those assumed by Tree Tech Microinjection Systems under 1 above) resulting from handling, storage and use of this product.
- 3. Tree Tech Microinjection Systems shall not be liable to Buyer for any consequential, special or indirect damages alleged to arise from Tree Tech Microiniection Systems' performance or non-performance of its obligations from the use, sales or handling of the Product, regardless of any goods found by Tree Tech Microinjection Systems to be defective. Any such claims shall be deemed waived unless made in writing within fifteen (15) days the Buyers' receipt of the Product or Buyer's discovery of defective Product, whichever date is later.
- 4. Precautions stated on the labeling should be followed to avoid hazardous exposure to the product. Neither, Tree Tech Microinjection Systems nor its employees or distributors will be liable for any damages resulting from improper use of the microinjection units.

TREE TECH Reg. TM of Florida Silvics. Inc.

with COMMENTS In EPA Letter Dated MAY | 2 2000

Under the Federal Insecticide, Fundicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No.

(33)