



## OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

WASHINGTON, D.C. 20460

December 22, 2025

### **SENT BY EMAIL**

Amy Plato Roberts  
aroberts@lallemand.com  
DANSTAR FERMENT AG / LALLEMAND PLANT CARE

Subject: Non-PRIA (Pesticide Registration Improvement Act) Labeling and Formulation Amendment – Updates to the Labeling and the Basic and Alternate Confidential Statements of Formula (e.g., EPA Reg. No.) to Account for Transfer of the Product  
Product Name: LALGUARD B33 GR  
EPA Registration Number: 64137-40  
EPA Receipt Date: 08/24/2025  
Action Case Number: 00666301

Dear Amy Plato Roberts:

The amended labeling and Confidential Statements of Formula (CSFs) referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, are acceptable. This approval does not affect any conditions that were previously imposed on this registration. You continue to be subject to existing conditions on your registration and any deadlines connected with them.

The primary brand name of this product has been changed from Bioceres GR to LALGUARD B33 GR. Additionally, the alternate brand name Bioceres GR has been added to the registration. Our records have been updated accordingly.

A stamped copy of your labeling is enclosed for your records. This labeling supersedes all previously accepted labeling. Pursuant to 40 CFR 156.10(a)(6), you must submit one copy of the final printed labeling before you release this product for shipment with the new labeling. In accordance with 40 CFR 152.130(c), you may distribute or sell this product under the previously approved labeling for 18 months from the date of this letter. After 18 months, you may only distribute or sell this product if it bears this new revised labeling or subsequently approved labeling. "To distribute or sell" is defined under FIFRA section 2(gg) and its implementing regulation at 40 CFR 152.3.

Please note that the record for this product currently contains the following CSFs:

- Basic CSF dated 08/24/2025
- Alternate #1 CSF dated 08/24/2025
- Alternate #2 CSF dated 08/24/2025
- Alternate #3 CSF dated 08/24/2025
- Alternate #4 CSF dated 08/24/2025

Should you wish to add/retain a reference to your company's website on your label, then please be aware that the website becomes labeling under FIFRA and is subject to review by the Agency. See FIFRA section 2(p)(2). If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) lists examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process, FIFRA section 12(a)(1)(B). Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to EPA's Office of Enforcement and Compliance Assurance.

Your release for shipment of this product constitutes acceptance of these terms. If these terms are not complied with, this registration will be subject to cancellation in accordance with FIFRA section 6.

If you have any questions, please contact Thomas Cook via email at [cook.tom@epa.gov](mailto:cook.tom@epa.gov).

Sincerely,

Jeannine Kausch, Senior Advisor  
MPB, BPPD  
Office of Pesticide Programs

## MASTER LABEL

# LALGUARD® B33 GR

**Alternate Brand Name:** Bioceres GR, BioTitan GR


**Sublabel A: Agricultural & Commercial Use**

**Sublabel B: Home & Garden Use**

**Optional Label Claims**

**EPA Registration No.** 64137-40

*(Note to Reviewer: Text in {} is optional. Brackets [] indicate that at least one option within the brackets must be used in the final label text. Parentheticals () are meant to appear on final label. "This product" can be substituted with actual product name.)*



## Sublabel A: Agricultural & Commercial Use

# LALGUARD B33 GR

**Alternate Brand Name:** Bioceres GR, BioTitan GR



(For Organic Lawn Care) (For Use in Organic Lawn Care) (Can be used in organic lawn care)

**ACTIVE INGREDIENT:** Beauveria bassiana strain ANT-03\* ..... 7.0%

**OTHER INGREDIENTS:** ..... 93.0%

**Total:** ..... 100.0%

\*Contains a minimum of  $2 \times 10^9$  viable conidia/gram of product.

**KEEP OUT OF REACH OF CHILDREN**  
**CAUTION**

*[Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle.  
(If you do not understand this label, find someone to explain it to you in detail.)]*

**FIRST AID**

<b>If in eyes</b>	<ul style="list-style-type: none"><li>• Hold eye open and rinse slowly and gently with water for 15 – 20 minutes.</li><li>• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li><li>• Call a poison control center or doctor for treatment advice.</li></ul>
<b>If inhaled</b>	<ul style="list-style-type: none"><li>• Move person to fresh air.</li><li>• If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth if possible.</li><li>• Call a poison control center or doctor for treatment advice.</li></ul>
<b>If swallowed</b>	<ul style="list-style-type: none"><li>• Call a poison control center or doctor immediately for treatment advice.</li><li>• Have person sip a glass of water if able to swallow.</li><li>• Do not induce vomiting unless told to do so by a poison control center or doctor.</li><li>• Do not give anything by mouth to an unconscious person.</li></ul>

**HOTLINE NUMBER**

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For information on this product (including general health concerns or pesticidal incidents), call the National Pesticide Information Center (NPIC) at 1-800-858-7378, Monday through Friday, 8:00 AM to 12:00 PM Pacific Time (NPIC Website: [www.npic.orst.edu](http://www.npic.orst.edu)). For emergencies, call your local poison control center at 1-800-222-1222.

See (back) (side) (inside) (panel) (insert) (booklet) (label) for additional precautionary statements (instructions) and directions for use.

**EPA Reg. No.:** 64137-40

**EPA Est. No.:**

**Net Weight:** XXXX

**(Batch)(Lot) No:** XXXX

**Manufactured for:**

Danstar Ferment AG / LALLEMAND PLANT CARE

Poststrasse 30, Zug CH-6300 Switzerland

**Marketed and Distributed by:**

Lallemand Specialties Inc. / LALLEMAND PLANT CARE

6120 West Douglas Avenue, Milwaukee, WI 53218 United States

[www.lallemandplantcare.com](http://www.lallemandplantcare.com)



LALLEMAND PLANT CARE

**LALGUARD B33 GR; EPA Reg. No. 64137-40**

Label and CSF amendment (fast track) to update product name, company name, address and EPA Reg. No.

Label version (19) dated 24Aug2025

Page 2 of 13

## PRECAUTIONARY STATEMENTS

**HAZARDS TO HUMANS AND DOMESTIC ANIMALS - CAUTION:** Causes moderate eye irritation. Harmful if inhaled or swallowed. Avoid contact with eyes or clothing. Avoid breathing dust or spray mist. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse.

### PERSONAL PROTECTIVE EQUIPMENT (PPE):

Applicators and other handlers must wear:

- long-sleeved shirt and long pants
- protective eyewear
- waterproof gloves
- shoes plus socks

Mixer/loaders and applicators must wear a minimum of a NIOSH-approved particulate filtering facepiece respirator with any N, R, or P filter; OR a NIOSH-approved elastomeric particulate respirator with any N, R, or P filter; OR a NIOSH-approved powered air purifying respirator with an HE filter. Repeated exposure to high concentrations of microbial proteins can cause allergic sensitization.

Follow the manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables are available, use detergent and hot water. Keep and wash PPE separately from other laundry.

**ENGINEERING CONTROLS:** When handlers use closed systems or enclosed cabs in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides (40 CFR 170.607 (d) and (e)), the handler PPE requirements may be reduced or modified as specified in the WPS.

**IMPORTANT:** When reduced PPE is worn because a closed system is being used, handlers must be provided all PPE specified above for "applicators and other handlers" and have such PPE immediately available for use in an emergency, such as a spill or equipment break-down.

### USER SAFETY RECOMMENDATIONS

Users should:

- Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

**ENVIRONMENTAL HAZARDS:** For terrestrial uses - This product may harm beneficial insects and honey bees. Do not apply while bees or other pollinating insects are actively foraging. This product may be harmful to aquatic organisms. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwater or rinsate.

## DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not apply this product in a way that will contact workers or other persons, either directly or through drift or runoff. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the State or Tribal agency responsible for pesticide regulation.

### Agricultural Use Requirements

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR Part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted-entry interval (REI) of 4 hours.

**EXCEPTION:** If the product is soil incorporated or soil-injected, the Worker Protection Standard, under certain circumstances, allows workers to enter the treated area if there will be no contact with anything that has been treated.

PPE required for early entry to treated areas (that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil or water) is:

- Protective eyewear
- Coveralls
- Waterproof gloves
- Shoes plus socks

### NON-AGRICULTURAL USE REQUIREMENTS

The requirements in this box apply to uses of this product that are **not** within the scope of the Worker Protection Standard for agricultural pesticides (40 CFR Part 170). The WPS applies when this product is used to produce agricultural plants on farms, forests, nurseries or greenhouses.

Keep unprotected persons out of treated areas until sprays have dried.

## PRODUCT INFORMATION

LALGUARD B33 GR is a biological insecticide containing the active ingredient *Beauveria bassiana* strain ANT-03 for use on the following labeled use sites to control soil dwelling insect pests.

## USE INSTRUCTIONS

Close scouting and early attention to infestations is highly recommended. Proper timing of application targeting newly hatched larvae or nymphs is important for optimal results.

Thorough coverage of the infested area is necessary for effective control. LALGUARD B33 GR does not have systemic activity. Repeat applications at an interval sufficient to maintain control, usually 3-10 days, depending upon insect activity and other factors.

LALGUARD B33 GR has been evaluated for phytotoxicity on a variety of plants under various normal growing conditions. However, testing all plant varieties, in all mixtures and combinations, is not feasible. Prior to treating entire area, test a small portion of the area for sensitivity.

## GROUND APPLICATIONS

Broadcast LALGUARD B33 GR with a suitable method or application equipment to ensure uniform coverage over the treatment area. Irrigate treated area with at least 1/8" of water, or otherwise incorporate LALGUARD B33 GR into the top 1-3" of soil. Do not water to the point of run-off.

Repeat at 3- to 10-day intervals as needed. In the case of a pest outbreak, the product can be used every 3-5 days. There is no limit on number of applications.

**Apply 2 lbs LALGUARD B33 GR per 1000 ft<sup>2</sup> (1 g LALGUARD B33 GR per ft<sup>2</sup>)** for the labeled use sites below.

## SOIL AMENDMENT MIX APPLICATIONS

Application instructions for incorporation into soil amendments:

Apply LALGUARD B33 GR by thoroughly mixing the product into the soil amendment (ex: compost, topsoil, loam), ensuring even distribution. Apply at a rate of **10 oz. of product per cubic yard of soil amendment** for the labeled use sites below.

## SOIL MIX APPLICATIONS

Application instructions for incorporation into nursery planting mix: LALGUARD B33 GR can be mixed with growing media used in ornamentals or edible container-grown crops (ex: plugs) in greenhouses and outdoor nurseries.

Apply LALGUARD B33 GR prior to or during planting by thoroughly mixing the product into the growing medium, ensuring even distribution. **Apply at a rate of 0.5 to 1 lbs of product per cubic yard of growing medium** for the labeled use sites below. Use higher label rates when pest pressure is expected to be high. Do not mix fungicides in a growth medium containing LALGUARD B33 GR.

**TURFGRASS** including but not limited to: **parks, landscapes, golf courses, sod farms, and lawns**

Chinch bugs, white grubs (including, but not limited to: European chafer larvae, Japanese beetle larvae, billbug larvae, black turfgrass ataenius beetle larvae, dichondra flea beetle larvae), mole crickets, sod webworm larvae, Lucerne moth larvae, crane fly larvae, cutworm larvae

**INSECTS FOR WHICH LALGUARD B33 GR MAY BE USED FOR THE FOLLOWING LABELED USE SITES**

For control of Diaprepes root weevil, Black vine weevil, Fungus gnats, Root aphids, Shoreflies, White grubs, Western flower thrips (pre-pupae and pupae in soil only)

**GREENHOUSE, INTERIORSCAPE, AND FIELD GROWN ORNAMENTAL PLANTS, TREES, SHRUBS** including but not limited to: **flowering plants, foliage plants, broadleaves, conifers**

---

**CROP GROUP 1: ROOT AND TUBER VEGETABLES:** Including, but not limited to:

Artichoke, Black Salsify, Carrot, Cassava (bitter or sweet), Celeriac (celery root), Chayote (root), Chicory, Chinese Artichoke, Edible Burdock, Garden Beet, Ginger, Ginseng, Horseradish, Jerusalem Artichoke, Oriental Radish, Parsnip, Potatoes, Radish, Rutabaga, Salsify, Skirret, Spanish Salsify, Sugar Beet, Sweet Potatoes, Taro, Turmeric, Turnip, Turnip-rooted Chervil, Turnip-rooted Parsley and Yams

---

**CROP GROUP 2: LEAVES OF ROOT AND TUBER VEGETABLES:** Including, but not limited to:

Beet and Turnip

---

**CROP GROUP 3-07: BULB VEGETABLES:** Including, but not limited to:

Leek, Garlic, Onion (Bulb and Green), Welch, and Shallot

---

**CROP GROUP 4: LEAFY VEGETABLES (Except BRASSICA Vegetables):** Including, but not limited to:

Arugula, Celery, Corn Salad, Cress, Dandelion, Dock, Edible Chrysanthemum, Endive, Fennel, Head Lettuce, Leaf Lettuce, Parsley, Purslane, Radicchio, Rhubarb, Spinach and Swiss Chard

---

**CROP GROUP 5: BRASSICA (COLE) LEAFY VEGETABLES:** Including, but not limited to (excludes watercress):

Broccoli, Broccoli Raab, Brussels Sprouts, Cabbage, Chinese Broccoli, Chinese Cabbage (Bok Choy/Napa), Chinese Mustard Cabbage (Gai Choy), Cauliflower, Cavolo Broccolo, Collards, Kale, Kohlrabi, Mizuna, Mustard Greens, Mustard Spinach, and Rape Greens

---

**CROP GROUP 6: LEGUME VEGETABLES (SUCCULENT OR DRIED) AND GRAIN CROPS:** Including, but not limited to:

Adzuki Bean, Blackeyed Pea, Beans (all varieties), Chickpea, Cowpea, Crowder Pea, Edible-Pod Pea, English Pea, Fava Bean, Field Bean, Field Pea, Garbanzo Bean, Garden Pea, Green Pea, Kidney Bean, Lentils, Lima Bean, Lupins, Mung Bean, Navy Bean, Peas, Pigeon Pea, Pinto Bean, Runner Bean, Snap Bean, Snow Pea, Soybean, Sugar Snap Pea, Tepary Bean, Wax Bean, and Yardlong Bean

---

**CROP GROUP 8-10: FRUITING VEGETABLES:** Including, but not limited to:

Tomato, Tomatillo, Pepper (all varieties), Groundcherry, Pepino, Okra and Eggplant

---

**CROP GROUP 9: CUCURBIT VEGETABLES:** Including, but not limited to:

Chayote (fruit); Chinese wax gourd (Chinese preserving melon); Citron melon; Cucumber; Gherkin; Gourd, edible (includes Hyotan, Cucuzza, Hechima, Chinese okra); Melons; Momordica spp (includes Balsam apple, Balsam pear, (bitter melon), Chinese cucumber); Muskmelon (includes Cantaloupe); Pumpkin; Squash (summer and winter) (includes Butternut squash, Calabaza, Hubbard squash, Acorn squash, Spaghetti squash); Watermelon

---

**CROP GROUP 10-10: CITRUS FRUITS:** Including, but not limited to:

Calamondin; Citrus citron; Citrus hybrids (includes Chironja, Tangelo, Tangor); Grapefruit; Kumquat; Lemon; Lime; Mandarin (Tangerine); Orange (sour and sweet); Pummelo; Satsuma mandarin

---

**CROP GROUP 11-10: POME FRUITS:** Including, but not limited to:

Apple, Crabapple, Loquat, Mayhaw, Oriental Pear, Pears and Quince

---

**CROP GROUP 12-12: STONE FRUITS:** Including, but not limited to:

Apricot, Cherry (sweet/tart), Nectarine, Peach, Plum, and Prune

---

---

**CROP GROUP 13-07: BERRY AND SMALL FRUIT:** Including, but not limited to:

**Blueberry, Boysenberry, Currant, Gooseberry, Huckleberry, Dewberry, Elderberry, Juneberry, Lingonberry, Marionberry, Maypop, Olallieberry, Salal, Schisandra Berry, Strawberry, and Youngberry**

---

**CROP GROUP 14-12: TREE NUTS:** Including, but not limited to:

**Almond, Beech nut, Brazil nut, Butternut, Cashew, Chestnut, Chinquapin, Filbert (Hazelnut), Hickory nut, Macadamia Nut, Pecan, Pistachios, and Walnut**

---

**CROP GROUP 19: HERBS AND SPICES** Including, but not limited to:

**Allspice, Angelica, Anise, Balm, Basil, Borage, Burnet, Caperbuds, Caraway, Cardamom, Chamomile, Catnip, Celery seed, Chervil, Chive, Cinnamon, Clary, Coriander, Costmary, Cilantro, Cumin, Curry (leaf), Dill (Dillweed), Fennel, Fenugreek, Horehound, Hyssop, Lavender, Lemongrass, Lovage, Mace, Marjoram, Nasturtium, Parsley (Dried), Rosemary, Sage, Savory (Summer and Winter), Sesame, Sweet Bay leaf, Tansy, Tarragon, Tea, Thyme, Wintergreen, Woodruff, and Wormwood**

---

**CROP GROUP 22:**

**Asparagus**

---

**CROP GROUP 23: TROPICAL AND SUBTROPICAL FRUITS:** Including, but not limited to:

**Acerola, Atemoya, Avocado, Banana, Biriba, Black Sapote, Canistel, Cherimoya, Custard Apple, Feijoa, Fig, Guava, Ilama, Jaboticaba, Kiwi, Longan, Lychee, Mamey Sapote, Mango, Olive (all varieties), Papaya, Passionfruit, Pineapple, Plantains, Pomegranate, Pulasan, Rambutan, Sapodilla, Soursop, Spanish Lime, Star Apple, Starfruit, Sugar Apple, Ti Palm Leaves, Wax Jambu (Wax Apple), and White Sapote**

---

**MISCELLANEOUS CROPS:**

**Hemp**

---

## **POULTRY LITTER AND LIVESTOCK BEDDING:**

Litter beetles (such as Darkling, Hide and Carrion Beetles), and fly larvae

Apply to litter and livestock bedding. A second application may be necessary to establish initial *Beauveria bassiana* populations. For poultry broiler production houses, make applications before birds are present and reapply between each flock. Concentrate applications in bands under feed lines and pans, along each wall, and other areas with high moisture. For poultry houses in which birds are grown in cages (layer or high rise "pit type" houses), in addition to litter application, apply alongside walls and into cracks and crevices around insulation. Repeat application after each grow-out, if needed. The product is only to be applied to poultry or livestock manure that is to be composted.

### **STORAGE AND DISPOSAL**

Do not contaminate water, food or feed by storage and disposal.

**Pesticide Storage:** Store in the original container. The product can be stored for 16 months at room temperature (68 - 77°F; 20 - 25°C). Avoid overheating.

**Pesticide Disposal:** To avoid wastes, use all material in this container by application according to label directions. If wastes cannot be avoided, offer remaining product to a waste disposal facility or pesticide disposal program (often such programs are run by state or local governments or by industry).

**Container Handling:** Nonrefillable container. Do not reuse or refill this container. Completely empty bag into application equipment. Then offer for recycling if available, or dispose of empty bag in a sanitary landfill or by incineration. Do not burn, unless allowed by state and local ordinances. (For instances where state and local ordinances do allow burning): If burned, stay out of smoke.

### **NOTICE TO USER**

Lallemand Specialties Inc. / LALLEMAND PLANT CARE warrants only that this product conforms to the product description on this label and is reasonably fit for the purposes set forth in the Directions for Use when used in accordance with them. However, ineffectiveness or other unintended consequences may result because of such factors as the use, storage or handling of the product contrary to the label instructions, all of which are beyond the control of Lallemand Specialties Inc. / LALLEMAND PLANT CARE. To the extent consistent with applicable law, Lallemand Specialties Inc. / LALLEMAND PLANT CARE shall not be liable for indirect or consequential damages resulting from the use, storage or handling of this product. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, LALLEMAND SPECIALTIES INC. / LALLEMAND PLANT CARE MAKES NO WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS STATED ABOVE.

## Sublabel B: Home & Garden Use

# LALGUARD B33 GR

Alternate Brand Name: Bioceres GR, BioTitan GR



(For Organic Gardening) (For Use in Organic Gardening) (Can be used in organic gardening)

**ACTIVE INGREDIENT:** *Beauveria bassiana* strain ANT-03\* ..... 7.0%

**OTHER INGREDIENTS:** ..... 93.0%

**Total:** ..... 100.0%

\*Contains a minimum of  $2 \times 10^9$  viable conidia/gram of product.

### KEEP OUT OF REACH OF CHILDREN CAUTION

*[Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle.  
(If you do not understand this label, find someone to explain it to you in detail.)]*

#### FIRST AID

If in eyes	<ul style="list-style-type: none"><li>Hold eye open and rinse slowly and gently with water for 15 – 20 minutes.</li><li>Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li><li>Call a poison control center or doctor for treatment advice.</li></ul>
If inhaled	<ul style="list-style-type: none"><li>Move person to fresh air.</li><li>If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth if possible.</li><li>Call a poison control center or doctor for treatment advice.</li></ul>
If swallowed	<ul style="list-style-type: none"><li>Call a poison control center or doctor immediately for treatment advice.</li><li>Have person sip a glass of water if able to swallow.</li><li>Do not induce vomiting unless told to do so by a poison control center or doctor.</li><li>Do not give anything by mouth to an unconscious person.</li></ul>

#### HOTLINE NUMBER

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For information on this product (including general health concerns or pesticidal incidents), call the National Pesticide Information Center (NPIC) at 1-800-858-7378, Monday through Friday, 8:00 AM to 12:00 PM Pacific Time (NPIC Website: [www.npic.orst.edu](http://www.npic.orst.edu)). For emergencies, call your local poison control center at 1-800-222-1222.

See (back) (side) (inside) (panel) (insert) (booklet) (label) for additional precautionary statements (instructions) and directions for use.

EPA Reg. No.: 64137-40

EPA Est. No.:

Net Weight: XXXX

(Batch)(Lot) No: XXXX

#### Manufactured for:

Danstar Ferment AG / LALLEMAND PLANT CARE

Poststrasse 30, Zug CH-6300 Switzerland

#### Marketed and Distributed by:

Lallemand Specialties Inc. / LALLEMAND PLANT CARE

6120 West Douglas Avenue, Milwaukee, WI 53218 United States

[www.lallemandplantcare.com](http://www.lallemandplantcare.com)



**LALGUARD B33 GR; EPA Reg. No. 64137-40**

Label and CSF amendment (fast track) to update product name, company name, address and EPA Reg. No.

Label version (19) dated 24Aug2025

Page 10 of 13

## PRECAUTIONARY STATEMENTS

**HAZARDS TO HUMANS AND DOMESTIC ANIMAL - CAUTION:** Causes moderate eye irritation. Harmful if inhaled or swallowed. Avoid contact with eyes or clothing. Avoid breathing dust or spray mist. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse.

**ENVIRONMENTAL HAZARDS:** This product may harm beneficial insects and honey bees. Do not apply while bees or other pollinating insects are actively foraging. This product may be harmful to aquatic organisms. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area.

## DIRECTIONS FOR USE

It is a violation of Federal law to apply this product in a manner inconsistent with its labeling.

## PRODUCT INFORMATION

LALGUARD B33 GR is a biological insecticide containing the active ingredient *Beauveria bassiana* strain ANT-03 for use on the following labeled use sites to control soil dwelling insect pests.

## USE INSTRUCTIONS

### GROUND APPLICATION

Broadcast LALGUARD B33 GR with a suitable application equipment or method to ensure uniform coverage over the treatment area. Irrigate treated area with at least 1/8" of water, or otherwise incorporate it into the soil. Do not water to the point of run-off. Product may be incorporated into top 1-3" of soil.

Close scouting and early attention to infestations is highly recommended. Proper timing of application targeting newly hatched larvae or nymphs is important for optimal results. LALGUARD B33 GR does not have systemic activity. Repeat applications at an interval sufficient to maintain control, usually 3-10 days depending upon insect activity and other factors.

LALGUARD B33 GR has been evaluated for phytotoxicity on a variety of plants under various normal growing conditions. However, testing all plant varieties, in all mixtures and combinations, is not feasible. Prior to treating entire area, test a small portion of the area for sensitivity.

### MIXED SOIL APPLICATION

Apply LALGUARD B33 GR prior to or during planting by thoroughly mixing the product into the growing medium, ensuring even distribution. Agitate the product during application to shake some fungal growth free from grains and into the surrounding growing medium. Use higher label rates when larval pressure is expected to be high.

## **FOR LAWN**

### **Application rate for ground**

**Apply 2 lbs LALGUARD B33 GR per 1000 ft<sup>2</sup> (1 g LALGUARD B33 GR per ft<sup>2</sup>)**

### **Application rate for mixed soil**

**Apply 0.5 to 1 lbs. LALGUARD B33 GR per cubic yard of growing medium**

### **Application rate for soil amendment mix**

**Apply at a rate of 10 oz. of LALGUARD B33 GR per cubic yard of soil amendment**

Chinch bugs, white grubs (including, but not limited to: European chafer larvae, Japanese beetle larvae, billbug larvae, black turfgrass ataenius beetle larvae, dichondra flea beetle larvae), mole crickets, sod webworm larvae, Lucerne moth larvae, crane fly larvae, cutworm larvae

## **FOR ORNAMENTAL PLANTS, TREES, AND SHRUBS including but not limited to: flowering plants, foliage plants, broadleaves, conifers**

### **Application rate for ground**

**Apply 2 lbs LALGUARD B33 GR per 1000 ft<sup>2</sup> (1 g LALGUARD B33 GR per ft<sup>2</sup>)**

### **Application rate for mixed soil**

**Apply 0.5 to 1 lbs. LALGUARD B33 GR per cubic yard of growing medium**

### **Application rate for soil amendment mix**

**Apply at a rate of 10 oz. of LALGUARD B33 GR per cubic yard of soil amendment**

Diaprepes root weevil

Black vine weevil – late summer application

Root aphids

White grubs

Western flower thrips (pre-pupae and pupae in soil only)

## **STORAGE AND DISPOSAL**

Do not contaminate water, food or feed by storage and disposal.

**Pesticide Storage:** Store in the original container. The product can be stored for 16 months at room temperature (68 - 77°F; 20 - 25°C). Avoid overheating.

**Pesticide Disposal and Container Handling:** Nonrefillable container. Do not reuse or refill this container.

**If empty:** Place in trash or offer for recycling, if available. **If partly filled:** Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

## Optional Label Claims

- Biological insecticide
- Biological mycoinsecticide
- For control of chinch bug, larvae of European chafer and Japanese beetle.
- [Exclusively] distributed by: [name of distributor] [address of distributor] [company logo of distributor] {representative company logos included}