UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

DCT 18 1996

Ms. J. Evelyn Lawson Combat Insect Control Systems c/o PS&RC P.O. Box 493 Pleasanton, CA 94566-0803

Dear Ms. Lawson:

Subject: Amendment- Label changes

> Combat Total Release Fogger III EPA Registration Number 64240-7

Your submission dated December 11, 1995

This amendment referred to above, submitted in connection with registration under FIFRA section 3(c)(7)(a), is acceptable, provided that you:

- Submit and/or cite all data or other material required for registration/reregistration of your product under FIFRA section 3(c)(5) or FIFRA section 4 when the Agency requires all registrants of similar products to submit such data.
- Make the labeling changes listed below before you release the product for shipment bearing the amended labeling:
 - Add the following precautions to item 2 under Directions. "Do not use in small enclosed spaces such as closets, cabinets or under counters or tables. Do not use in a room 5 ft. x 5 ft. or smaller, instead allow fog to enter from other rooms.". Delete the statement beginning "Use additional units for remote rooms or where free flow of mist in not assured."

3. Submit three (3) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 enclosure for a further description of final printed labeling.

	CONCURRENCES	
SYMBOL) 7505C		
SURNAME		
DATE) 10/1/91		
EPA Form 1320-14 (1/90)	Printed on Decembed Reserve	OFFICIAL FILE COPY

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.


A stamped copy of the label is enclosed for your records.

Sincerely,

George T. LaRocca Product Manager (13) Insecticide-Rodenticide Branch Registration Division (7505C)

Enclosure





Water-based Kills Roaches, Fleas and Other Insects

LIGHT SCENT **SPRING FRESH SCENT**

ACTIVE INGREDIENTS:

Ì	N-Octyl bicycloheptene dicarboximide0.400%
	Permethrin [*(3-Phenoxyphenyl)methyl (±)
	cis-trans-3-(2,2-dichloroethenyl) 2,2-
	dimethylcyclopropanecarboxylate]0.400%
	Related reaction products
	INERT INGREDIENTS
	TOTAL with COMMENTS 100%
î	MGK® 264, Insecticide Synergist.
	*cis-trans isomer ratio: Min. 35% (Delicar the Federal Insecticide Act Max.655 (± bit ablication of the positivities registered under EPA Reg. No.

KEEP OUT OF REACH OF CHILDREN

CAUTION: See back panel for additional precautionary statements.

EVERCIDE® - Registered Trademark of McLaughlin Germley King Company

NET CONTENTS

R-07352-3

FOR USE IN ROOMS, APARTMENTS, HOMES, ATTICS, BASEMENTS, CAMPERS, BOATS, HOUSEHOLD STORAGE AREAS, GARAGES, PET SLEEPING AREAS, CABINS.

Kills Houseflies, Flies, Cockroaches, Fleas, Saw-toothed Grain Beetles, Ticks. Confused Flour Beetles, Rice Weevils, Small Flying Moths, Pill Bugs, Crickets [and other Insects]. For household use only. Read entire label before use.

DIRECTIONS FOR USE:

It is violation of Federal law to use this product in a manner inconsistent with its labeling. SHAKE WELL BEFORE USE. KEEP CONTAINER UPRIGHT.

This product will kill Cockroaches, Houseflies, Saw-toothed Grain Beetles, Ticks. Confused Flour Beetles, Rice Weevils, Small Flying Moths, Fleas, Ticks, Pill Bugs. Crickets. One unit -or- can treats up to 5,000 cubic feet of unobstructed area.

- 1. Cover exposed food, dishes, and food-handling equipment. Open cabinets and doors to area[s] to be treated. Shut off fans and air conditioners. PUT OUT ALL FLAMES AND [SHUT OFF] PILOT LIGHTS. Close exterior doors and windows.
- 2. Point valve opening away from face and eyes when releasing. [Use one unit_for each 5,000 cubic feet of unobstructed area.] -or- Use only one can for rooms 20' X 30' (with an 8' ceiling) or smaller. Do not use in cabinets or other small areas. Use additional units 🔀 for remote rooms or where free flow of mist is not assured. Do not remain in the area during treatment and ventilate thoroughly before re-entry.
- 3. TO OPERATE VALVE: To lock valve in open position for automatic discharge, press the valve button all the way down, hooking the catch. [Then] place fogger on stand or table or floor in the center of the room with valve locked open, placing -or- with several layers of newspaper or pad -or- paper towel under fogger. Leave building at once and keep building closed for four hours before airing out. Ventilate thoroughly before re-entry. After 4 hours, [o]Open all doors and windows and allow to air for 30 minutes. Repeat spraying in two weeks or when necessary. Use one unit -or- can for each 5,000 cubic feet of unobstructed area.

TO KILL TICKS AND FLEAS: Destroy pet's old bedding and replace after treatment. Use product as above. Treat dogs and cats with a registered tick and flea control product prior to

STORAGE AND DISPOSAL:

Storage: Store in a cool, dry area away from heat or open flame.

<u>Disposal</u>: Replace cap and discard container in trash. Do not incinerate or puncture.

PRECAUTIONARY STATEMENTS:

Hazards to Humans and Domestic Animals

CAUTION: May be harmful if swallowed, inhaled or absorbed through skin. Avoid inhalation of vapors and contact with skin, eyes, or clothing. Wash contaminated skin promptly with soap and warm water. For eyes, flush with plenty of water. Get medical attention if irritation persists. Avoid contamination of food or feedstuffs.

Do not use in commercial food processing, preparation, serving, or storage areas. In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Cover exposed food.

Remove pets, birds and cover fish aquariums before spraying.

STATEMENT OF PRACTICAL TREATMENT:

IF SWALLOWED: Call a physician or Poison Control Center.

IF IN EYES: Flush [eyes] with plenty of water. Get medical attention if in Itation persists.

IF ON SKIN OR CLOTHING: Remove contaminated clothing. Wash skin with soap and warm water. Get medical attention if irritation persists.

IF INHALED: Remove victim to fresh air and call a physician if effects occur.

PHYSICAL OR CHEMICAL HAZARDS:

Contents under pressure. Do not use or store neat heat or open flame.' Do not puncture or incinerate [container]. Exposure to temperatures above 130°F may cause bursting. Contains no CFC's or other ozone depleting substances. Federal regulations prohibit CFC propellants in aerosols.

Call the Combat Labs Helpline at 1-800-426-6228 for more information

Made in U.S.A: ** EPA Reg. No. 64240-7 EPA Est. No. 13891-IN-1

© 1995 [Manufactured by] Combat Insect Control Systems, 1221 Broadway, Oakland, CA 94612



Kills Roaches, Fleas and Other Insects Water-based

SPRING FRESH SCENT LIGHT SCENT

Contains 3 6 oz Cans

PRECAUTIONARY STATEMENTS:

Hazards to Humans and Domestic Animals

OF REACH OF CHILDREN

Permethrin [*(3-Phenoxyphenyl)methyl (±)



CAUTION: May be harmful if swallowed, inhaled or absorbed through skin. Avoid inhalation of vapors and contact with skin, eyes, or clothing. Wash contaminated skin promptly with soap and warm water. For eyes, flush with plenty of water. Get medical attention if irritation persists. Avoid contamination of food or feedstuffs.

Do not use in commercial food processing, preparation, serving, or storage areas. In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Cover exposed food. Remove pels, birds and cover fish aquariums before spraying.

STATEMENT OF PRACTICAL TREATMENT:

IF SWALLOWED: Call a physician or Poison Control Center.

IF IN EYES: Flush [eyes] with plenty of water. Get medical attention if irritation persists.

IF ON SKIN OR CLOTHING: Remove contaminated clothing. Wash skin with soap and warm water. Get medical attention if irritation persists.

IF INHALED: Remove victim to fresh air and call a physician if effects occur.

PHYSICAL OR CHEMICAL HAZARDS:

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate [container]. Exposure to temperatures above 130 F may cause bursting.

Contains no CFC's or other ozone depleting substances. Federal regulations prohibit CFC propellants in aerosols.

R3B-07352-2

Kills Roaches, Fleas and Other Insects

EVERCIDE® - Registered Trademark of McLaughlin Gormley King Company

Max.655 (±) trans

TOTAL NET WT

MGK® 264, Insecticide Synergist.

NERT INGREDIENTS

Related reaction products dimethylcyclopropanecarboxylate] cis-trans-3-{2,2-dichloroethenyl} 2,2-

.....0.035% ...0.400%

*cis-trans isomer ratio: Min. 35% (±) cis





Water[-]based • Non[-]staining Kills Roaches, Fleas and Other Insects

Read entire label before use.

DIRECTIONS FOR USE: It is violation of Federal law to use this product in a manner inconsistent with its labeling. SHAKE WELL BEFORE USE. KEEP CONTAINER UPRIGHT.

FPO

1. Cover exposed food, dishes, and foodhandling equipment. Open cabinets and doors to area[s] to be treated. Shut off fans and air conditioners. PUT OUT ALL FLAMES AND SHUT OFF PILOT LIGHTS. Close exterior doors and windows.

FPO

Point valve opening away from face and eyes when releasing. Use one unit for each 5,000 cubic feet of unobstructed area. Use additional units for remote rooms or where free flow of mist is not assured. Do not remain in the area treatment and ventilate thoroughly before re-entry.

After 4 hours, [o]Open all doors and windows and allow to air for 30 minutes. Repeat spraying in two weeks or when necessary. Use one unit -or- can for each 5,000 cubic feet of unobstructed

TO KILL TICKS AND FLEAS: Destroy pet's old bedding and replace after treatment. Use product as above. Treat dogs and cats with a registered tick and flea control product prior to re-entry.

STORAGE AND DISPOSAL:

Store in a cool, dry area away from heat or open flame. Storage:

Replace cap and discard container in trash. Do not incinerate or puncture. Disposal:

Made in U.S.A. EPA Reg. No. 64240-7 EPA Est. No. 13891-IN-1

COMBATOS PROOF OF PURCHASE

UPC CODE 41294-45660

FPO

3. TO OPERATE VALVE: To lock valve in open position for automatic discharge, press the valve button all the way down, hooking the catch. Then place fogger on stand or table or floor in the center of the room with valve locked open. placing -or- with several layers of newspaper or pad -or- paper towel under fogger. Leave building at once and keep building closed for four hours. Ventilate thoroughly before re-entry.

> Call the Combat Labs Helpline at 1-800-426-6228 for more information

© 1995 [Manufactured by] Combat Insect **Control Systems** 1221 Broadway, Oakland, CA 94612

Other Insects Roaches, Fleas

FOR USE IN ROOMS, APARTMENTS, HOMES, ATTICS.

LEASE FOGGER III

Bugs, Crickets

inobstructed area

unit -or- can treats up to 5,000 cubic feet of

toothed Grain

Rice

BASEMENTS, CAMPERS, BOATS, HOUSEHOLD STORAGE AREAS, GARAGES, PET SLEEPING AREAS, s, Flies, Cockroaches, Fleas, Saw-n Beetles, Ticks, Confused Flour Weevils, Small Flying Moths, Pill