


64240-35 MAY





U.S. ENVIRONMENTAL PROTECTION AGENCY Office of Pesticide Programs Registration Division (H7505C) 401 M St., S.W. Washington, D.C. 20460

NOTICE OF PESTICIDE Reregistration

Term of Issuance:

Unconditional Registration

Name of Pesticide Product:

Combat® Roach Gel

(under FIFRA, as amended)

Name and Address of

Combat Insect Control Systems

P.O. Box 493

Pleasonton, CA 94566-0803

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal insecticide, Fungicide and Rodenticide Act. Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

Based on your response to the Reregistration eligibility Documents, EPA has reregistered the product listed above. This action is taken under the authority of section 4 (g)(2)(c) of the Federal Insecticide, Fungicide, and Rodenticide Act, as amended. Registration under this section does not eliminate the need for control reassessment of pesticides. EPA may require submission of data at anytime to maintain the registration of your product, with regards to labeling, you must make the labeling changes listed below:

Sincerely,

Ann Sibold

Acting Product Manager 10

Insecticide Branch

Registration Division (7505C)

enclosure

Signature of Approving Official

Date:

EPA Form 8570-6

Page No. 1 of 1 Registration No. 64240 -- 35

Note: Bold, italicized text is information for the rejider and is not part of the fabel.
[Bracketed information is optional text.] <u>Underlined text is new.</u>










UL General

Romali Gal





USE ONLY IN AREAS INACCESSIBLE TO CHILDREN AND PETS (SEE PRECAUTIONS ON END -OR- SIDE -OR- BACK -OR- BOTTOM PANEL)

MAY 3 | 2002



Contains ____ pre-filled plastic dispenser(s) -or- reservoir(s) -or- syringe(s)

TOTAL MET WIT



EPA Reg. No. 64240-35 EPA Est. No.

[U.S. PATENT NOS. _

Distributed by & ©2001 COMBAT Insect Control Systems 1221 Broadway, Oakland, CA 94612

PRECAUTIONARY STATEMENTS:

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed or absorbed through skin. Causes moderate eye irritation.

Avoid contact with eyes, skin or clothing. Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.

PHYSICAL OR CHEMICAL HAZARDS:

Do not use this product in or on electrical equipment where a possibility of shock hazard exists.

OIA TOOL

If SWALLOWED: Call poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

IF ON SKI N OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes, IF IN FVES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.

Have the product container or label with you when calling a poison control center or doctor or going for treatment. Combat [Information] Helpline: 1-800-426-6228

R7232-5

Note: Bold, italicized text is information for the reader and is not part of the label (Bracketed information is optional text.) Underlined text is new.



DIRECTIONS FOR USE:

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling

GENERAL INFORMATION

THIS IS HOW THE COMBAT* ROACH GEL WORKS:

■ Dispense -or- Apply gel near observed -or- suspected reach nesting areas.

2 Roaches eat the gel and die in the nest.

3 Other roaches eat them and die, creating The Domino Effect* which eliminates reaches and the eggs they carry)

optional text:

Tips for Best Results:

- Use many small placements, not a few large ones
- · Use the entire tube at the same time
- · Clean greasy or dirty surfaces before placement
- · In more open areas, such as walls and floors, inside cabinets, and near food, also use Combat SuperBait Roach Baits for maximum roach control

end optional text

claims for front or back: -

Small Cockroaches:

- Kills Eggs
- · Breaks the Roach Life Cycle
- · Eggstopping Ingredient or Formula
- · Prevents Equ Production
- · Prevents Roach Reproduction
- Patented Action EGG Control
- Sterilizes female roaches
- As The Domino Effect™ spreads "Mough the roach population, most roaches are killed, and still others lose their ability to produce eggs.
- This product's patented action formula kills roaches and the eggs they carry
- As The Domino Effect^{act} spreads through the roach population, roaches that are affected either die or lose their ability to produce eggs
- · [This product] offers -or- provides complete roach control
- This product) offers -or- provides maximum roach contro-
- Controls reaches two ways, by killing adults and preventing reproduction in others
- · [This product] attacks -or- disrupts the reproductive system -or- cycle of roaches
- Kills roaches and the eggs they carry 24 hours a day, 7 days a week
- · Kills roaches and the eggs they carry while you sleep
- Kills roaches and eggs while you sleep
- Kills roaches and eggs 24 hours a day, 7 days a week
- Kills roaches and the eggs they carry without vapors or fumes
- · Controls roaches by targeting the nest and the eggs they carry

EggStopping Gel

- This product can be applied behind appliances and into cracks and crevices, right into roach nesting areas where pregnant -or- eggbearing roaches are hiding
- Complete control by targeting nests and eliminating eggs
- This product controls by targeting the nest and eggs
- Roach & Egg Control Gel
- Kills pregnant reaches where they live -or- hide
- Targeted roach [and egg] control
- For cracks and crevices
- · For hard to reach places
- · Kills roaches and the eggs they carry
- · Gets roaches where they enter your home
- · Can be applied out of reach of children and pets
- · Can be applied in hidden for small for hard to reach places so it's out of sight and your roach problem out of mind
- Kills existing roaches and stops new roaches from hatching
- Continued use keens roaches under control
- Guaranteed to work or your money back
- · Targets the nest and kills eggs

Large Cockroaches:

- · Even kills reaches resistant to pyrethroids and organophosphates
- New Improved Formula
- New! Improved Roach Control
- · New! Better Roach Control
- · Kills roaches and the eggs they carry.
- · Guaranteed to work or your money back.
- This product may be used as a spot or crack and crevice treatment for the indoor and outdoor control of cockroaches
- Pest population reduction will be apparent within a week or less.

Combat's patented action formula provides complete reach control by killing reaches and the eggs they carry. This gel can be injected for applied behind appliances and in cracks and crevices, right near the places where roaches make their nests or enter your home. Combat [also] allows you to place bait in many more locations in your home, which means more roaches find and eat the bait, and more roaches die.

Combat targets roach nesting areas or places where roaches enter your home.

Combat's patented action formula provides complete roach control by targeting roach nesting areas. This gel can be injected behind appliances and in cracks and crevices, right near nesting areas where egg-bearing or pregnant roaches are hiding. Combat also allows you to place bait in many more locations in your home, which means more roaches contact for find and eat the bait, and more roaches die

Product is easy to use: Targets the nest. Combat gel can be injected for applied behind appliances and in cracks and crevices near roach nesting areas which are the source of roach problems.

Combat® Roach Gel may be used as a spot or crack and crevice treatment for the indoor and outdoor control of cockroaches

Product may stain textiles and clothing.



For more information, call the Combat. Information Helpline at 1-800-426-6228, -or-Questions? Comments? Please call 1-800-426-6228

R7232.

Note: Bold, italicized text is information for the reader and is not part of the label [Bracketed information is optional text.] <u>Underlined text is new.</u>

DIRECTIONS FOR USE CONTINUED:-

GENERAL PRECAUTIONS AND RESTRICTIONS

USE ONLY IN AREAS INACCESSIBLE TO CHILDREN AND PETS.

- Product may stain textiles and clothing.
- Do not apply gel to areas which have been recently sprayed with insecticide, and do not spray insecticide over gel as this
 may cause the bait to become repellent.
- Do not use sprays or foggers around get since they can contaminate the get and reduce effectiveness. Do not apply get to
 areas that are routinely washed, such as counter tops, as get will be removed or diluted and spread onto the surface.
- · For indoor Use: Do not use this product in or on electrical equipment where a possibility of shock hazard exists.
- . [Do not spray or smoke around get bait.]
- Do not treat food/feed preparation surfaces.

APPLICATION INSTRUCTIONS

- To apply gel: Remove cap from tip, touch tip to surface and depress plunger. Gel can be applied as spots or in a line along cracks or crevices. Recap tube after use.
- Do not apply gel to areas which have been recently sprayed with insecticide, and do not spray insecticide over get as this may cause the bait to become repetlent
- 2. For best results, make -or- place many spots or dabs of gel near areas of roach traffic and suspected nesting areas. Gel can be placed in cracks, crevices, corners and any out of the way place in the house, such as under and behind kitchen appliances, along baseboards, under sinks, in pantry, around pipes and water heater and in the garage and attic. Numerous small placements will provide faster control than fewer large spots. For thorough control, use entire tube at the same time.
- Inspect placements and reapply as needed: The gel will remain attractive to roaches and keep working for up to 3 months. Inspect gel placements after 1 month and reapply when you can no longer see the gel. Reapply after 3 months. Clean up remaining gel with a damp cloth and throw it away.
- 3. The gel will remain attractive to roaches and keep working for 3 months. Inspect gel after one month and reapply if it is no longer visible. Refresh with a new application after 3 months. Gel cleans up with a damp paper towel. Discard towel after use.
- 4. A visual inspection of bait placements is recommended at one month after the initial treatment. Reapply when bait is no longer visibly present, according to the remaining level of infestation.



For indoor use: Do not place bait in locations that are routinely -or- frequently washed, as bait will be removed by washing. Do not treat food preparation surfaces.

For outdoor use: Place get in areas where roaches may nest or breed near your house or garage. Apply get to potential places where roaches may enter your home, such as eaves, sills, and expansion joints. Apply get in protected areas whenever possible. Extreme heat or cold, direct sunlight and water may reduce [the residual] effectiveness.

You will notice fewer roaches within a week

-01-

Pest population reduction will be apparent within a week or less.

optional, additional text for Directions for Use:

Apply get in 1 - 4 dime-sized (1/4 - 1/2 g) spots or a 3" - 12" line -or- bead -or- strip per square yard.

Keep exposed -or- applied get away from open food and food contact surfaces.

Get placements should be at or near observed much gathering areas -or- harbo

Gel placements should be at or near observed roach gathering areas -or- harborages or aggregation areas, such as corners, areas of movement or cracks and crevices. Numerous smaller placements will provide faster control than few larger spots, especially for German cockroach control.

Combat Roach Gel may be used as a spot or crack and crevice treatment for the indoor and outdoor control of cockroaches.

Do not treat food/feed preparation surfaces.

The lower application rate -or- level should be used for low to moderate infestations or retreatments and the higher rate -or- level for more severe infestations or where the population occurs in inaccessible areas, such as in walls.

end optional text

STORAGE AND DISPOSAL

STORAGE; Store in a cool, dry area, out of reach of children.

DISPOSAL: If empty: Do not reuse this container. Recap pre-filled plastic dispenser[s] -or- reservoir[s] -or- syringe[s] and place in trash. If partly filled: Recap pre-filled plastic dispenser[s] -or- reservoir[s] -or- reservoir[s] -or- syringe[s] and call your local solid waste agency or toll free number 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

R7232-5



Note: Bold, italicized text is information for the reader and is not part of the label. [Bracketed information is optional text.] <u>Underlined text is new</u>,

Unit Label The artwork shown below is approximately 150% of actual size.



Refer to outer box for complete Directions for Use.

ACTIVE INGREDIENT: Hydramethylnon¹ 2.15%
OTHER INGREDIENTS: 97.85%
'CAS NO. 67485-29-4

KEEP OUT OF REACH OF CHILDREN CAUTION:

USE ONLY IN AREAS INACCESSIBLE TO CHILDREN AND PETS.

PRECAUTIONARY STATEMENTS:

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed or absorbed through skin. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.

PHYSICAL OR CHEMICAL HAZARDS:

Do not use this product in or on electrical equipment where a possibility of shock hazard exists.

FIRST AID

IF SWALLOWED: Call poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by month to an unconscious person.

mouth to an unconscious person.

If ON SKIN OR CLOTHING: Take off contaminated clothing, Rinse skin immediately with plenty of water for 15-20 minutes.

If IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.

Have the groduct container or label with you when calling a poison control center or doctor or going for treatment. Combat (Information) Helpline: 1-909-426-6228

DISPOSAL: If neight: On not reuse this container, Recap pre-filled plastic dispenser(s) -or-reservoir(s) -or-syringe(s) and place in trash. If partly filled: Recap pre-filled plastic dispenser(s) -or-reservoir(s) -or-syringe(s) and call your local solid waste agency or toll free number 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

Questions? Comments? Please call 1-808-328-6229, on-iffor questions or comments, please] Call the Combat^a [Information] Helpline at 1-800-426-6228 [for more information].]

EPA Reg. No. 64240-35 EPA Est. No. ____ IU.S. PATENT NOS.

Distributed by & ©2001 Combat Insect Control Systems 1221 Broadway, Oakland, CA 94612

SEE OUTER CARTON FOR COMPLETE DIRECTIONS AND PRECAUTIONS

NET WT

R7232-5

<u>~</u>~