

64248-35

12.20.2002

46

Please read instructions on reverse before completing form.

Form Approved, OMB No. 2070-0060, Approval expires 2-28-95



United States
Environmental Protection Agency
Washington, DC 20460

<input type="checkbox"/>	Registration
<input type="checkbox"/>	Amendment
<input checked="" type="checkbox"/>	Other

OPP Identifier Number
SC0034

Application for Pesticide - Section I

1. Company/Product Number 64240-35	2. EPA Product Manager Marion Johnson	3. Proposed Classification <input type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) Combat Roach Gel	PM# 10	
5. Name and Address of Applicant (Include ZIP Code) Combat Insect Control Systems c/o PS&RC; P. O. Box 493 Pleasanton, CA 94566-0803 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

Section - II

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____	NOTIFICATION DEC 20 2002
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.	
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.	

Explanation: Use additional page(s) if necessary. (For section I and Section II.)
 Notification of non-mandatory addition of label text and text that has been bracketed in accordance with PR Notice 98-10. All changes have been highlighted.
 Attached are three (3) copies of the label and the 98-10 Certification form.

Section - III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No		<input type="checkbox"/> Metal	<input type="checkbox"/> Plastic
* Certification must be submitted		If "Yes" Unit Packaging wgt. No. per container	If "Yes" Package wgt. No. per container	<input type="checkbox"/> Glass	<input type="checkbox"/> Paper
				<input type="checkbox"/> Other (Specify) _____	
3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container		5. Location of Label Directions <input type="checkbox"/>	
6. Manner in Which Label is Affixed to Product		<input type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled		<input type="checkbox"/> Other _____	

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name J. Evelyn Lawson	Title Regulatory Information Scientist	Telephone No. (Include Area Code) (925) 425-6842
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		6. Date Application Received (S:amped)
2. Signature <i>Sally S. Christopher</i>	3. Title Regulatory Compliance Specialist	
4. Typed Name Sally S. Christopher	5. Date October 21, 2002	



(for accompanying OPP SC0034)
Combat® Roach Gel
EPA Reg. No. 64240-35

Notification of alternate brand name per PR Notice 98-10

This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula for this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.




Signature of Official

(Sally S. Christopher)
Regulatory Compliance Specialist

for:
Combat Insect Control Systems
c/o PS&RC
P.O. Box 493
Pleasanton, CA 94566-0803

October 21, 2002



Note: **Bold, italicized text is information for the reader and is not part of the label.**
[Bracketed information is optional text.]

COMBAT[®]


Roach Gel



COMBAT[®]

Roach Gel



[The paperboard in this] [Citation
contains] [is made from] _____ %
recycled fiber (minimum _____ %
post-consumer content). 



COMBAT[®]

Roach Gel

CAUTION:
KEEP OUT OF REACH OF CHILDREN.

USE ONLY IN AREAS INACCESSIBLE TO CHILDREN AND PETS
(SEE PRECAUTIONS ON END -OR- SIDE -OR- BACK -OR- BOTTOM PANEL)

ACTIVE INGREDIENT: Hydramethylnon 2.15%
OTHER INGREDIENTS: 97.85%
CAS No. 67485-29-4



EPA Reg. No. 64240-35
EPA Est. No. _____
[U.S. PATENT NOS. _____]

Distributed by & ©2001
COMBAT Insect Control Systems
1221 Broadway, Oakland, CA 94612

Contains _____ [pre-filled plastic] dispenser[s] -or- reservoir[s] -or- syringe[s]

TOTAL NET WT _____

PRECAUTIONARY STATEMENTS:

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed or absorbed through skin. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.

PHYSICAL OR CHEMICAL HAZARDS:

Do not use this product in or on electrical equipment where a possibility of shock hazard exists.

FIRST AID:

IF SWALLOWED: Call poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. **IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.

Have the product container or label with you when calling a poison control center or doctor or going for treatment. Combat [Information] Helpline: 1-800-426-6228

R7232-6

NOTIFICATION
DEC 2 0 2002

3/6

Note: **Bold, italicized text is information for the reader and is not part of the label.**
[Bracketed information is optional text.]

COMBAT

Roach Gel

DIRECTIONS FOR USE:

[Optional text for use in the product label, if the label is to be printed in a separate language.]

[THIS IS] HOW [THE] COMBAT® ROACH GEL WORKS:

- 1 Dispense -or- Apply gel near observed -or- suspected roach nesting areas.
- 2 Roaches eat the gel and die in the nest.
- 3 Other roaches eat them and die, creating The Domino Effect™ [, which eliminates roaches and the eggs they carry].

FOR POSITION ONLY

GENERAL INFORMATION

optional text:

Tips for Best Results:

- Use many small placements, not a few large ones
- Use the entire tube at the same time
- Clean greasy or dirty surfaces before placement
- In more open areas, such as walls and floors, inside cabinets, and near food, also use Combat SuperBait Roach Baits for maximum roach control!

end optional text

claims for front or back:

- EggStopping Gel
- This product can be applied behind appliances and into cracks and crevices, right into roach nesting areas where pregnant -or- egg-bearing roaches are hiding
- Complete control by targeting nests and eliminating eggs
- This product controls by targeting the nest and eggs
- Roach & Egg Control Gel
- Kills pregnant roaches where they live -or- hide
- Targeted roach [and egg] control
- For cracks and crevices
- For hard to reach places [such as cracks and crevices]
- Kills roaches and the eggs they carry
- Gets roaches where they enter your home
- Can be applied out of reach of children and pets
- Can be applied in hidden -or- small -or- hard to reach places so it's out of sight and your roach problem out of mind
- Kills existing roaches and stops new roaches from hatching
- Continued use keeps roaches under control
- Guaranteed to work or your money back
- Targets the nest and kills eggs
- No fumes or vapor

Large Cockroaches:

- Even kills roaches resistant to pyrethroids and organophosphates
- New! Improved Formula
- New! Improved Roach Control
- New! Better Roach Control
- Kills roaches and the eggs they carry.
- Guaranteed to work or your money back.
- This product may be used as a spot or crack and crevice treatment for the indoor and outdoor control of cockroaches
- Pest population reduction will be apparent within a week or less

end of claims for front or back:

Combat's patented action formula provides complete roach control by killing roaches and the eggs they carry. This gel can be injected -or- applied behind appliances and in cracks and crevices, right near the places where roaches make their nests or enter your home. Combat [also] allows you to place bait in many more locations in your home, which means more roaches find and eat the bait, and more roaches die.

Combat targets roach nesting areas -or- places where roaches enter your home.

Combat's patented action formula provides complete roach control by targeting roach nesting areas. This gel can be injected behind appliances and in cracks and crevices, right near nesting areas where egg-bearing -or- pregnant roaches are hiding. Combat also allows you to place bait in many more locations in your home, which means more roaches contact -or- find and eat the bait, and more roaches die.

Small Cockroaches:

- Kills Eggs
- Breaks the Roach Life Cycle
- Eggstopping Ingredient -or- Formula
- Prevents Egg Production
- Prevents Roach Reproduction
- Patented Action EGG Control
- Sterilizes female roaches
- As The Domino Effect™ spreads through the roach population, most roaches are killed, and still others lose their ability to produce eggs
- This product's patented action formula kills roaches and the eggs they carry
- As The Domino Effect™ spreads through the roach population, roaches that are affected either die or lose their ability to produce eggs
- [This product] offers -or- provides complete roach control
- [This product] offers -or- provides maximum roach control
- Controls roaches two ways, by killing adults and preventing reproduction in others
- [This product] attacks -or- disrupts the reproductive system -or- cycle of roaches
- Kills roaches and the eggs they carry 24 hours a day, 7 days a week
- Kills roaches and the eggs they carry while you sleep
- Kills roaches and eggs while you sleep
- Kills roaches and eggs 24 hours a day, 7 days a week
- Kills roaches and the eggs they carry without vapors or fumes
- Controls roaches by targeting the nest and the eggs they carry

Product is easy to use: Targets the nest. Combat gel can be injected -or- applied behind appliances and in cracks and crevices near roach nesting areas which are the source of roach problems.

Combat® Roach Gel may be used as a spot or crack and crevice treatment for the indoor and outdoor control of cockroaches.

Product may stain textiles and clothing.



For more information, call the Combat Information Helpline at 1-800-426-6228. -or- Questions? Comments? Please call 1-800-426-6228

R7232-6

Note: *Bold, italicized text is information for the reader and is not part of the label.*
 [Bracketed information is optional text.]

DIRECTIONS FOR USE CONTINUED:


GENERAL PRECAUTIONS AND RESTRICTIONS

USE ONLY IN AREAS INACCESSIBLE TO CHILDREN AND PETS.

- Product may stain textiles and clothing.
- Do not apply gel to areas which have been recently sprayed with insecticide, and do not spray insecticide over gel as this may cause the bait to become repellent.
- Do not use sprays or foggers around gel since they can contaminate the gel and reduce effectiveness. Do not apply gel to areas that are routinely washed, such as counter tops, as gel will be removed or diluted and spread onto the surface.
- **For indoor use:** Do not use this product in or on electrical equipment where a possibility of shock hazard exists.
- [Do not spray or smoke around gel bait.]
- Do not treat food/feed preparation surfaces.

APPLICATION INSTRUCTIONS

1. To apply gel: Remove cap from tip, touch tip to surface and depress plunger. Gel can be applied as spots or in a line along cracks or crevices. Recap tube after use.
2. Do not apply gel to areas which have been recently sprayed with insecticide, and do not spray insecticide over gel as this may cause the bait to become repellent
 -or-
 2. For best results, make -or- place many spots or dabs of gel near areas of roach traffic and suspected nesting areas. Gel can be placed in cracks, crevices, corners and any out of the way place in the house[, such as under and behind kitchen appliances, along baseboards, under sinks, in pantry, around pipes and water heater and in the garage and attic.] Numerous small placements will provide faster control than fewer large spots. For thorough control, use entire tube at the same time.
3. Inspect placements and reapply as needed: The gel will remain attractive to roaches and keep working for up to 3 months. Inspect gel placements after 1 month and reapply when you can no longer see the gel. Reapply after 3 months. Clean up remaining gel with a damp cloth and throw it away
 -or-
 3. [The gel will remain attractive to roaches and keep working for 3 months.] Inspect gel after one month and reapply if it is no longer visible. Refresh with a new application after 3 months. Gel cleans up with a damp paper towel. Discard towel after use.
4. A visual inspection of bait placements is recommended at one month after the initial treatment. Reapply when bait is no longer visibly present, according to the remaining level of infestation.



For indoor use: Do not place bait in locations that are routinely -or- frequently washed, as bait will be removed by washing. Do not treat food preparation surfaces.

For outdoor use: Place gel in areas where roaches may nest or breed [near your house or garage]. Apply gel to potential places where roaches may enter your home, such as eaves, sills, and expansion joints. Apply gel in protected areas whenever possible. [Extreme heat or cold, direct sunlight and water may reduce [the residual] effectiveness.]

You will notice fewer roaches within a week

-or-

Pest population reduction will be apparent within a week or less.

optional, additional text for Directions for Use:

Apply gel in 1 - 4 dime-sized ($1/4$ - $1/2$ g) spots or a 3" - 12" line -or- bead -or- strip per square yard. Keep exposed -or- applied gel away from open food and food contact surfaces.

Gel placements should be at or near observed roach gathering areas -or- harborages or aggregation areas, such as corners, areas of movement or cracks and crevices. Numerous smaller placements will provide faster control than few larger spots, especially for German cockroach control.

Combat Roach Gel may be used as a spot or crack and crevice treatment for the indoor and outdoor control of cockroaches.

Do not treat food/feed preparation surfaces.

The lower application rate -or- level should be used for low to moderate infestations or retreatments and the higher rate -or- level for more severe infestations or where the population occurs in inaccessible areas, such as in walls.

end optional text

STORAGE AND DISPOSAL

STORAGE: Store in a cool, dry area, out of reach of children.

DISPOSAL: **If empty:** Do not reuse this container. Recap pre-filled plastic dispenser[s] -or- reservoir[s] -or- syringe[s] and place in trash. **If partly filled:** Recap pre-filled [plastic] dispenser[s] -or- reservoir[s] -or- syringe[s] and call your local solid waste agency or toll free number 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

Note: **Bold, italicized text is information for the reader and is not part of the label.**
[Bracketed information is optional text.]

Unit Label

The artwork shown below is approximately 150% of actual size.

COMBAT

Roach Gel

Refer to outer box for complete Directions for Use.

ACTIVE INGREDIENT: Hydramethylnon 2.15%
OTHER INGREDIENTS: 97.85%
CAS NO. 67485-29-4

KEEP OUT OF REACH OF CHILDREN

CAUTION:

USE ONLY IN AREAS INACCESSIBLE TO CHILDREN AND PETS.

PRECAUTIONARY STATEMENTS:

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed or absorbed through skin. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.

PHYSICAL OR CHEMICAL HAZARDS:

Do not use this product in or on electrical equipment where a possibility of shock hazard exists.

FIRST AID:

IF SWALLOWED: Call poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.

Have the product container or label with you when calling a poison control center or doctor or going for treatment. Combat [Information] Helpline: 1-800-426-6228

DISPOSAL: If empty: Do not reuse this container. Recap pre-filled plastic dispenser[s] -or- reservoir[s] -or- syringe[s] and place in trash. If partly filled: Recap pre-filled [plastic] dispenser[s] -or- reservoir[s] -or- syringe[s] and call your local solid waste agency or toll free number 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

Questions? Comments? Please call 1-800-426-6228 -or- [For questions or comments, please] Call the Combat* [Information] Helpline at 1-800-426-6228 [for more information].

EPA Reg. No. 64240-35
EPA Est. No. _____
[U.S. PATENT NOS. _____]

Distributed by & ©2001
Combat Insect Control Systems
1221 Broadway, Oakland, CA 94612

SEE OUTER CARTON FOR COMPLETE DIRECTIONS AND PRECAUTIONS

NET WT _____

R7232-6

7/9