

64248-5

10/17/2000

1/7

United States Environmental Protection Agency

Sally S. Christopher
 Maxforce® Professional Insect Control Roach Killer Bait Gel
 Maxforce Insect Control Systems
 c/o PS&RC P.O. Box 493
 Pleasanton, CA 94566-0803

OCT 17 2000

Subject: Amendments: to address updated language for refillable bait stations
 EPA Reg. Number: 64248-5
 Product Name: Maxforce® Professional Insect Control Roach Killer Bait Gel
 Submission: 08/23/2000, 09/29/2000, email communications dated 10/02/2000,
 10/03/2000 and 10/11/2000.

Dear Ms. Christopher,

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), is acceptable subject to the comments listed below. Five copies of the finished labeling must be submitted prior to releasing the product for shipment.

1. For a period of 6 months, the Agency will allow the statement "... apply a sticker to the outside or inside of the station." Clorox has committed to evaluating the advantages and disadvantages, for each sticker placement location, and shall present a report to the Agency after the 6 month allowance period. The Agency will then formalize the final refillable bait station sticker placement language.
2. The Agency acknowledges receipt of the instructions that shall accompany the Refillable bait station for installation, assembly, and locking. Although the Agency agreed that this is not part of the pesticidal label language, the language as described in #1 above shall be modified on this instructional sheet in accordance with the terms listed in #1 above. A copy of the insert will be added to each of the appropriate Agency regulatory files. If the language of the installation instructions are modified, these updated instructions should be submitted to the Agency.

CONCURRENCES

SYMBOL ▶	H7505C							
SURNAME ▶	RGEBKEN							
DATE ▶	Oct 17, 2000							

2/7

3. Upon Clorox's next amendment, the "DIRECTIONS FOR USE" section shall be modified to clearly delineate all Indoor Uses within the Indoor Use section, and all Outdoor uses within the Outdoor use section. eg. The applications in Food/Feed Handling Establishments should be a subsection within the Indoor Use Section. The use of refillable stations, should be clearly delineated within a subheading under "Outdoor Uses". The three(3) separate directions for the "Twist-Tip Reservoir" should be clarified so that application language such as "Gel can be applied as spots or in a line along cracks or crevices.", or "Gel can be applied as spots or in a line along cracks.", are not in conflict with the Food/Feed Handling Establishment instructions which **limits applications to crack and crevice treatment only** not as "spots or in a line along cracks".
4. The "PHYSICAL AND CHEMICAL HAZARDS" section (title and precautionary language) should be duplicated on the syringe label, advising the applicator of a potential shock hazard.

A stamped copy of the label is enclosed for your records. If you have any questions, you may contact Richard J. Gebken at (703) 305-6701.

Sincerely Yours,



Marion J. Johnson, Jr.
Product Manager 10
Insecticide-Rodenticide Branch
Registration Division (7505C)

enclosure

004248-000 5858-715.wpd

Some Restricted Information is omitted
from this label as it is not a new

EPA Reg. No. 64248-05 Maxforce Professional Insect Control® Roach Killer Bait Gel Page 1 of 5

PRECAUTIONARY STATEMENTS:

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: May be harmful if swallowed. Avoid contact with skin and clothing. Keep exposed gel away from open foods and food contact surfaces. Wash hands thoroughly after handling.

STATEMENT OF PRACTICAL TREATMENT -or- FIRST AID: If swallowed, drink two glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person. Get medical attention. In case of emergency -or- for more information, call day or night, 1-800-426-6228.

PHYSICAL AND CHEMICAL HAZARDS:
Do not use this product in or on electrical equipment where a possibility of shock hazard exists.

STORAGE AND DISPOSAL: Do not contaminate water, food or feed by storage or disposal. Wrap used (pre-filled plastic dispenser[s] -or- reservoir[s] -or- syringe[s] -or- roach bait injector[s]) and place in a trash can. Store in cool, dry area.

MAXFORCE

PROFESSIONAL INSECT CONTROL® ROACH KILLER BAIT GEL

- Easy to use
- EggStopping Gel
- Female roaches carry the egg sac and stay near the nest.
- This product can be injected behind appliances and into cracks and crevices, right into roach nesting areas where pregnant -or- egg-bearing roaches are hiding.
- Many bait placements of this product close to the nest means that more roaches eat the bait and more roaches die.
- Complete control by targeting the nest and eliminating the eggs.
- This product controls roaches by targeting the nest and eliminating the eggs.
- This product controls by targeting the nest and the eggs.
- Roach & Egg Control Gel
- Kills pregnant roaches where they live -or- hide.
- Targeted roach (and egg) control.
- Kills without a trace.
- For (hard to reach places such as) cracks and crevices.
- For hard to reach places.
- Gets roaches where they come in.
- No vapor, fumes or odor.

MAXFORCE kills roaches and the eggs they carry

MAXFORCE's patented action formula provides complete roach control by killing roaches and the eggs they carry. This gel can be injected behind appliances and in cracks and crevices, right into nesting areas where egg-bearing -or- pregnant roaches are hiding. MAXFORCE also allows you to place bait in many more locations in your home, which means more roaches contact and eat the bait, and more roaches die.

MAXFORCE targets roach nesting areas

MAXFORCE's patented action formula provides complete roach control by targeting roach nesting areas. This gel can be injected behind appliances and in cracks and crevices, right into nesting areas where egg-bearing -or- pregnant roaches are hiding. MAXFORCE also allows you to place bait in many more locations in your home, which means more roaches contact and eat the bait, and more roaches die.

KEEP OUT OF REACH OF CHILDREN CAUTION:


(See cautions on end -or- side -or- back -or- bottom panel)

FOR USE IN COMMERCIAL, INDUSTRIAL AND RESIDENTIAL AREAS
USE ONLY IN AREAS NOT EASILY ACCESSIBLE TO CHILDREN AND PETS.

Product may stain textiles and clothing.

Product will stain porous surfaces.

Contains ... pre-filled plastic dispenser[s] -or- [gel] reservoir[s] -or- syringe[s] -or- [roach] bait injector[s] (gun) for use with Specialty Products Gun® -or- MAXFORCE Bait Injector -or- gel gun



ACTIVE INGREDIENT: Hydramethylnon† [Tetrahydro-5,5-dimethyl-2(1H)-pyrimidinone, (3-(4-(trifluoromethyl)phenyl)-1-(2-(4-(trifluoromethyl)phenyl)ethenyl)-2-propenylidene)hydrazon] 2.15%

OTHER INGREDIENTS: 97.85%

[TOTAL] 100.00%

† CAS NO. 67485-29-4

Guaranteed to Work or It's Free!
The Killing Power of X Bait!™
(X oz) gel equivalent to X bait stations
*(Combat Roach Killing System or appropriate ABN)
50% More Bait Stations Free



Small Cockroaches:

- Targets the nest & Kills Eggs
- Breaks the Roach Life Cycle
- EggStopping Ingredient -or- Formula
- Prevents Egg Production
- Prevents Roach Reproduction
- Prevents Egg Hatching
- Inhibits Egg Production
- Inhibits Roach Reproduction
- Inhibits Egg Hatching
- Reproduction Inhibiting Ingredient -or- Formula
- Egg Inhibiting Ingredient -or- Formula
- Patented Action EGG Control
- Sterilizes female roaches
- Creates females that are unable to produce eggs
- As The Domino Effect™ spreads through the roach population, most roaches are killed, and still others lose their ability to produce eggs.
- This product's patented action formula kills roaches and eggs.
- As The Domino Effect™ spreads through the roach population, roaches that are affected either die or lose their ability to produce eggs.
- [This product] offers -or- provides complete roach control.
- [This product] offers -or- provides maximum roach control.
- [This product] offers -or- provides maximum egg control.
- This product causes pregnant -or- egg-bearing roaches to lose their eggs, and prevents -or- inhibits production of new eggs in the population.
- Controls roaches two ways, by killing adults and preventing reproduction in others.
- This product attacks -or- disrupts the reproductive system -or- cycle of roaches.
- Depending on the amount of poison ingested, this product works by either killing or sterilizing the roaches.
- Kills roaches and the eggs they carry 24 hours a day, 7 days a week (while you sleep).
- Kills roaches and the eggs they carry while you sleep.
- Kills roaches and eggs while you sleep.
- Kills roaches and eggs 24 hours a day, 7 days a week.
- Eliminates roaches and eggs.
- Kills roaches and their eggs without vapors or fumes.
- Destroys -or- Kills the egg machine.
- Controls roaches by targeting the nest and eggs.



Large Cockroaches:

- Even kills roaches resistant to pyrethroids and organophosphates.
- Greater Roach Control
- Better Roach Control
- Kills roaches and the eggs they carry.

Guaranteed to work or your money back.

Use only in areas not easily accessible to children and pets.

Product may stain textiles and clothing.

TOTAL NET WT _____

ACCEPTED
with COMMENTS
In EPA Letter Dated:
OCT 17 2000

Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under EPA Reg. No.
64248-5



(The paperboard in this
container is made from
100% recycled fiber
(minimum 70% post-
consumer content))

Distributed by &
© 1999
MAXFORCE insect
Control Systems,
1221 Broadway,
Oakland, CA
94612

EPA Reg. No.
64248-5
EPA Est. No.
35132-OH-001
-or- EPA Est. No.
65335-RI-001 -or-
EPA Est. No.
5813-MS-001

R7211-16.3

3/7


Note: Bracketed information is optional text. Underlined text is new.

EPA Reg. No. 64248-05 Maxforce Professional Insect Control[®] Roach Killer Bait Gel Page 2 of 5


MAXFORCE[®]

PROFESSIONAL INSECT CONTROL[®] ROACH KILLER BAIT GEL

- This product may be used as a spot or crack and crevice treatment for the indoor and outdoor control of cockroaches.
- Peak population reduction will be apparent within a week or less.

SPECIES / LEVEL OF INFESTATION	APPLICATION RATE (PER SQ. YD.)
MODERATE INFESTATIONS OR (RE-TREATS) FOR SMALL SUCH AS GERMAN OR BROWN-BANDED ROACHES:	1 - 2 SPOTS (DIME-SIZED) [ABOUT THE SIZE OF THE GEL CAP] OR 1 1/2" - 3" BEAD
SEVERE OR HEAVY INFESTATIONS FOR GERMAN OR BROWN-BANDED ROACHES: LARGE ROACHES, SUCH AS AMERICAN, SMOKEY-BROWN OR ORIENTAL:	2 - 4 SPOTS (QUARTER-SIZED) [ABOUT THE SIZE OF THE GEL CAP] OR 3" - 6" BEAD  (Actual size cap) RECOMMENDED SPOT SIZE 1/4" - 1/2" g

Most Important Locations:



DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Product is easy to use: nothing to activate. Targets the nest. This gel can be injected behind appliances and in cracks and crevices near roach nesting areas which are the source of roach problems.

Use this product only in areas not easily accessible to children and pets. Keep exposed gel away from open food and food contact surfaces.

This product may be used as a spot or crack and crevice treatment for the indoor and outdoor control of cockroaches in residential areas and the non-food/non-feed areas of institutional, warehousing and commercial establishments, including warehouses, restaurants, food/feed processing plants, supermarkets, hospitals, nursing homes, motels, hotels, schools, laboratories, computer facilities, sewers, "aircraft," buses, boats/ships, trains, pet shops and zoos. Non-food areas are areas such as garbage rooms, lavatories, floor drains (to sewers), entries, and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage (after canning or bottling). This product may also be used in food/feed areas of food/feed handling establishments as outlined below.

Applications in Food/Feed Handling Establishments. Application within food/feed areas of food/feed handling establishments is limited to crack and crevice treatment only. Apply with syringe applicator or Maxforce [Roach] Bait Injector directly into cracks and crevices. Place applicator tip 1/2 inch into cracks, crevices, holes and other small openings where roaches may be a problem. Apply small amounts of gel (up to 1/2 gram) per spot. Do not apply bait to areas where food/feed, food utensils or food processing surfaces may become contaminated. Do not apply bait to areas that are routinely washed such as cracks and crevices in tops of: tables, food/feed preparation and prepared food/feed holding surfaces as bait may be removed by washing. Do not apply bait to surfaces where the temperature exceeds 130° F as bait may run. Examples include, but are not limited to, portions of stoves, ovens, grills, fume hoods, heat lamps, coffee urns, steam tables, toasters, fryers, dishwashers and hot water pipes. Care should be taken to avoid depositing gel onto exposed surfaces. If gel contacts an exposed surface, remove gel and wash exposed surface.

Food/feed areas include areas for receiving, storage, packing (canning, bottling, wrapping, boxing), preparing edible waste storage, and enclosed processing systems (mills, dairies, edible oils, syrups). Serving areas are also considered a food area when food is exposed and facility is in operation. Apply bait in small amounts between different elements of construction, between equipment and floors, openings leading into voids and hollow spaces in floors, walls, ceilings, equipment legs and bases, around plumbing pipes, doors and windows, behind and under refrigerator, cabinets, sinks, closets, stoves and other equipment where cockroaches hide. During follow-up visits inspect bait placements and reapply when necessary. Application of this product in food/feed areas of food/feed handling establishments other than as a crack and crevice treatment is not permitted.

Do not treat food/feed preparation surfaces. Do not apply bait gel to areas which have been recently sprayed with insecticide, and do not spray insecticide over gel as it may cause the bait to become repellent.


Avoid contact with textiles and clothing as bait may stain.

Authorized by USDA for use in federally inspected meat, poultry and shell egg grading plants.

MAXFORCE[®] gel is packaged in a plastic dispenser containing 2.1 oz (60 g) of bait. -or- MAXFORCE[®] gel is packaged in a plastic reservoir containing 1.05 oz (30 g) of bait.

This is how MAXFORCE[®] gel works:

- 1 Dispense gel near suspected roach
- 2 Roaches eat gel and die in the nest -or- take it back to the nest
- 3 Other roaches eat them and die, creating The Domino Effect[™] (, which eliminates roaches and the eggs they carry). -or- Roaches share the gel, killing other roaches, (and) destroying the nest.



Application rate is dependent on level of infestation and species to be controlled. Bait can be applied as spots or as a bead in cracks and crevices.

The lower application rate should be used for low to moderate infestations or retreatments and the higher rate for more severe infestations or where the population occurs in inaccessible areas, such as in walls. Gel placements should be at or near harborages or aggregation areas, such as corners, areas of movement or cracks and crevices. Numerous smaller placements will provide faster control than few larger spots, especially for German cockroach control. For outdoor use place in areas adjacent to structure where roaches may rest or breed.

Priority treatment areas may be identified by visual inspection of such areas listed above or aided by trapping techniques or spot flushings. [Normal infestations require 1 tube and heavy infestations may require 2 tubes.] For more information, call 1-800-426-6228.

For indoor use: Do not place bait -or- gel in locations -or- areas that are routinely washed, as bait -or- gel will be removed by washing. Do not place treatments in locations where routine cleansing -or- cleaning operations may transfer diluted bait -or- gel to food or food preparation surfaces. Do not treat food preparation surfaces. Avoid contact with textiles and clothing as bait -or- gel may stain. Apply gel in 1 - 4 (1/4 - 1/2 g) spots or 3" - 12" bead -or- strip per square yard.

For outdoor use: Place bait -or- gel in areas adjacent to structures where roaches may nest or breed. Apply bait -or- gel to potential points of insect entry, such as eaves, sills, and expansion joints. Apply bait -or- gel in [dark] protected areas whenever possible. Environmental stresses such as direct sunlight and water will reduce the residual effectiveness.

Cockroach population reduction will be apparent within a week or less.

Refillable stations: This product may be used in the Maxforce Refillable Bait Station or B&G Perimeter Patrol Station. Place 0.5 to 5 grams of product per station. Refillable stations should be placed every 20 to 30 feet around the perimeter of a structure. Use approximately 2 stations per side of a typical single family home.

For best results, place stations near: air conditioning units, water faucets, foundation vents and weep holes, decks, utility entryways (e.g. electrical, cable TV) and wherever cockroaches are frequently found.

Regularly inspect all stations and replace bait as needed for continual control.

Position Refillable Bait Stations in areas where they will not be damaged by lawn equipment such as mowers and trimmers. When placing the station in turf remove sod layer and place station base plate against the soil.

If the station is not equipped with a sticker to identify the contents, apply a sticker to the outside or inside of the station.

4/17

Note: Bracketed information is optional text. Underlined text is new.

EPA Reg. No. 64248-05 Maxforce Professional Insect Control[®] Roach Killer Bait Gel Page 3 of 5

MAXFORCE

PROFESSIONAL INSECT CONTROL[®] ROACH KILLER BAIT GEL

Twist-Tip Reservoir

Prior to use, remove the twist tip from the reservoir with a twisting-bending motion and replace with a plastic or metal dispensing tip. After use, the reservoir may be re-sealed with the enclosed, reusable, black outlet cap.

1. To apply gel: Touch the tip to surface to be treated, and depress the plunger. Bait can be applied as spots or as a bead in cracks and crevices. Recap the dispenser after treatment is completed. -or-
1. To apply gel: Touch the nozzle tip to surface to be treated and depress the plunger. Recap the dispenser after treatment is complete. -or-
1. To apply gel: Touch tip to surface and depress plunger. Gel can be applied as spots or in a line along cracks or crevices. Recap tube after use. -or-
1. To apply gel: Remove cap from tip, touch tip to surface and depress plunger. Gel can be applied as spots or in a line along cracks and -or- or crevices. Recap tube after use.
2. Do not apply gel to areas which have been recently sprayed with insecticide, and do not spray insecticide over gel as this may cause the bait to become repellent. -or-
2. For best results, make -or- place many spots or dabs of gel near areas of roach traffic and suspected nesting areas. Gel can be placed in cracks, crevices, corners and any out of the way place in the house, such as under and behind kitchen appliances, along baseboards, under sinks, in pantry, around pipes and water heater and in the garage and attic -or- as shown in the diagram to the right -or- left. Numerous small placements will provide faster control than fewer large spots. For thorough control, use entire tube at the same time.
3. The bait will adhere to non-greasy or non-dusty surfaces and will remain pliable and palatable to cockroaches as long as it is visibly present. -or-
3. The gel will remain attractive to roaches and keep working for 3 months. Inspect gel after one month and reapply if it is no longer visible. Refresh with a new application after 3 months. Gel cleans up with a damp paper towel. Discard towel after use.
4. A visual inspection of bait placements is recommended at one month after the initial treatment. Reapply when bait is no longer visibly present, according to the remaining level of infestation. -or-
4. Do not use sprays or loggers around gel since they can contaminate the gel and reduce effectiveness. Do not apply gel to areas that are routinely washed, such as counter tops, as gel will be removed or diluted and spread onto the surface.

-or-

Twist-Tip Reservoir

Prior to use, remove the twist tip from the reservoir with a twisting-bending motion and replace with a plastic or metal dispensing tip. After use, the reservoir may be re-sealed with the enclosed, reusable, black outlet cap.

Directions for loading reservoirs and operation: Put the selector button on the BaitGun[™] in the "R" position. -or- On the handle of the drive rod, point the arrow facing up. Pull the drive rod as far out as it will go. Set the hand grip by slightly squeezing the trigger and moving the selector button to the "2" or "1" position. Attach a pre-filled reservoir of MAXFORCE[®] gel to the BaitGun -or- [MAXFORCE] [Roach] Bait Injector with a twist-locking movement. Push the drive rod until the drive plunger seats against the piston in the reservoir of gel. Turn drive rod knob until teeth are facing down and engaging trigger mechanism (arrow down). Gently squeeze the trigger until the gel flows out. Recap the dispenser after treatment is completed. The bait will adhere to non-greasy or non-dusty surfaces and will remain pliable and palatable to cockroaches as long as it is visibly present. Reapply when bait is no longer visibly present, according to the remaining level of infestation which is generally at a lower rate than the initial treatment. A visual inspection of bait placements is recommended at one month after the initial treatment. Reapplication should occur if the bait is visibly depleted.

Directions for changing reservoirs: Squeeze the trigger and move the selector button to the "R" position and pull the

drive rod out as far as it will go. -or- With the arrow on the drive rod pointing up, pull the drive rod out as far as it will go. Remove the empty reservoir, wrap, and place in trash can. Reservoirs that still contain gel can be sealed with the end cap and outlet cap for future use. To attach a new reservoir of gel, follow the above directions.

Pest population reduction will be apparent within a week or less.

Directions for using the Maxforce [Roach] Bait Injector:

Twist-Tip Reservoir

Prior to use, remove the twist tip from the reservoir with a twisting-bending motion and replace with a plastic or metal dispensing tip. After use, the reservoir may be re-sealed with the enclosed, reusable, black outlet cap.

1. With the teeth of the drive rod facing up, pull the drive rod all the way back and wipe the grease from the exposed portion. If the drive rod is initially hard to move simply un-screw (turn counter-clockwise) the black portion of the applicator that holds the gel reservoir until the drive rod moves easily.
2. Attach a pre-filled reservoir of Maxforce gel with a twist-locking motion.
3. Turn the knob of the drive rod so that the teeth are facing down and move it slightly forward so that the trigger mechanism will engage. Squeeze the trigger until the drive plunger seats against the piston in the gel reservoir. Gently squeeze the trigger until the gel flows out.
4. If gel continues to flow after the trigger is released simply un-screw the portion of the bait applicator that holds the reservoir to a point where gel does not continue to flow after the trigger is released.

Directions for using Gel Gun:

1. To assemble the gel gun: Depress the white button on the top of the injector. At the same time, push drive-rod all the way through the injector until the plunger is flat against the front.
2. To attach the gel: Turn the [gel] reservoir base clockwise until it snaps into the retaining clip. Depress the white button on the top of the injector. Push the drive-rod forward until the plunger is against the base of the [gel] reservoir.
3. To apply gel: Break the end of the [gel] reservoir tip at the scored line. Attach the applicator tip to the front of the gel. After use, remove the applicator tip and clean out gel to prevent gel residue from hardening inside the tip. Reseal the [gel] reservoir with the reusable black outlet cap.

Maxforce Snip-End Reservoir: Prior to use, cut the snip-tip closed end of the Maxforce Gel reservoir at the scored line. After use, the reservoir may be resealed with the enclosed black outlet cap. The black outlet cap is reusable.

If you have questions regarding the use of your Maxforce [Roach] Bait Injector, please call 1-800-843-6334. And, see the Maxforce website at www.maxforce.com.

5/12

Note: Bracketed information is optional text. Underlined text is new text. Underlined text is new.

EPA Reg. No. 64248-05 Maxforce Professional Insect Control[®] Roach Killer Bait Gel Page 4 of 5

The artwork shown below on syringe label is actual size.

MAXFORCE

PROFESSIONAL INSECT CONTROL[®] ROACH KILLER BAIT GEL

CAUTION:

KEEP OUT OF REACH OF CHILDREN

Refer to outer box for complete Directions for Use.

PRECAUTIONARY STATEMENTS

HAZARD TO HUMANS AND DOMESTIC ANIMALS

CAUTION: May be harmful if swallowed. Avoid contact with skin and clothing. Keep exposed gel away from open foods and food contact surfaces. Wash hands thoroughly after handling.

FIRST AID: If swallowed, drink two glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person. Get medical attention. In case of emergency, call day or night: 1-800-426-6228. -or- For more information, call: 1-800-426-6228.

EPA Reg. No. 64248-5

EPA Est. No. 35132-OH-001 -or-

EPA Est. No. 65335-R1-001 -or-

EPA Est. No. 5813-MS-001

U.S. PATENT NOS.

Distributed by & © 1999 MAXFORCE Insect Control Systems
1221 Broadway, Oakland, CA 94612

FOR USE IN COMMERCIAL, INDUSTRIAL
AND RESIDENTIAL AREAS

USE ONLY IN AREAS NOT EASILY ACCESSIBLE
TO CHILDREN AND PETS.



STORAGE AND DISPOSAL: Do not contaminate water, food or feed by storage or disposal. Wrap used [pre-filled plastic] dispenser[s] -or- reservoir[s] -or- syringe[s] -or- roach bait injector[s] and place in a trash can. Store in cool, dry area.

Product may stain textiles and clothing.
Product will stain porous surfaces.

ACTIVE INGREDIENT: Hydramethylnon† (Tetrahydro-5,5-dimethyl-2(1H)-pyrimidinone, (3-(4-(trifluoromethyl)phenyl)-1-(2-(4-(trifluoromethyl)phenyl)ethenyl)-2-propenylidene)hydrazone)2.15%

OTHER INGREDIENTS: 97.85%

[TOTAL]100.00%

†CAS NO. 67485-29-4

NET WT _____

R7211-16.3

6/7

Note: Bracketed information is optional text. Underlined text is new.

EPA Reg. No. 64248-05 Maxforce Professional Insect Control[®] Roach Killer Bait Gel Page 5 of 5

□ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □

The artwork shown below is 130% of actual size.

PEEL HERE

CAUTION: CONTAINS PESTICIDES.

DO NOT ALLOW CHILDREN OR PETS TO PLAY WITH THIS STATION OR ITS CONTENTS.
AVOID EYE AND SKIN CONTACT.

This station contains the following Maxforce[®] products:

- A** Maxforce[®] Professional Insect Control Ant Killer/Granular Bait
Active Ingredient: Hydramethylnon (1.0%), EPA Reg. No. 64248-5
- B** Maxforce[®] IBH10
Active Ingredient: Hydramethylnon (1.0%), EPA Reg. No. 64248-19
- C** Maxforce[®] Professional Insect Control Roach Killer Bait Gel
Active Ingredient: Hydramethylnon (2.15%), EPA Reg. No. 64248-5
- D** RBF5
Active Ingredient: Fipronil (0.01%), EPA Reg. No. 64248-14

For more information call 1-800-426-6228.

Dist. by & © 1999 Maxforce Insect Control Systems, 1221 Broadway, Oakland, CA 94612

Serviced By				
Date				
Product Code Letter				

R7211-16.3

7/2