BIO KILL Brand Insecticide Aerosol

- *For Residential Use
- *WATER-BASED Permethrin Insecticide
- *ODORLESS in Application
- *For Use INDOORS: on Houseplants and in Indoor Landscape
- *For use Outdoors, In Homes and non-Food Areas of Food/Feed Processing Establishments, Hotels, Motels, Commercial Buildings, Schools, Warehouses, Theaters, Office Buildings and Kennels.
- *Will NOT Stain Water-Safe Fabrics and Surfaces.
- *For Use Indoors and Outdoors on a Wide Variety of Crawling and Flying Insects.
- *Use on DOGS and CATS To Control Fleas & Ticks
- *Provides Effective Broad Spectrum Control of Building and Garden Insect Pests.
- *For Use on clothing and in storage closets and cupboards to control Moths.

ACTIVE INGREDIENT:

Permethrin (CAS #52645-53-1)......0.25%

OTHER INGREDIENTS: 99.75%

100.00%

KEEP OUT OF REACH OF CHILDREN CAUTION

See rear panel for additional precautionary statements.

Bio-Environmental Products Corporation 782-A Lydig Avenue Bronx, NY 10642

Net Contents:

ACCEPTED

JUN 2 7 2002

Under the Federal Insecticide.
Fungicide, and Redenticide Act as emended, for the pesticide registered under

EPA Reg. No. 64321-5 June 3, 2002

EPA Est. No.____

Page 1 of 4 Pages

READ ENTIRE LABEL BEFORE EACH USE.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not use in food/feed areas of food/feed handling establishments, restaurants or other areas where food/feed is commercially prepared or processed. Do not use in serving areas while food is exposed or facility is in operation. Serving areas are areas where prepared foods are served such as dining rooms but excluding areas where foods are prepared or held. The product may be used in non-food/feed areas of food/feed establishments such as garbage rooms, lavatories, floor drains (to sewer entries and vestibules), offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage areas (after canning or bottling).

In home, cover all food handling surfaces, cover or remove all food and cooking utensils or wash thoroughly after treatment.

Not for Use in USDA Federally inspected Meat and Poultry Plants.

Do not apply to classrooms while in use.

SURFACE SPRAYING

Provides control of crawling and flying household insect pests for up to 4 weeks.

To control Cockroaches, Waterbugs, Palmetto Bugs, Scorpions, Millipedes, Centipedes, Sowbugs, Pillbugs, Ants, Silverfish, Firebrats, Spiders, Crickets, Cigarette Beetles, Clover Mites, Cheese Mites, Granary Weevils, Rice Weevils, Confused Flour Beetles, Rust Red Flour Beetles, Drugstore Beetles, Meal Worms, Grain Mites and Cadelles: Direct the spray into hiding places, cracks and crevices, and behind shelves and drawers. For Silverfish, spray bookcases; for Ants, spray trails, nests and points of entry.

To control Carpet Beetles: Spray edges of carpeting and under carpeting and rugs. Make localized application to floor and under baseboards. Spray directly into cracks, crevices and infested areas of shelving. Repeat treatment as needed.

To control **Bedbugs**: Also spray mattresses lightly, particularly around tufts and seams. Take beds apart and spray in all joints. Allow all sprayed articles to dry thoroughly before use.

To control Fleas (adult and larvae) and ticks (adult and nymphs): Remove and thoroughly clean or destroy pet bedding. Spray pet sleeping quarters, beds, entire floor and floor covering with special attention to cracks and crevices around baseboards, and window and door frames. Infested upholstered furniture may also be treated with this product. Make a test application to upholstery or drapery fabrics in an inconspicuous place before use. Allow to dry thoroughly before allowing pets to contact treatment areas.

EPA Reg. No. 64321-5 June 3, 2002 EPA Est. No. Page 2 of 4 Pages

To control Clothes Moths: Remove and brush thoroughly any infested articles from storage and air for several hours in sunlight, if possible. Apply spray liberally to empty chests, closets, bureaus and other storage areas directing the spray into cracks, joints and crevices. After airing, infested articles may be treated lightly by keeping nozzle at least 3 feet from fabric to avoid possible staining. Allow all sprayed articles to dry thoroughly before use.

To kill Lice and Louse Eggs: Spray in an inconspicuous area to test for possible staining or discoloration. Inspect again after drying, then proceed to spray entire area to be treated. Spray from a distance of 8 to 10 inches. Treat only those garments and parts of bedding, including mattresses and furniture that cannot be either laundered or dry cleaned. Allow all treated articles to dry thoroughly before use.

OUTDOOR APPLICATIONS

FOR CONTROL OF GARDEN INSECTS

For use on roses, dahlias, asters and other ornamentals to control Japanese Beetles as well as Whiteflies, Aphids, Lace Bugs, Ants, Exposed Thrips, Spiders, Red Mites and Leafminers. May be used on plants in small gardens as a multi-purpose spray and for spot treatments of incipient insect infestations to prevent spreading into larger garden areas.

When spraying plants, do not hold nozzle closer than 18 inches. Use a sweeping motion. Be cautious about wetting tender foliage, young plants and new growth. Do not spray plants when temperature exceeds 90°F. Contact insects directly whenever possible. Repeat treatment as infestations occur.

USE ONLY ON DOGS AND CATS. Not recommended for use on puppies or kittens less than 12 weeks old. Consult a veterinarian before using this product on debilitated, aged, pregnant, nursing or medicated animals.

ON DOGS

To control Fleas, Ticks, and Lice: Start spraying at the tail, moving the sprayer rapidly and making sure that the animal's body is covered, including the legs and underbody. While spraying, fluff the hair so that the spray will penetrate to the skin. Make sure spray wets thoroughly. Do not spray into eyes or face. Avoid contact with genitalia. Repeat every three weeks.

ON CATS

To control Fleas: Start spray at the tail, moving the sprayer rapidly and making sure that the animal's body is covered, including the legs and underbody. While spraying fluff the hair so that the spray will penetrate to the skin. Make sure spray wets thoroughly. Do not spray into eyes or on face. Avoid contact with genitalia. Repeat every 16 days.

ON LIVESTOCK

To protect beef and dairy cattle, goats, sheep and horses from Horn Flies, Face Flies, Mosquitoes and Gnats: Apply a light mist sufficient to wet the surface of the hair. For Face Flies, spray face and head, but do not spray into eyes.

EPA Reg. No. 64321-5 June 3, 2002 EPA Est. No. Page 3 of 4 Pages

To control Stable Flies, Horse Flies and Deer Flies: Apply at the rate of 2 ounces per animal, sufficient to wet the hair thoroughly. Repeat treatment daily or at intervals necessary to give control protection.

To control Blood-sucking Lice: Apply to infested area of the animal, using a stiff brush to get the spray to the base of the hair. Repeat every 3 weeks if required.

To control **Poultry Lice**: Spray roosts, walls and nests or cages thoroughly. Follow by spraying over the bird with a fine mist.

To control Bedbugs and Mites in poultry houses: Spray crevices of roost poles, cracks in walls, and cracks in nest where the bedbugs and mites hide.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storing or disposal.

Pesticide Storage Procedures: Store upright at room temperature. Avoid exposure to extreme temperatures.

Disposal: If empty - Do not reuse this container. Place in trash or offer for recycling if available. If partly filled - Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

PRECAUTIONARY STATEMENTS HAZARD TO DOMESTIC ANIMALS

CAUTION: Sensitivities may occur after using ANY pesticide product for pets. If signs of sensitivity occur, bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately.

ENVIRONMENTAL HAZARDS

This product is extremely toxic to fish and aquatic organisms. Do not apply directly to water. Do not contaminate water when disposing of equipment wash water. This pesticide is toxic to honey bees and other beneficial pollinators exposed to application. Do not apply when bees are actively visiting blooming plants (vegetables, flowers, fruit/ornamental trees). Do not allow this product to come in contact with beehives at anytime.

Buyer assumes all risks of use, storage or handling of this product in strict accordance with directions given herewith.

EPA Reg. No. 64321-5 June 3, 2002

EPA Est. No.

Page 4 of 4 Pages