

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

January 4, 2022

Brien O'Loughlin, Agent Dip'N Grow, Inc. c/o Pyxis Regulatory Consulting, Inc. 4110 136th St. Ct. NW Gig Harbor, WA 98332

Subject: Label Notification per PRN 2007-4 – Add company logo, phone number, and

plant graphic

Product Name: Dip'N Grow

EPA Registration Number: 64388-1 Application Date: 12/03/2021 Decision Number: 580719

Dear Mr. O'Loughlin:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 2007-4 for the above referenced product. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 2007-4 and finds that the action requested falls within the scope of PRN-2007-4.

The label submitted with the application has been stamped "Notification" and will be placed in our records.

Please be reminded that 40 CFR Part 156.140(a)(4) requires that a batch code, lot number, or other code identifying the batch of the pesticide distributed and sold be placed on <u>non-refillable</u> containers. The code may appear either on the label (and can be added by non-notification via PR Notice 98-10) or durably marked on the container itself.

If you have any questions, please contact Jennifer Drobish at 202-566-2642 or by email at Drobish, jennifer@epa.gov.

Sincerely,

Shaja B. Joyner, Product Manager 20

Fungicide-Herbicide Branch Registration Division 7505P

Shaga Bforguer

DIP' N GROW

Liquid Rooting Concentrate The One That Works

[Optional language: This product is intended for home use only]

ACTIVE INGREDIENTS:	By Weight:
Indole-3-butyric acid	1.0%
1-Naphthaleneacetic acid	
OTHER INGREDIENTS:	98.5%
TOTAL:	

KEEP OUT OF REACH OF CHILDREN **CAUTION**

FIRST AID		
IF ON SKIN OR	Take off contaminated clothing.	
CLOTHING:	Rinse skin immediately with plenty of water for 15-20 minutes.	
	Call a poison control center or doctor for treatment advice.	
IF IN EYES:	Hold eye open and rinse slowly and gently with water for 15-20 minutes.	
	Remove contact lenses, if present, after the first 5 minutes, then continue	
	rinsing eye.	
	Call a poison control center or doctor for treatment advice.	
IF SWALLOWED:	Call a poison control center or doctor immediately for treatment advice.	
	Have person sip a glass of water if able to swallow.	
	Do not induce vomiting unless told to do so by the poison control center or doctor.	
	Do not give anything by mouth to an unconscious person.	
IF INHALED:	Move person to fresh air.	
	• If person is not breathing, call 911 or an ambulance, then give artificial	
	respiration, preferably by mouth-to-mouth, if possible.	
	Call a poison control center or doctor for further treatment advice.	
NOTE: When calling poison control center, have this product label accessible. If seeking treatment at an		
emergency room or doctor's office, bring this product label to show medical personnel. You may also		
contact 1-800-222-1222	for emergency medical treatment information. For questions about this product,	

call 1-866-347-6476.

NOTE TO PHYSICIAN

No specific antidote is available. Treat the patient symptomatically.

[See] [inside] [label] [booklet] [side] [panel] [for] [First Aid][,] [additional] [Precautionary Statements][,] [and] [Directions for Use] [including Storage and Disposal] [instructions][.] [Peel here for Use, Storage & Disposal Inst.]

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if absorbed through skin. Causes moderate eye irritation. Avoid contact with skin, eyes, or clothing.

PHYSICAL OR CHEMICAL HAZARDS

FLAMMABLE LIQUID. Contains denatured alcohol Do not use near heat or open flame.

Manufactured by: Dip'N Grow, Inc. 15140 SE 82nd Drive, Suite 210E Clackamas, OR 97015 [1-866-347-6476] [*] [FAX 503-496-5010]

EPA Reg. No. 64388-1 **EPA Est. No. Net Contents:**

NOTIFICATION

64388-1

The applicant has certified that no changes, other than those reported to the Agency have been made to the labeling. The Agency acknowledges this notification by letter dated:

{Commercial product label language}

ENVIRONMENTAL HAZARDS

Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters.

[For 55 gal drums only] Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

PERSONAL PROTECTIVE EQUIPMENT

Some materials that are chemical-resistant to this product are listed below. If you want more options, follow the instructions for Category C on an EPA chemical-resistance category selection chart.

All mixers, applicators and other handlers must wear:

- Long-sleeved shirt and long pants;
- Chemical-resistant gloves such as barrier laminate, butyl rubber, nitrile-rubber, neoprene rubber, polyvinyl chloride or viton;
- Shoes plus socks

Follow manufacturer's instructions for cleaning / maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the State or Tribal agency responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), and restricted entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 24 hours.

READ AND FOLLOW INSTRUCTIONS FOR USE AND PRECAUTIONARY STATEMENTS

Mix only for immediate use. For best results, once diluted, Dip'N Grow should be used within 10 hours. For use on ornamentals only.

HARDWOOD CUTTINGS:

Mix 1 part Dip'N Grow to 5 parts water.

MEDIUM HARDWOOD CUTTINGS:

Mix 1 part Dip'N Grow to 10 parts water.

SOFTWOOD CUTTINGS & SUCCULENTS:

Mix 1 part Dip'N Grow to 20 parts water.

Dip basal end of cuttings only, individually or in bunches for 3 to 5 seconds. Following dipping, immediately place cuttings into planting media.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Store in original container in a cool, dry place, out of the reach of children, preferably a locked storage cabinet. Protect from freezing.

PESTICIDE DISPOSAL [55 gallon drum only]: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available. Triple rinse container (or equivalent) promptly after emptying.

[Nonrefillable container < 5 gallons]: Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times.


[Nonrefillable > 5 gallons]: Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container ¼ full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times.

LIMITED WARRANTY AND DISCLAIMER

Buyer shall be solely responsible for any and all injury, loss or damage which results from the use of this product in any manner which is inconsistent with the label directions, warnings or cautions.



{Graphics}



ENVIRONMENTAL HAZARDS

To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid run off to water bodies or drainage systems.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. For use on ornamentals only. Mix only for immediate use. For best results, once diluted, Dip'N Grow should be used within 10 hours.

Read and follow the directions for use and precautionary statements printed on the 2 ounce bottle or 0.2 ounce packet.

Applicators and other handlers must wear: long-sleeved shirt and long pants, chemical resistant gloves, such as barrier laminate, butyl rubber, nitrile rubber, polyvinyl chloride or viton, and shoes plus socks.

Directions for using the dilution cup. As soon as possible after taking cuttings, prepare a dilute solution of Dip'N Grow as follows:

To avoid spilling, use scissors to cut the corner of the 0.2 ounce packet and carefully pour Dip'N Grow into the dilution cup, or pour from the 2 ounce bottle to the concentrate line of the dilution cup supplied.

For hardwoods, add water to the 5X dilution line.

For semi-hardwoods, add water to the 10X dilution line.

For softwoods or succulents, add water to the 20X dilution line.

If you are doing more than one type of cutting, start with the hardwoods so that you may dilute the solution to a semi-hardwood or a softwood dilution level later.

Dip basal end (bottom) of the cutting approximately one inch into the dilute Dip'N Grow for 3 to 5 seconds. Following dipping, place cuttings into planting medium (Vermiculite, perlite, pumice or any course planting medium that drains well, works best).

Useful items to remember when propagating:

Depending on the plant species, rooting will take place in several weeks to a month. During this period, cuttings should be kept in a greenhouse environment. Mini greenhouses are available at lawn and garden centers.

It is best to keep the cuttings out of direct sunlight (50% shading is a common practice) so that the top of the cuttings do not get dehydrated. Keep moisture on the tops of the cuttings throughout the rooting period (a spray bottle works well).

Remember to allow the soil to drain so that the cutting stems are not standing in water. Poor drainage may lead to the cutting stem rotting before root formation has taken place.

The air temperature should be kept cool to warm depending on the natural habitat of the plant species (in a range of 64-90°F). The root zone temperature or the soil temperature can be kept warmer (in a range of 65-75°F). You can use bottom heat under the flat or tray of cuttings. Once a healthy rooting system has developed, transplant as you would any other nursery stock.¹

¹Dirr. Michael and Heuser, Charles. The Reference Manual of Woody Plant Propagation, Athens, GA: Varsity Press, 1987.

Tips on Plant Propagation:

Two variables are used to determine classification of cuttings as softwood, semi-hardwood or hardwood. The first is "timing", and the second is "juvenility." They are complimentary. Depending on what time of year you take your cuttings, it helps determine whether the cutting is "new" or "mature" growth.

While professionals propagate year around, two good times for taking cuttings are in the fall using mature dormant growth which would be classified as a hardwood or semi-hardwood cutting, or in the spring when the cutting would be new growth or classified as a softwood cutting.¹ For example:

Hardwood – Applies to deciduous plants after they have lost their leaves in fall, broadleaf and needle evergreens, Juniper, Yew, Dogwood. Cuttings for needle evergreens are usually rooted under greenhouse conditions.

Semi-hardwood – May apply to broadleaf evergreens and woody ornamentals when the wood is firm and leaves have matured such as Azalea, Photina, Rhododendron, Magnolia.

Softwood and succulents – The emerging growth of most plants are classified as softwood. Softwood cuttings are easily bruised with a fingernail, can be easily broken, and will wilt rapidly. Examples of softwood cuttings and succulents are ground covers, Cactus, Fuchsia, Begonia, and ice plant.

Taking and propagating cuttings:

- Choose a healthy plant when gathering cuttings.
- Cuttings are best if taken early in the morning.
- Select branch tips from vertical shoots (plant growth that is growing up) with approximately 3-4 leaves/leaf sets.
- When taking the cutting, snip at a 45° angle.
- Keep cuttings moist and cool on ice or in a plastic bag.
- Remove the lower leaves in preparation.

When cuttings are soft, they need special treatment to prevent water loss and stem damage. Under these conditions, the cutting may become stressed (wilt), and the cutting stem may be sensitive with applications of concentrations that are too high. With Dip'N Grow, less concentrated is generally better than more concentrated. If in doubt, make a greater dilution with water. Also, using a longer dip or soaking the cutting for more than 3-5 seconds, will not necessarily be better, and if the cutting is soft, may be detrimental.

Because of a variety of factors (such as climate, contaminates, condition of cuttings) can affect the results, it is recommended that a test application be made of a few cuttings prior to general application.

Please visit our website at www.dipngrow.com.

For expert advice on propagation, order *The Reference Manual of Wood Plant Propagation* (Dirr/Heuser, 1987, Varsity Press)
Charge on your Mastercard of Visa,
Or call toll free @ 1-866-347-6476
Or fax @ 1-503-445-0101
Or mail your check or money order
For \$34.95 plus
\$4.95 shipping & handling to:
DIP'N GROW, INC.
P.O. Box 1888
Clackamas, OR 97015-1888

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

STORAGE CONDITIONS: Store in original container in a cool, dry place, out of the reach of children, preferably a locked storage cabinet. Protect from freezing.

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available.

LIMITED WARRANTY AND DISCLAIMER

To the extent consistent with applicable law, buyer shall be solely responsible for any and all injury, loss or damage which results from the use of this product in any manner which is inconsistent with the label directions, warnings or cautions.

{Logo}



{Graphics}



[Optional Marketing Statements]:

- Original Formula
- 1 bottle treats up to 2000 cuttings
- This bottle treats up to 2000 cuttings

- Easy to use
- Just add water
- Fast and efficient
- No messy mixing

[EPA approval date 20211203]