



U.S. ENVIRONMENTAL PROTECTION AGENCY
Office of Pesticide Programs
Registration Division (H7505C)
401 "M" St., S.W.
Washington, D.C. 20460

EPA Reg.
Number:

64405-4

Date of Issuance:

4/23/93

NOTICE OF PESTICIDE:
 Registration
 Reregistration

(under FIFRA, as amended)

Term of Issuance:

Conditional

Name of Pesticide Product:

BORA-CARE INJECTABLE
CONCENTRATE

Name and Address of Registrant (include ZIP Code):

Nisus Corporation
c/o RegWest Company
P. O. Box 2220
Greeley, CO 80632-2220

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for reregistration of your product under FIFRA section 4.

2. Make the labeling changes listed below before you release the product for shipment:

a. Under the Environmental Hazards statement add "Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark."

3. Submit (5) copies of your final printed labeling before you release the product for shipment.

Signature of Approving Official:

Robert J. Taylor

Date:

4/23/93

279

Page 2
EPA Reg. No. 64405-4

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Sincerely,

Robert J. Taylor
Product Manager (25)
Fungicide-Herbicide Branch
Registration Division (7505C)

Enclosure

399

BORA-CARE IC INJECTABLE CONCENTRATE

For the Prevention and Elimination of
TERMITES, CARPENTER ANTS, WOOD DESTROYING BEETLES
and **DECAY FUNGI**

Authorized by the USDA for use on Non-Food Contact Surfaces in Edible Product Areas of Official Establishments Operating under the Meat, Poultry, Shell Egg Grading and Egg Products Inspection Programs

ACTIVE INGREDIENT:

Disodium Octaborate Tetrahydrate (Na₂B₈O₁₃·4H₂O) 40.0%

INERT INGREDIENTS 60.0%

Density: 11.51 pounds per gallon

EPA Reg. No. 64405-4

EPA Est. 64405-TN-1

U.S. Patent No. 5,104,664

will be COMPLETED
in EPA Letter Dated:

NET CONTENTS: _____ GALLONS

APR 23 1993

KEEP OUT OF REACH OF CHILDREN

CAUTION

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No.

64405-4

PRECAUTIONARY STATEMENTS

Hazards To Humans & Domestic Animals

CAUTION: Harmful if inhaled. Avoid breathing vapors. Avoid contact with skin, eyes or clothing. Avoid contamination of food and feed. Do not leave container where children or animals may gain access.

Statement of Practical Treatment

If inhaled: Remove victim to fresh air. Apply artificial respiration if indicated. Contact a physician if warranted. **If In Eyes:** Flush with plenty of water. Get medical attention if irritation persists. **If On Skin:** Remove contaminated clothing and wash skin with soap and water. Wash clothing prior to reuse.

IN CASE OF A MEDICAL EMERGENCY involving this product call (800) 525-9083 or your local Poison Control Center.

Environmental Hazards

BORA-CARE IC carelessly spilled or applied to cropland or growing plants, including trees and shrubs, may kill or seriously retard plant growth. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store in a dry place. Do not store where children or animals may gain access. Do not freeze.

PESTICIDE DISPOSAL: Do not contaminate water when disposing of equipment washwaters. Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rinse (or equivalent), then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

NOTICE

Read and understand the entire label before using. Use only according to label directions.

Before buying or using this product, read "WARRANTY LIMITATIONS AND DISCLAIMER" statement found elsewhere on this label. If terms are unacceptable, return unopened package to seller for full refund of purchase price. Otherwise, use by the buyer or any other user constitutes acceptance of the terms under WARRANTY LIMITATIONS AND DISCLAIMER.

The use of this product in food processing establishments should be confined to time periods when the plant is not in operation. Foods should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using. After treatment in food processing plants, thoroughly wash all equipment, benches, shelving, etc., where exposed food will be handled with an effective cleaning compound and rinse with potable water.

SAFE HANDLING PROCEDURES

The use of chemical splash goggles and solvent resistant gloves is advised. Spills may be cleaned with a damp cloth or absorbed with appropriate materials. When applying BORA-CARE in confined spaces, it is recommended that ventilation or an exhaust system be provided. If this is impractical, the use of a NIOSH approved respirator designed for protection from organic vapors is recommended. (Refer to the BORA-CARE Material Safety Data Sheet for additional health and safety information.)

GENERAL INFORMATION

BORA-CARE IC (Injectable Concentrate) is highly concentrated to provide a long lasting reservoir of active borate ingredient to wood, particularly in high risk or moist areas. Because of its high concentration and controlled diffusion rate, BORA-CARE IC is recommended for treating wood in contact with the ground or soil. BORA-CARE IC will eliminate existing wood destroying insect and fungal infestations and provide residual protection against:

- √ Subterranean Termites: Reticulitermes, Heterotermes
/ Formosan Termites: Coptotermes
- √ Dampwood Termites: Zootermopsis, Neotermes
- Drywood Termites: Kaloterms, Incisitermes
- Power Post Beetles: Lyctidae, Bostrichidae
- Anobiid Beetles: Anodiidae
- Old House Borers, Longhorn Beetles: Cerambycidae, Hylotrupes
- Ambrosia Beetles: Platypodidae, Scolytidae
- Carpenter Ants: Camponotus
- Brown Rot, White Rot and Wood Decay Fungi including:

- Antrodia sinuosa
- Antrodia xantha
- Aspergillus amstelodami
- Aspergillus niger
- Aureobasidium pullulans
- Basidiomycete
- Bisporia pusillas 132
- Ceratocystis pluriannulata
- Ceratocystis picea
- Chaetomium globosum keinze
- Coniophora cerebella
- Coniophora olivacea
- Coniophora puteana
- Fomes lividus
- Fomes officinalis
- Fomes pini
- Fomes pinicola
- Gloeophyllum abietinum
- Gloeophyllum sepiarium
- Gloeophyllum trabeum
- Hericium abietis
- Heterobesidian annosum
- Lentinus lepideus
- Lenzites trabea
- Merulius lacrymans
- Ophiostoma coeruleum
- Paecilomyces varioti
- Phialophora sp.
- Phialophora fastigiata
- Phialophora haffmannii
- Phialophora heteromorpha
- Phialophora lignicola
- Phialophora lueto-olivacea
- Phoma herbarum
- Phoma lanosa
- Polyporus abietinus
- Polyporus rugulosus
- Polyporus sulphureus
- Polyporus tomentosus
- Polyporus versicolor
- Polystictus versicolor
- Poria carbonica
- Poria incrassata
- Poria monticola 698
- Poria nigrescens 4856
- Poria placenta
- Poria subacida
- Poria vaillantii
- Poria vaporaria
- Poria xantha
- Rhinocladiella sp.
- Sclerophoma pityophila
- Serpula lacrymans
- Sistotrema brinkmenii
- Stachbotrys atra corda
- Stereum abietinum
- Torulla sp.
- Trametes lilacino-gliva
- Trametes serialis
- Trichocladium asperum

6
3
7

BORA-CARE IC contains 40% by weight disodium octaborate tetrahydrate, a combination of borax and boric acid formulated in a patented carrier system which facilitates rapid penetration throughout wood of any moisture content. BORA-CARE IC is particularly suited for treatment of wood which is coated with a water repellent finish or is in ground contact, such as fence posts and utility poles. It is not necessary to remove any wood finish prior to injection of BORA-CARE IC.

NOTE: If any wood member's structural integrity has been reduced to the extent that repair or replacement is necessary, repairs and/or replacement should be made. BORA-CARE IC does not add structural integrity to previously damaged wood.

I. APPLICATION METHODS

BORA-CARE IC is designed for application to wood by injection into voids, checks, cracks, pre-drilled holes, or injection sleeves designed for this purpose. In order to facilitate re-application in high risk areas, a plug of material such as cork, rubber, wood, caulk, or an injection sleeve should be used to seal the injection site. The use of injection sleeves allows for easier, subsequent applications and also permits injection under pressure in order to increase the volume of BORA-CARE IC applied per injection site.

BORA-CARE IC can be injected through any wood surface coating. Injection sites may be placed in either a staggered, linear, or angled pattern. BORA-CARE IC should be injected throughout the infested area and for at least 6 inches on either side of wood showing any signs of infestation.

Injection holes should be spaced at even intervals throughout the infested area to provide the best distribution of BORA-CARE IC. Drill holes at a downward angle to help retain liquid in place while sealing hole or use a valved injection sleeve to confine liquid to the injection site. If a long section of a beam or member is being treated, do not exceed a 24 inch spacing between holes.

II. APPLICATION STEPS

1. Measure the dimensions and length of the zone of wood to be treated. If the zone has an active infestation, calculate amount to include an additional six (6) to twelve (12) inches on either side of the infested area. Refer to Table 1 for the amount of BORA-CARE IC required to treat various size wood members.
2. Refer to Table 2 and select the appropriate size and number of holes to accommodate the required amount of BORA-CARE IC. If possible, drill hole to extend to the center of the wood member being treated. If using injection sleeves, holes must be drilled at least one (1) inch longer than the sleeve length to allow BORA-CARE IC access to the wood. Avoid drilling any holes which would significantly decrease the structural strength of any wood member.
3. Inject proper amount of BORA-CARE IC into holes or injection sleeves
4. Seal holes with a cork, plastic or wooden plug, exterior wood putty, or rubber stopper. (Injection sleeves are self sealing.)
5. Remove any excess BORA-CARE IC from the surface with a damp cloth or sponge.

(Continued)

**TABLE 1(a)
DIMENSIONAL LUMBER**

Lumber Size (inches)	Actual Size (inches)	Fluid Ounces of BORA-CARE Required To Treat One Lineal Foot
1x2	3/4 x 1 1/2	0.12
1x4	3/4 x 3 1/2	0.24
1x12	3/4 x 11 1/2	0.75
2x2	1 1/2 x 1 1/2	0.24
2x4	1 1/2 x 3 1/2	0.50
2x6	1 1/2 x 5 1/2	0.75
2x8	1 1/2 x 7 1/2	1.00
2x10	1 1/2 x 9 1/2	1.23
2x12	1 1/2 x 11 1/2	1.50
4x4	3 1/2 x 3 1/2	0.77

**TABLE 1(b)
SQUARE AND RECTANGULAR LOGS AND BEAMS**

Actual Size (inches)	Fluid Ounces of BORA-CARE Required To Treat One Lineal Foot
4x4	1.0
4x6	1.5
4x8	2.0
4x10	2.5
4x12	3.0
6x6	2.3
6x10	3.8
6x12	4.5
8x8	4.0
8x10	5.0
8x12	6.0
10x10	6.3
12x12	9.0

**TABLE 1(c)
ROUND LOGS, POLES AND TIMBERS**

Diameter (inches)	Fluid Ounces of BORA-CARE Required To Treat One Lineal Foot
4	0.8
6	1.2
8	1.6
10	2.0
12	2.4
14	2.8
16	3.1
18	3.5
20	3.9
24	4.7
28	5.5
32	6.3
36	7.1

NOTE: If possible, holes should be angled downward to prevent liquid from escaping hole after injection. Never space holes more than 24" apart along the length of any wood member being treated.

**TABLE 2
LIQUID CAPACITY OF VARIOUS SIZE HOLES
(IN FLUID OUNCES)**

Depth (Inches)	Hole Diameter (Inches)							
	1/8	1/4	3/8	1/2	5/8	3/4	7/8	1
1	0.2	0.4	0.7	0.9	1.1	1.3	1.5	1.7
2	0.4	0.9	1.3	1.7	2.2	2.6	3.0	3.5
3	0.7	1.3	2.0	2.6	3.3	3.9	4.6	5.2
4	0.9	1.7	2.6	3.5	4.4	5.2	6.1	7.0
5	1.1	2.2	3.3	4.3	5.4	6.5	7.6	8.7
6	1.3	2.6	3.9	5.2	6.5	7.8	9.1	10.5
7	1.5	3.0	4.6	6.1	7.6	9.1	10.6	12.2
8	1.7	3.5	5.2	7.0	8.7	10.4	12.2	14.0
9	2.0	3.9	5.6	7.8	9.8	11.7	13.7	15.7
10	2.2	4.3	6.5	8.7	10.9	13.0	15.2	17.4

III. COMBINATION TREATMENTS WITH IMPEL RODS, SOLID BORATE FUNGICIDE

BORA-CARE IC may be used in conjunction with IMPEL Rods to protect wood, especially applications such as wood in ground contact where continuous moisture is present. Use of a combination of both products will provide long term control of insects as well as decay fungi and will increase the rate of active ingredient diffusion from the rods in wood containing low moisture content.

Holes for IMPEL Rod insertion should be drilled slightly larger than normal in order to accommodate the BORA-CARE IC. Insert the IMPEL Rod into the hole then fill the remaining space with BORA-CARE IC. Always allow at least 1/8" head space at the top of the hole between the products and the sealant or plug in order to allow room for expansion.

IV. APPLICATION SITES

Use BORA-CARE IC in areas where wood decay or insects are present or in high risk areas vulnerable to infestation, such as wood that remains moist or is subject to frequent wetting, or wood which is in contact with the ground or soil. Examples include:

Flooring and Foundation Systems - especially around kitchens and bathrooms where leaky plumbing, bathtraps or deteriorated caulking and inadequate moisture barriers may be present.

Window and Door Framing and Headers - where weathered paint or caulk provides inadequate protection against moisture. The corners, in particular, often exhibit signs of decay.

9 7 9

Exterior Steps, Porches and Decks - where damage may be found in columns, railings, floors, and support members.

Roof Trim and Soffits - especially fascia boards supporting gutter systems and soffits; where wood is in contact with skylights, vents, flashing, or chimneys and wherever excessive moisture is found.

Attics and Roofing - where leaks may cause decay damage to support members and rafters.

Porches and Garages - where wood contacts concrete slabs or brick walls are adjacent to dirt filled porches. The base of garage door frames, for example, are particularly susceptible to infestation by decay, termites, and carpenter ants.

Fence Posts, Pilings, and Piers - apply within six inches of the ground line as well as the top of the post and into existing cracks and checks.

Log Construction - in any decayed or susceptible areas or where a water repellent finish is present such as corners, joints, ends, and lower courses; and especially into upward facing cracks and checks that allow water entry. Apply directly into beetle emergence holes and carpenter ant galleries.

Utility Poles - in susceptible areas such as at the groundline and where cross-arms are attached. Use wherever an active infestation is present or where preventative maintenance is desired.

Railroad Ties (Sleepers) - adjacent to rail plates, in cracks and checks where water accumulates, and in any infested or susceptible areas.

NOTE: SPILLED BORA-CARE IC MAY STAIN SOME WOOD FINISHES. IF NECESSARY, PROTECT SURFACE DURING APPLICATION AND WIPE UP EXCESS WITH A DAMP CLOTH.

WARRANTY LIMITATIONS AND DISCLAIMER

Because of varying conditions affecting use and application, manufacturer warns buyer that these may impair or vary the results or effects of the use of this product. In any event, complete elimination or prevention of decay or insect infestation is not guaranteed. Neither the manufacturer nor seller shall be liable in respect to any injury or damage suffered by reason of the use of this product for a purpose not indicated by the label or when used contrary to the directions or instructions hereon nor with respect to breach of any warranty not expressly specified herein. Buyer accepts this material subject to these terms, and assumes all risk of usage and handling except when used or handled in accordance with this label.

Nisus Corporation
Cherokee Place
101 Concord St.
Knoxville, TN 37919
(615) 637-1226

BORA-CARE is a registered trademark of Nisus Corporation
IMPEL is a registered trademark of Chemical Specialties, Inc.