09/27/2004

SEP 2 7 2004

NISUS CORPORATION, C/O RegWest Company 30856 Rocky Road Greeley, CO 80631-9375

Dear Ms. Davis:

Subject: Label Revisions EPA Registration No. 64405-5 Product Name: RTU Wood Preservative/Pesticide

Application date: July 9, 2004

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, is acceptable subject to the comment listed below:

- a) Remove the statement: "RTU Wood Preservative/Pesticide [This product] offers far greater wood protection than [other] preservatives that treat only the surface. This is a comparative claim and is in violation of 40CFR 156.10.
- b Enclosed is a copy of your label stamped "Accepted with Comments" Submit four (4) copies of the final printed labeling before you release this product for shipment .

To expedite handling please, return a copy of this letter with four copies of your labels If you have questions regarding this letter contact Ms.Pat Quarles @ (703) 305-6876.

Sincerely K, clare bul

Richard Gebken Acting Product Manager 10 Insecticide Branch Registration Division 7505

enclosure

	MED 00:33	REG WEST COMPANY	FAX NO. 19703	3530613	P. 01 2
ł ,		<u> </u>		64405-5 New	v Label: Page 1 of 6 09/01/04
	R	TU Wood Frese	ervative/Pe	sticide	
			STOP 1	Read all instructions in: See inside for Spar	
	{Select	and insert appropriate sales/m	arketing verblage from	Marketing Copy})
		ing need to pro			
	ອໄມອາຍູເທັ ເອເມີບີ	ent: Octaborate Tetrahydrate (Na ₂ B ₈ mus		<u>91,5</u>	<u>%</u>
	F	EPA Reg. No. 64405-5	EPA Est. 64405-	TN-1	
	266		acn or Children TION litional precautionary	statements.	
			Sallon(s) (Liters) ວິດການເຮງ ເວເບຣງ		
		100 14151			
with In EP	CCEPTED COMMENTS A Letter Date	5			
Under th Fungicide as amen registere	EP 2 7 2004 Re Federal Insectic e, and Rodenticide ded, for the pestic d under EPA Reg. <u>4-105-55</u>	Act, LOCA	(From	-8-04 / 100 - 10 Jusy wilson equilet co 970-353-064	

Code 38

· • .

.

ť

ł

ļ

64405-5 New Label: Page 2 of 6 09/01/04

[warketing Copy]

; ,

A Penetrating Broad Spectrum Wood Preservative for the Protection and Treatment of Wood Against Decay, Termites, Carpenter Ants and Wood Boring Beetles,

A Ready-to-Use Borate Termiticide, Insecticide and Fungicide for the Elimination and Prevention of Termites, Carpenter Ants, wood Boring Beetles and Wood Decay Hungi

A Penetrating Broad Spectrum Wood Preservative and Ready-to-Use Borate Termiticide. Insecticide and Fundicide for the Protection and Treatment of Wood to Kill, Eliminate, Prevent and Control Decay (wet and dry rot), Termites, Carpenter Ants and wood Boring Beetles.

Kills & Prevents All Termites (including Formosan), Carpenter Ants, Powderpost Beetles, Old House Borers, Longhom Beetles

Preserves/Protects wood and Prevents wood Decay to wood Structures and Materials as well as wood Components of Homes, Apartment Buildings, Cabins, Log Homes, Outbuildings (Barns, Sheds, Coops, Garages, etc.), Office Buildings, Lecks, Hences, Hooring, Gazebos, Furniture, Gabinets, Shelves, Doors, Handralls, Pichic Shelters, Bath Houses, Saunas, Logs, Beams, Timper, Ulmensional Lumper, Flywood, Faneling, etc.

Apply to All Untreated Bare Wood Surfaces!

[This product is] A Ready-to-Use Formula of the Patented Product Used by Pest Control Operators

Keep Lermites out with {Product Brand Name} Easy-To-Use [**]Spray or Brush On [**May also be used to refill the {product brand name} pressure sprayer]

(Easy, No Mess Applicator) No Dipping Required Hully Penetrates the Wood Lifetime Treatment on Interior Wood Up to 5 Years Protection on Exterior Surfaces Clear, Odorless, Non-Staining Formula

> Power Sprayer Ready-to-Use Adjustable Spray Pattern ∂ Pump (graphic) Spray (graphic)]

vÖdorless uHighly Effective uColorless [Clear] uLow Toxicity uNon-Staining

RTU Wood Preservative/Pesticide (This product) is a patented formulation of boron compounds with additives that allow the active ingredient to fully penetrate throughout [the] wood. RTU Wood Preservative/Pesticide [This product] offers far Agreater whom protection than lother preservatives that treat only the surface. This is a comparative claim

U Use RTU Wood Preservative/Pesticide [this product] to eliminate wood destroying insects and wood rot. Use RTU Wood Preservative/Pesticide [this product] to prevent wood decay and insect damage to all interior and . exterior wood.

u [RTU Wood Preservative/Pesticide] [This product] P/prevents and controls:

U TO WOOD Preservative/Pesticide (Inis product) is a termiticide, insecticide and tungicide that eliminates existing infestations and provides long-term protection against wood destroying organisms such as:]

Wood Kot and Decay Fungi	Subterranean Termites	Drywood Termites	Powderpost Beetles
Anoblid Beetles	Old House Borers	Longhorn Beetles	Carpenter Ants

[Exclusive Remiable Container+] Indoor-Outdoor Patented Formula IGuaranteed Kesults" [+Refill only with (identify acceptable product(s) by brand/trade name(s))]

Usuarantee: It for any reason you are not satisfied with this product; mail receipt and proof of purchase to [the] (Company Name) for a refund double your purchase price.)

(End of Marketing Copy)

P. 03

64405-5 New Label: Page 3 of 6 09/01/04

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Safe Handling Procedures

Spills and over-spray may be cleaned with a damp cloth or absorbed with appropriate materials. When applying this product in confined spaces, it is recommended that ventilation or an exhaust system be provided. If this is impractical, the use of a NIOSH approved respirator designed for protection from organic vapors is recommended.

General Information

RTU Wood Preservative/Pesticide [This product] is applied to wood and is particularly suited for use in situations where odor, chemical sensitivity and environmental contamination are of concern. RTU Wood Preservative/Pesticide [This product] will both eliminate and prevent infestations of wood destroying insects, such as subterranean and drywood termites, wood boring beetles, carpenter ants and decay fungi. It may take several days for the infestation to be eliminated, however, any termites that start to ingest treated wood or that are directly sprayed will die.

Do not expose [RTU Wood Preservative/Pesticide-] T/treated exterior wood to rain or snow for at least 24 hours after treatment. If necessary, cover freshly treated exterior wood with a tarp.

Surface Preparation

Apply only to bare, dry wood. Remove any finishes or water repellents before applying **RTU Wood Preservative**/ **Pesticide** [this product]. Clean surfaces to be treated to ensure they are free of dirt and other contaminants. If the finished appearance is a primary concern, also remove mold and mildew prior to application of **RTU Wood Preservative**/**Pesticide** [this product]. If detergents or cleaners are used to prepare the surface, thoroughly rinse and allow surface to dry prior to application of **RTU Wood Preservative**/**Pesticide** [this product].

Maintenance of Treated Surfaces

Apply RTU Wood Preservative/Pesticide [this product] every 1 to 5 years to exterior unfinished bare wood surfaces. Interior surface treatments of existing wood are considered permanent and do not require reapplication or coating except in situations involving repeated moisture contact or high humidity, such as shower stalls, bathhouses, saunas, etc. Any additional installed wood must be treated. Protection may be extended by coating/painting treated wood with a water-resistant finish such as paint or exterior stain. Although a wide variety of paints and stains have been successfully used over [RTU Wood Preservative/Pesticide-] treated wood, it is always a good idea to coat a small section of treated wood with the finish to be used and check for compatibility prior to complete application. Allow [RTU Wood Preservative/Pesticide-] treated wood to completely dry (at least 24 hours) before applying any protective finish and apply protective finish within two (2) weeks of treatment.

Cleanup

Use soap and water to clean up tools.

Application Instructions

Apply RTU Wood Preservative/Pesticide [This product] only to bare wood or to wood surfaces where an intact waterrepellent barrier is not present. RTU Wood Preservative/Pesticide [This product] is a ready-to-use product. This product may be brush applied directly from the container or applied with a [this] low-pressure garden-type sprayer. Small wooden items may also be treated by dipping. [Return unused product to original container and seal tightly. Always clean and/or flush equipment and lines with water after use.] When applying more than one coat, wait at least 20 minutes between applications. No immersion or dip soaking necessary.

Treatment	Application Notes	
Exterior and interior wood preservation	Apply this product to all exposed sides of wood at the rate of one (1) gallon to 150 to 250 square feet of wood surface area (one coat). Actual coverage will vary depending upon the surface texture and porosity of the wood being treated. Apply a second coat to wood thicker than one (1) inch.	
Exterior wood treatment to control active infestations	In cases of very active infestation or where there is a risk of structural failure consult a professional pest control operator to ensure full and proper application. Apply this product to the point of runoff to all infested wood. Always apply two (2) coats to all surfaces. In areas where access is limited to one (1) or two (2) sides of a wood member, apply multiple coats of this product to the exposed surfaces.	

· .

5/1

64405-5 New Label: Page 4 of 6 09/01/04

Treatment	Application Notes
Exterior wood treatment to control active infestations (continued)	Treat infested wood by spraying all surfaces and/or injecting this product into beetle holes, termite and carpenter ant galleries and decay pockets. Apply two (2) coats to all surfaces. In cases where the infestation is not accessible from the surface, drill small holes into the wood to gain access to insect galleries or infested areas. Inject enough solution to completely flood the infested area.
Interior wood treatment to control active infestations	Treat infested basements and crawl spaces by applying two (2) coats of this product to all wood surfaces including sill plates, piers, girders, subfloors, floor joists and any wood exposed to vertical access from the soil. Apply multiple coats of this product to wood where access is limited to one (1) or two (2) sides of wood members such as sills and plates on foundation walls. Apply at a rate of approximately one (1) gallon of this product per 100 square; feet of crawl space or basement floor area (approximately 200 sq. ft. of wood surface area).
	Treat infested studs and headers in wall voids by spraying or misting this product into voids and channels in infested wood and/or through small holes drilled into baseboard areas or adjacent to the wood to be treated. Space holes no more than 16" apart. Drill at least one (1) hole between each wall stud when treating base plates. Use sufficient amount of material to cover all areas to the point of runoff. Note: If insulation is present in the wall void, it must be removed prior to treatment. If necessary, first remove dry wall or paneling and then the insulation. Spray studs and headers with this product, allow to dry, then replace insulation and wall. Apply two (2) coats to all surfaces.
	Treat infested attics by spraying all accessible wood surfaces including roof sheathing, ceiling joists, rafters and top plates to the point of runoff. Apply two (2) coats to all surfaces. Apply at the rate of one (1) gallon of this product per 200 square feet of wood surface area.
Preventative treatment against listed insects for protection of new wood	Wood paneling, lumber, plywood and other wood surfaces/structures may be treated either as received from the lumberyard, during the construction process or upon completion of construction. Apply while the wood surface is most accessible.
	Liberally apply one (1) coat of this product to all exposed sides of lumber or plywood. For lumber thicker than one (1) inch, apply a second coat after the first has been absorbed.

Note: When spraying attics or overhead interior areas, cover all surfaces below the area being sprayed with plastic sheeting to prevent damage to celling boards, insulation or other materials. Do not apply in food serving areas while food is exposed.

{When the product is sold in a container with a garden-type pressure pump sprayer attachment the following directions/precautions will be included;}

Sprayer Directions

1. Pressurize Sprayer

Before first use, bend or break off shipping safety "tabs" located on each side of the pump rod. Attach spray hose to bottle by turning hose connection cap to the right. Make certain the connection is secure. Align locking bar on pump handle with slots on top of pump to release handle for pumping. Pump 10-20 times for maximum pressure. Fewer pumps may be desirable to control spray in tight areas. Pump occasionally during application to maintain tank pressure and desired spray pattern. Do not overpressurize.

2. Spraying

Position deflector shield on top of nozzle outlet for a fine fan spray to cover wider areas; rotate to bottom of nozzle outlet for a more precise, solid stream. Depress button to begin spraying. Slide button forward to lock on; press down and back to release to off.

P. 05


64405-5 New Label: Page 5 of 6 09/01/04

3. Refilling Sprayer

The sprayer may be refilled up to 5 times with (product brand name). Before opening, release any built-up pressure opening valve. Press down on pump handle and turn to left to remove pump assembly from tank. Add the contents of the refill container. Use "Fill to Here" mark on the side of the bottle as a guide. Shake well to mix. Replace pump, turning to right to seal.

IMPORTANT: Do not refill more than 5 times.

To keep track of the number of times refilled, put a mark through the appropriate number:



Do not use any product other than {product brand name} in the sprayer. Incompatible chemicals may change the pump making it unsafe to use.

4. Cleaning/Maintaining Sprayer

Between uses, release pressure as described above. Detach sprayer hose from tank by turning hose connection cap to left. Lock on sprayer nozzle, hold end of hose under running water, and let clean water run through hose for 1-2 minutes. Drain water from hose, reattach to sprayer and place handle in built-in storage pocket. Apply a few drops of oil to pump rod, then pump several times to lubricate the rod. Store container in a cool, dark place between uses.

Sprayer Precautions

- Always thoroughly inspect your sprayer before each use.
- Be sure hose is securely attached and in good condition before pressurizing tank.
- Discard if any worn or damaged parts are noticed.
- Do not allow spray to reach people or animals.
- Always release air pressure before removing pump (see sprayer directions).
- Do not use this sprayer to apply any materials other than {identify acceptable product(s) by brand/trade name(s)}.
 Other materials could cause the container to weaken or corrode its working parts, which could lead to injury.
- Do not use mechanical devices to pressurize the tank. They can create excessive and dangerous pressure which could cause the tank to explode.
- Do not stand over pressurized sprayer while using or pumping it.
- Always securely tighten the pump. An improperly tightened pump could be forcibly ejected and cause serious injury.
- Do not pressurize sprayer until ready to use. Do not store sprayer pressurized, or leave pressurized sprayer unattended.
- Do not lift or carry sprayer by hose or extension rod. Carry only by pump or bottle handle, making sure handle is properly locked in place before lifting.
- Do not force clogged nozzle open with air pressure. Clean with fine wire or toothpick.
- Failure to heed all precautions and directions could result in serious bodily injury or property damage.

{For product packaged in a non-refillable market container:}

Storage and Disposal

Do not contaminate water, food or feed by storage and disposal.

Pesticide Storage: Store in a dry place. Do not store where children or animals may gain access. Protect from freezing. Disposal: if empty: Do not reuse this container. Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency or [1-800-CLEANUP] for disposal instructions. Never place unused product down any indoor or outdoor drain.

[For product packaged in the refillable pump-up pressure sprayer market container:]

Storage and Disposal

Pesticide Storage: Store in a dry place. Do not store where children or animals may gain access. Protect from freezing. Disposal: if empty: Refill only with {identify acceptable product(s) by brand/trade name(s)}. If not intending to refill this container, place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency [or 1-800-CLEANUP] for disposal instructions. Never place unused product down any indoor or outdoor drain.

۰, ·

7/1 P. 06

64405-5 New Label: Page 6 of 6 09/01/04

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: Harmful if swallowed or absorbed through the skin. Causes eye irritation. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling.

	First Ald
If Swallowed	Call a poison control center or doctor immediately for treatment advice.
	Have person sip a glass of water if able to swallow.
	Do not induce vomiting unless told to do so by the poison control center or doctor.
	Do not give anything by mouth to an unconscious person.
lf on Skin	Take off contaminated clothing.
or Clothing	Rinse skin immediately with plenty of water for 15-20 minutes.
	Call a poison control center or doctor for treatment advice.
If in Eyes	 Hold eye open and rinse slowly and gently with water for 15-20 minutes.
	Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
	Call a poison control center or doctor for treatment advice.
Have the produc	ct container or label with you when calling a poison control center or doctor, or going for treatment. [You
may also contac	t 1-800-525-9083 (or other appropriate number) for emergency medical treatment information.)

(Note: The first aid statements' grid format will be used if market label space permits; otherwise a paragraph format will be used.)

Environmental Hazards

Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment wash waters or rinsate.

Questions & Comments: {phone graphic} {computer graphic} Call {toll free number} or visit our website at {website address}

Made in [the] U.S.A.

U.S. Patent Nos. 5,104,664; 5,426,095; 5,460,816; 5,645,828 RTU Wood Preservative/Pesticide is a trademark of Nisus Corporation

©____

[] Denotes alternate/optional language

() Denotes language that does not appear on the market labeling