64405-8

2-20-2004

U	
l	6
กลก	

Please read instructions on					, .		Form Ap		MB No. 207 <u>0-0060</u>).
	United State					Reai	stration	OPP Ide	ntifier Number	
	nmental Prote			•		_	ndment			
	0 Pennsylvania Av		۷.					•	•	
V1	/ashington, DC 20				X	Othe	r	<u> </u>		
		<u>oplicatio</u>	n for Pe	<u>esticide –</u>						
1. Company/Product Numb	er . Reg. No. 64405-	.R		2. EPA Prod		nager ington	3. P	roposed C	lassification	i
4. Company/ Product (Nam				PM#	ua Aii	ington	×		—	
	<u>te Insecticide & F</u>		······		10			None	Restricted	
5. Name and Address of Ap Nisus Corporation	oplicant (Include ZIP Co	ode)							h FIFRA Section	
c/o RegWest Compa	nv. LLC			3(c)(3)(b)(t) labeling to:		roduct is	similar or ic	enticai in	composition ar	ICI
30856 Rocky Road	•									
Greeley, CO 80631-9	375			EPA Reg. !	No			-		-
☐ Che	eck if this is a new addr	ess		Product Na	me					-
			Secti	on – II						
Amendment – Explain	below				inted lal	nels in res	oonse to Ager	ncy letter d	MATIFICATIO	
Resubmission in respo		sted			o" Applic		Entra to URE		_	•
720	-			! —		below.	•		FEB 2 0 200	4
Notification - Explain t				<u> </u>	- Explair	i Delow.				
Explanation: Use add	ditional page(s) if neces	ssary. (For S	ection I and	Section II.)	Armit .		ene de la companya de			
	Submit addit	tional brai	nd name	notification	per P		•			
							Arthur Arthur			
The additional brand										
This notification is consist have been made to the										
Sec. 1001 to willfully ma										
of PR Notice 98-10 and	40 CFR § 152.46 th	nis product .								
penalties under sections	12 and 14 of FIFRA					** 5.4				
			Secti	on – III				·		
1. Material This Product V						•				
Child Resistant Packaging	Unit Packaging		ì	r Soluble Pack	aging	. a sape	2. Type of 0	Container		
Yes*	Yes						☐ Plastic			
LJ No	IJ No	N. B				D	☐ Glass			
*Certification must be submitted	If "Yes" Unit Packaging Wgt.	No. Per Contain		s" aging Wgt.		Per . itainer	☐ Paper			
				-	<u> </u>		Other (
Location of Net Contents	Information	4. Size(s) F	Retail Conta	ner			ocation of Lat	Del Directio	ns	•
☐ Label	☐ Container						On Label			
Label	Container		_			ل ا	On Labeling	Accompan	ying Product	
6. Manner in Which Label is	s Affixed to Product		Lithograp	h	☐ St	enciled				
			Paper glu	ed	<u> </u>	ther				
				on - IV				<u> </u>	61	
1. Contact Point (Comp	lete items directly be		tification of	individual to I	be cont		necessary, to phone No. (In			
Name		Title				Tele	phone No. (iii)	illuu e Area •	◆	
Kîm Davis, CC, A	PC, Manager		Consult	ant/Agent			: (97	0) 353-0	267 1	
		Certifica		****			***	•	Application ei ve d	
I certify that the state								•	Stamped)	
accurate and complete					eading	statem	ent may be	•	•	
punishable by fine or i	mprisonment or bo		pplicable Title	IdW.				⊣ .•	•••	
\ \text{\tinit}\\ \text{\texi}\text{\text{\texi}\tint{\text{\text{\text{\text{\text{\text{\texi}\tint{\text{\texi}\tint{\text{\texi{\text{\texi}\tint{\text{\texi}\tint{\text{\texi}\text{								•	• • • •	
1K-1				Consul	tant/A	gent		↓	• 7 d	
4. Typed Name 3 () 5	. Date							
Kim Davis Co	C, APC, Manager			Februa	ry 5, 2	2004	i.			

FB .



Only for sale to, use and storage by profession

A preservative for protection and treatment of wood against fungal decay and wood destroying insects including termites

CAUTION clothing. contamina

For the prevention and remedial control of wood** infesting organisms including: Termites, Drywood Termites, Wood Destroying Beetles, Decay Fungi and Carpenter Ants **Also for Wood Foam Composite Structural Components

If Swallow

If inhaied

If in Eyes

Have the partners treatment.

Active Ingredient:

Disodium Octaborate Tetrahydrate (Na2B8O13 ● 4H2O).... 98%
Other Ingredient+ 2%
Total 100%

+Contains 2% H₂O - Absorbed Moisture

EPA Reg. No. 64405-8

EPA Est. 64405-TN-1

NET WT. 25 LBS

This pesti present o equipmer

Keep Out of Reach of Children CAUTION

Before bu on this la price. Otl Limitation

SEE TO RIGHT FOR ADDITIONAL PRECAUTIONARY STATEMENTS

*TIM-BOR and the House Design trademark are registered trademarks of U. S. Borax Inc. and are





ofessional pest control operators

PRECAUTIONARY STATEMENTS

Hazards To Humans & Domestic Animals

CAUTION: Harmful if swallowed or inhaled. Causes moderate eye irritation. Avoid contact with eyes or clothing. Avoid breathing dust. Thoroughly wash with soap and water after handling. Remove contaminated clothing and wash clothing before reuse.

First Aid

if Swallowed	 Immediately call a poison control center or doctor for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.
if inhaled	 Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.
If in Eyes	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for further treatment advice.

Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact 1-800-424-9300 for emergency medical treatment information.

Environmental Hazards

This pesticide is toxic to fish and wildlife. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when cleaning equipment or disposing of equipment washwaters.

NOTICE

Read and understand the entire label before using.

Use only according to label directions.

Before buying or using this product, read *Warranty Limitations and Disclaimer* statement found elsewhere on this label. If terms are unacceptable, return unopened package to seller for full refund of purchase price. Otherwise, use by the buyer or any other user constitutes acceptance of the terms under *Warranty Limitations and Disclaimer*.

ax Inc. and are used under license.





DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Storage and Disposal

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Store in a dry place. Do not store where children or animals may gain access. **Pesticide Disposal:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. **Container Disposal:** Triple rinse (or equivalent) then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

General Information

TIM-BOR Professional is a water soluble, inorganic borate salt with insecticidal and fungicidal properties effective against wood-destroying organisms including the target pests listed below. Apply TIM-BOR Professional as a liquid solution, powder or foam. TIM-BOR Professional is an effective treatment for wood (and wood-foam composite structural components) to kill and prevent infestations of decay fungi including white rot, brown rot (i.e., Poria) and wet rots. This product may be used for preventative treatment (before signs of infestation), for wood in existing structures and for remedial treatment of infested wood in existing structures. TIM-BOR Professional is also effective for the prevention and control of wood destroying insects such as, but not limited to, the following organisms: Subterranean Termites (Reticulitermes, Heterotemes, Coptotermes (Formosan)), Drywood Termites (Kalotermes, Incisitermes), Dampwood Termites (Zootermopis), Powderpost Beetles (Lyctidae), "False" Powderpost Beetles (Bostrichidae), Deathwatch and Furniture Beetles (Anobiidae), Old House Borers, Longhorn Beetles (Cerambycidae), Carpenter Ants (Camponotus), Bark and Timber Beetles (Scolytidae).

TIM-BOR Professional is recommended for wood and cellulose material in accordance with the specific treatment methods described herein. TIM-BOR Professional is effective for all interior and exterior wood (and wood-foam composite structural components) that will be protected from excessive rain and not in direct contact with the soil. Types of wood include, but are not limited to, all types of lumber, logs and plywood. This product kills wood-destroying organisms. Some etching of treated wood may occur from organisms before they die. Do not apply TIM-BOR Professional to wood or cellulose material that has been painted, varnished or sealed. For best results, apply TIM-BOR Professional to bare wood. Use soap and water to clean application equipment.

Preparation of Treatment Solutions

10% TIM-BOR Professional Liquid Solution: To prepare solution, add approximately 80% of the required volume of water to the mixing vessel. While stirring, gradually add 1.0 pound of TIM-BOR Professional for each gallon of treating solution required. Add remaining water to the solution and stir until the entire product has dissolved.

15% TIM-BOR Professional Liquid Solution: Prepare solution as above, but gradually add 1.5 pounds of **TIM-BOR Professional** for each gallon of treatment solution needed. Use this solution as soon as possible and do not store for an extended length of time.



Nisus Corporation 100 Nisus Drive, Rockford, TN 37853 (800) 264-0870 www.nisuscorp.com © 2003 Made in the U.S.A.



15% TIM-BOR Professional Foam: Prepare a 15% liquid solution as described above and also add a surfactant-foaming agent. Generally 1-2 ounces of a foaming agent, added to the 15% liquid solution, produces a dry foam with the desired expansion ratio of approximately 20 to 1 (20 gallons of foam per 1 gallon of liquid solution). The TIM-BOR Professional foam should be of a "dry" consistency that adheres to wood surfaces so that run-off is minimized. A "wet" foam may damage wallboard or other building components. Refer to the individual foam equipment manufacturer's manual and the surfactant's label for specific instructions. Wash and rinse all equipment after each use.

General Application Instructions

TIM-BOR Professional as a liquid solution: TIM-BOR Professional liquid applications may be made to wood structures including decks, fences, steps, sheds, barns and other outbuildings. Such structures must be protected from excess rain. On wood with drier than normal moisture content, apply by brush or spray two applications of a 10% solution to wood surfaces. On wood with normal moisture content, apply by brush or spray one application of a 15% solution to wood surfaces. Application may also be made by drilling and then injecting the solution under pressure into sound wood or into the insect galleries of infested wood. TIM-BOR Professional may be applied as a foam to wood surfaces or injected into wall voids or insect galleries.

Remedial and Preventative Treatment

TIM-BOR Professional Solutions for the Control of Wood Destroying Organisms and to Kill Active Infestations of Termites, Powderpost Beetles and Wood Decay Fungi: For remedial control of wood attacking organisms or for the protection of wood against future infestations, two applications of a 10% liquid solution are normally required. One application of a 15% liquid solution may be used. Apply TIM-BOR Professional solutions by brush or spray at the rate of 5 gallons of liquid solution per 1000 square feet of wood surface area. Thoroughly wet wood surface area. Application may also be made by drilling and then injecting the liquid solution under pressure into sound wood or until run-off is observed coming from entry/exit holes of infested wood.

TIM-BOR Professional Powder to Kill and Control Wood Destroying Organisms, Such as Termites and Carpenter Ants: Apply TIM-BOR Professional as is to wood members by drilling and injecting the powder into galleries or by dusting generously on wood surfaces. TIM-BOR Professional powder can also be injected or dusted into wall voids such as between studs, block voids, box sills, eaves, attics, soffets, etc. Apply TIM-BOR Professional powder to these areas at the rate of 0.5 ounce (12-14 grams) per square foot.

TIM-BOR Professional Foam: In wall voids, inject enough dry foam to contact wood surfaces of studs in the wall or the entire desired target area. Apply foam, where possible, to abutting wood surfaces and between wood joints. Apply the foam so that all accessible wood surfaces are covered with foam. **TIM-BOR Professional** foam can also be injected into insect galleries until run-off is observed.

Warranty Limitations and Disclaimer

Because of varying conditions affecting the use and application, manufacturer warns buyer that these may impair or vary the results or effects of the use of this product. In any event, complete prevention of decay or insect infestation is not guaranteed. Neither the manufacturer nor seller shall be liable in respect to any injury or damage suffered by reason of the use of this product for a purpose not indicated by the label or when used contrary to the directions or instructions hereon or with respect to breach of any warranty not expressly specified herein. Buyer accepts this material subject to these terms and assumes all risk of usage and handling except when used or handled in accordance with this label.

February 5, 2004



Linda Arrington, Product Manager 10
Document Processing Desk - *NOTIF*Office of Pesticide Programs - *7504C*U.S. Environmental Protection Agency
1921 Jefferson Davis Highway
Crystal Mall #2, Room 266A
Arlington, VA 22202-4501

Dear Ms. Arrington:

Subject: Nisus Corporation

NiBor Borate Insecticide & Fungicide

EPA Reg. No. 64405-8

On behalf of its client *Nisus Corporation*, RegWest Company, LLC is submitting the attached materials as an additional brand name notification per PR Notice 98-10. RegWest Company will act as sole agent in this endeavor.

之所,實明的無序實際發展。可以 一個人工作用實一實施工作

HOLE STATE IN ARREST

The state of the s

Attached are the following items:

- 1. Application for Pesticide: Other
- 2. Two copies of market labeling

The additional brand name is:

Tim-Bor® Professional

Please contact me at (970) 353-0611 or at kim@regwestco.com if you have any questions concerning this notification.

Regards,

RegWest Company, LLC

Kim Davis, CC, APC, Manager Consultant/Agent

oonbanano, igo.

Attachments

pc: NIS - Kirkland, K.

30856 Rocky Road Greeley CO 80631-9375 970-353-0611 970-353-0613-Fax regwestco@aol.com