

DM 31

64684-1

16

US ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (TS-767) WASHINGTON, DC 20460	EPA REGISTRATION NO. 64684-1	DATE OF ISSUANCE MAR 29 1994
	TERM OF ISSUANCE	
NOTICE OF PESTICIDE: <input checked="" type="checkbox"/> REGISTRATION <input type="checkbox"/> REREGISTRATION (Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)	NAME OF PESTICIDE PRODUCT No Foul	

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

E Paint Company  
 P.O. Box 291  
 Buzzards Bay, MA 02532

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

1. Submit/cite all data required for registration/reregistration of your product under FIFRA section 3(c)(5) when the Agency requires all registrants of similar products to submit such data.

2. Make the following labeling change before you release the product for shipment:

Add the phrase "EPA Registration No. 64684-1".

3. Resubmit product chemistry data required in 40 CFR Part 158.155 through 158.190 for your end use product on a schedule to be determined by EPA if the recently submitted chemistry studies are unacceptable.

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL \_\_\_\_\_ DATE \_\_\_\_\_

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

-2-

2/9

4. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Sincerely,



Marshall Swindell  
Acting Product Manager (31)  
Antimicrobial Program Branch  
Registration Division (H7505C)

Enclosures

CONCURRENCES							
SYMBOL							
SURNAME							
DATE							

3/9

ACCEPTED  
with COMMENTS  
in EPA Letter Dated:

MAR 29 1994

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act  
as amended, for the pesticide  
registered under EPA Reg. No.

64684-1

NO-FOUL

ANTIFOULING PAINT FOR BOAT BOTTOMS  
TRIM TABS, IO UNITS

Blue

Active Ingredients:

Zinc dust	.....	48.0%
Zinc Oxide	.....	15.6%
Inert Ingredients	.....	36.4%
		-----
		100.0%

Equivalent to 60.5% metallic zinc

KEEP OUT OF REACH OF CHILDREN

CAUTION

See side panel for additional precautions and the Statement of  
Practical Treatment.

Net Contents: 1 Gal  
EPA Registration No. 64684-1  
EPA Establishment No.

Manufactured by:  
E Paint Co.  
Box 291  
Buzzards Bay, Mass 02532

4/9

PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMAN AND DOMESTIC ANIMALS  
KEEP OUT OF REACH OF CHILDREN

CAUTION: Causes eye irritation. Harmful if absorbed through skin. Avoid contact with skin, eyes or clothing. Wear protective clothing such as gloves, longsleeved cotton shirt, long pants and hat. May be fatal if swallowed or inhaled. Do not breathe sanding dust, vapor spray mist. Wear NIOSH/MSHA certified mask or respirator. Use adequate ventilation. Remove contaminated clothing and wash before reuse. Wash thoroughly with soap and water after handling.

STATEMENT OF PRACTICAL TREATMENT

- If Swallowed: Drink promptly a large quantity of water. Avoid alcohol. Get medical attention.
- If In Eyes: Flush with plenty of water. Call a physician if irritation persists.
- If Inhaled: Remove victim to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth. Get medical attention.
- If On Skin: Wash with plenty of soap and water. Get medical attention.

STATEMENT OF PRACTICAL TREATMENT

ENVIRONMENTAL HAZARDS

This pesticide is toxic to aquatic organisms including fish and shellfish. Do not apply directly to water by cleaning of equipment or disposal of wastes. Do not allow chips and dusts generated during paint removal to enter water. Dispose of all paint debris in an approved landfill.

This Product is intended for commercial and recreational use.

ACCEPTED  
with COMMENTS  
in EPA Letter Dated:  
  
MAR 29 1994  
  
Under the Federal Insecticide,  
Fungicide, and Rodenticide Act  
as amended, for the pesticide  
registered under EPA Reg. No.  
64684-1

#19

## DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner that is inconsistent with its labeling.

May be used in fresh or salt water. Use on outboard motors, trim tabs lower OI units and the bottom of vessels is recommended.

**Directions for mixing:** Mix contents of container. Stir until thoroughly mixed before using. Use immediately.

**Preparation of Surfaces:** The surface to be painted should be dry, clean and oil-free. It should be properly prepared by solvent cleaning and/or sanding before any primers or paints are applied. Follow the recommended systems below. Bare metal surfaces should be primed prior to application. When sanding old antifouling paint, use a face mask to prevent inhalation of sand or dust.

**Application and Temperatures:** No Foul can be applied by using brush or roller. The work should be done under good drying conditions in the temperature range of 40° to 90° F. Two coats are recommended for best antifouling protection.

**Thinner:** Use odorless mineral spirits sparingly if necessary.

**Drying Times:** Let the first coat dry for between two and four hours before applying the second coat. After application of second coat allow at least four hours drying time before launching. Under adverse drying conditions let the boat dry overnight to be sure the solvent has evaporated from the paint film.

### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited.

### PESTICIDE DISPOSAL

Pesticide wastes are toxic. Paint that cannot be used according to label instructions must be disposed of according to federal, state or local procedures under the Resources Conservation and Recovery Act.

### CONTAINER DISPOSAL

Dispose of container by triple rinsing and recycling or by other approved state and local procedures.

ACCEPTED  
WITH COMMENTS  
In EPA Label Draft  
MAR 29 1984  
Under the Federal Insecticide,  
Fungicide, and Rodenticide Act  
as amended, for the Pesticide  
Registration under EPA Reg. No.  
64684-1

6/9

NO-FOUL-WB  
Part A

ANTI FOULING PAINT FOR BOAT BOTTOMS  
TRIM TABS, IO UNITS

Blue

Part A

Active Ingredient:		
Zinc Oxide	.....	10.12%
Inert Ingredients	.....	89.88%

Parts A and B combined

Active Ingredients:		
Zinc dust	.....	25.6%
Zinc Oxide	.....	6.7%
Inert Ingredients	.....	67.7%
		-----
		100.0%

Equivalent to 31.0% metallic zinc

KEEP OUT OF REACH OF CHILDREN

CAUTION

See side panel for additional precautions and the Statement of Practical Treatment.

Net Contents: 1 Gal.  
EPA Registration No. 64684-2  
EPA Establishment No.

ACCEPTED  
with COMMENTS  
in EPA Letter Dated:

MAR 29 1994

Manufactured by:  
E Paint Co.  
Box 291  
Buzzards Bay, Mass 02532

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act  
as amended, for the pesticide  
registered under EPA Reg. No.

64684-2

PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMAN AND DOMESTIC ANIMALS  
KEEP OUT OF REACH OF CHILDREN

7/9

CAUTION: Causes eye irritation. Harmful if absorbed through skin. Avoid contact with skin, eyes or clothing. Wear protective clothing such as gloves, longsleeved cotton shirt, long pants and hat. May be fatal if swallowed or inhaled. Do not breathe sanding dust, vapor spray mist. Wear NIOSH/MSHA certified mask or respirator. Use adequate ventilation. Remove contaminated clothing and wash before reuse. Wash thoroughly with soap and water after handling.

STATEMENT OF PRACTICAL TREATMENT

If Swallowed: Drink promptly a large quantity of water. Avoid alcohol. Get medical attention.

If In Eyes: Flush with plenty of water. Call a physician if irritation persists.

If Inhaled: Remove victim to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth. Get medical attention.

If On Skin: Wash with plenty of soap and water. Get medical attention. STATEMENT OF PRACTICAL TREATMENT

ENVIRONMENTAL HAZARDS

This pesticide is toxic to aquatic organisms including fish and shellfish. Do not apply directly to water by cleaning of equipment or disposal of wastes. Do not allow chips and dusts generated during paint removal to enter water. Dispose of all paint debris in an approved landfill.

This Product is intended for commercial and recreational use.

ACCEPTED  
with COMMENTS  
in EPA Letter Dated:

MAR 29 1994

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act  
as amended, for the pesticide  
registered under EPA Reg. No.

64684-2

DIRECTIONS FOR USE

8/9

It is a violation of federal law to use this product in a manner that is inconsistent with its labeling.

May be used in fresh or salt water. Use on outboard motors, trim tabs lower IO units and the bottom of vessels is recommended.

Directions for mixing: Mix contents of container A and container B together. Stir until thoroughly mixed before using. Use immediately.

Preparation of Surfaces: The surface to be painted should be dry, clean and oil-free. It should be properly prepared by solvent cleaning and/or sanding before any primers or paints are applied. Follow the recommended systems below. Bare metal surfaces should be primed prior to application. When sanding old antifouling paint, use a face mask to prevent inhalation of sand or dust.

Application and Temperatures: No Foul WB can be applied by using brush or roller. The work should be done under good drying conditions in the temperature range of 40° to 90° F. Two coats are recommended for best antifouling protection.

Thinner: Use odorless mineral spirits sparingly if necessary.

Drying Times: Let the first coat dry for between two and four hours before applying the second coat. After application of second coat allow at least four hours drying time before launching. Under adverse drying conditions let the boat dry overnight to be sure that all of the solvent has evaporated from the paint film.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited.

PESTICIDE DISPOSAL

Pesticide wastes are toxic. Paint that cannot be used according to label instructions must be disposed of according to federal, state or local procedures under the Resources Conservation and Recovery Act.

CONTAINER DISPOSAL

Dispose of container by triple rinsing and recycling or by other approved state and local procedures.

ACCEPTED  
with COMMENTS  
in EPA Letter Dated:

MAR 29 1994

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act  
as amended, for the pesticide  
registered under EPA Reg. No.

64684-2



9/9

NO-FOUL-WB  
Part B

ANTIFOULING PAINT FOR BOAT BOTTOMS  
TRIM TABS, 10 UNITS

Active Ingredient:	
Zinc Dust	75.4%
Inert Ingredients	24.6%
	100.0%

KEEP OUT OF REACH OF CHILDREN

CAUTION

See Part A label for additional precautions.

Directions For Use

Mix the contents of this container with No Foul WB Part A immediately prior to use. Refer to Part A label for complete Directions for Use.

DISPOSAL

Do not reuse empty container. Wrap and place in trash collection

Net Contents:

EPA Registration No. 64684-2

EPA Establishment No.

Manufactured by:

E Paint Co.

Box 291

Buzzards Bay, Mass 02532

ACCEPTED  
with COMMENTS  
in EPA Letter Dated:

MAR 29 1994

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act  
as amended, for the pesticide  
registered under EPA Reg. No.

64684-2