

64684-4

06/08/2005

1/3



U.S. ENVIRONMENTAL PROTECTION AGENCY
Office of Pesticide Programs
Antimicrobials Division (7510C)
1200 Pennsylvania Avenue, N.W.
Washington, D.C. 20460

EPA Reg. Number:
64684-4

Date of Issuance:
JUN 08 2005

NOTICE OF PESTICIDE:

Registration
 Re-registration

Term of Issuance:
**Time Limited; expires
midnight on 9/30/06**

Name of Pesticide Product:
"E Paint ZO"

(under FIFRA, as amended)

Name and Address of Registrant (include ZIP code):

E Paint Company
25 Research Road
E. Falmouth, MA 02536

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Antimicrobials Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA Section 3(c)(7)(A) provided you:

1. Submit and/or cite all data required for registration of your product under FIFRA Section 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for re-registration of your product under FIFRA Section 4.
2. The following submitted data must be found acceptable.

73-1 Whole sediment acute freshwater invertebrate

73-2 Whole sediment acute marine invertebrate

850.5400 Marine diatom Skeletonema costatum

850.4225 Seedling emergence in rice

850.5400 Vegetative vigor dose response in rice

Signature of Approving Official:

Marshall Swindell, Product Manager, Team 33,
Regulatory Management Branch I,
Antimicrobials Division

Date:

JUN 08 2005

3. Submit by 1/1/05, data to satisfy the following requirements.

875.1100 Dermal exposure - outdoor

875.1300 Inhalation exposure - outdoor

4. Submit the following "reserved" studies within 12 months of the date of the Agency's written request for these data. The need for these reserved data will be based upon the results of one or more of the above studies as determined by the Agency.


- GLN 72-5 Fish Life Cycle
- GLN 72-7 Simulated or actual field testing for aquatic organisms
- GLN 71-4 Avian Reproduction
- GLN 73-3 Acute Pore Water Studies (fish and invertebrates)
- GLN 74-1 Whole Sediment Chronic Study (invertebrates)
- Special Study: Monitoring of Representative U.S. Waters
- GLN 162-1 Aerobic Soil Metabolism
- GLN 162-2 Anaerobic Soil Metabolism
- GLN 164-2 Aquatic Field Study
- GLN 165-5 Accumulation Study (Nontarget organism)
- GLN (Not Assigned) Monitoring of Representative US Waters

This conditional registration will expire automatically on 9/30/06. If you fail to satisfy the conditions imposed in this registration, EPA may issue a Notice of Intent to Cancel under Section 6(e) of FIFRA. Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label stamped "accepted with comments" is enclosed for your records.

If you have any questions concerning this letter, please contact myself at 703-308-6341, or Tony Kish at (703) 308-9443.

Sincerely,



Marshall Swindell
Product Manager 33
Regulatory Management Branch 1
Antimicrobial Division(7510C)

Enclosure

ACCEPTED
with COMMENTS
in EPA Letter Dated:

JUN 08 2005

Under the Federal Insecticide,
Fungicide, and Rodenticide Act as
amended, for the pesticide,
registered under EPA Reg. No.

64684-4

Manufactured by:
E Paint Company
25 Research Road
E. Falmouth, MA 02536

U.S. Patent # 5,979,877; Int. Pat. # 02/200,000

DISCLAIMER: The effectiveness of any coating system depends on many factors outside the control of E. Paint Company including surface preparation, proper application, and environmental conditions. Therefore, E Paint Company cannot guarantee this product's suitability for your particular purpose or application. IMPLIED WARRANTIES OF FITNESS FOR A PARTICULAR PURPOSE AND OF MERCHANTABILITY ARE EXCLUDED. E PAINT COMPANY SHALL NOT BE LIABLE FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES by purchase or use of this product. Buyer agrees that the sole and exclusive remedy if any is limited to refund of the purchase price or replacement of the product at E. Paint Company's option.

EP-NO

Epaint®

E Paint ZO

Antifouling Paint for Boat Bottoms
With Zinc Pyrrhione

DANGER - KEEP OUT OF REACH OF CHILDREN
SEE BACK PANEL FOR ADDITIONAL PRECAUTIONS
AND STATEMENT OF PRACTICAL TREATMENT

Active Ingredients
Zinc Pyrrhione 4.8%
Inert Ingredients 95.2%
100.0%

NET CONTENTS:
ONE U.S. QUART (946 LITER)

Contains Petroleum Distillates
EPA Reg. No. 64684-4
EPA Establishment No. 71223-OH-1

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner that is inconsistent with its labeling. May be used in fresh or salt water, use on the bottom of vessels is recommended. This paint is intended for use on commercial and recreational vessels.

Directions for mixing: Mix contents of container. Stir until thoroughly mixed before using. Use immediately.

Preparation of Surface: The surface to be painted should be dry, clean and oil free. It should be properly prepared by solvent cleaning and/or sanding before any primers or paints are applied. Follow the recommended systems below. Bare metal surfaces should be primed prior to application. When sanding old antifouling paint, use a face mask to prevent inhalation of sanding dust. Clean up with EP-13.

Application and Temperature: E Paint ZO can be applied by spray, brush or roller. The application should be done under good drying conditions in the temperature range of 50 to 90°F. These coats are recommended for best antifouling protection.

For application by residential (non-commercial) users: Do not apply by aerosol sprayer. Do not apply more than one coat of this product within 24 hours. Apply only in outdoor, non-enclosed spaces.

Drying Times: Let the first coat dry for four hours at 70 degrees before applying next coat. After application of the third coat allow at least 15 hours drying time at 70 degrees before launching. Under adverse drying conditions allow paint to dry overnight to be sure that all of the solvent has evaporated. See technical data sheets for additional details. Thinning not recommended.

FIRST AID

If Inhaled

- Move person to fresh air.
- If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.
- Call a poison control center or doctor for further treatment advice.

If on skin

- Take off contaminated clothing.
- Rinse skin immediately with plenty of water for 15-20 minutes.
- Call a poison control center or doctor for further treatment advice.

If in eye

- Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after, not 5 minutes, then continue rinsing eye.
- Call a poison control center or doctor for further treatment advice.

If swallowed

- Call a poison control center or doctor immediately for treatment advice.
- Do not induce vomiting unless told to by the poison control center or doctor.
- Do not give any liquid to the person.
- Do not give anything by mouth to an unconscious person.

IN CASE OF EMERGENCY CALL: 800-424-9300

Note to Physician - Probable mucosal damage may contraindicate the use of gastric lavage.

CONSUME through the may cause clothing, Do and water, ing and wear Resistant to resilient th sleeveless ing or bare with an op (MSHA/NIOSH) an organic Commerc Street, pri and long pe sanding or wapor remo number 10 Do not store exposed to aminate w Dispose of safe to use try to label or the Hazard Contaminat. cleaning if ne ing if ave ions. Never

This product talking the in accordance System (e discharge, previously cleaning of rig paint n protective Systems