



U.S. ENVIRONMENTAL PROTECTION AGENCY

Office of Pesticide Programs  
Antimicrobials Division (7510C)  
1200 Pennsylvania Avenue NW  
Washington, D.C. 20460

NOTICE OF PESTICIDE:

- Registration
- Reregistration

(under FIFRA, as amended)

EPA  
Reg. Number:  
64684-4

Date of Issuance:  
SEP 14 2006

Term of Issuance Conditional,  
expires 09/30/07

Name of Pesticide Product: No Foul  
ZO

Name and Address of Registrant (include ZIP Code):

E Paint, Inc.  
25 Research Road  
E. Falmouth, MA 02536

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec 3(c)(7)(A) provided that you:

1. Submit and/or cite all data required for registration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for re-registration of your product under FIFRA section 4.
2. Make the labeling changes listed below before you release the product for shipment:
  - a. Add the phrase "EPA Registration Number 64684-4".

Signature of Approving Official:

Marshall Swindell  
Product Manager Team-33  
Regulatory Management Branch I  
Antimicrobials Division (7510P)

Date:

SEP 14 2006

- b. Under the "Directions for Use" section (just before the "Preparation" instructions) indicate that this paint is intended for use on commercial and recreational boats.
3. Submit the following "required" studies within 18 months (i.e., by 09-17-2001) of the date stamped of this notice of Conditional Registration:

Studies on the Zinc Omadine Technical Grade Active

**Ecological Effects:**

GLN 72-4 Fish Early Life Stage (Estuarine Fish Study)  
 GLN 73-1 Whole Sediment Acute, Freshwater Invertebrates  
 GLN 73-2 Whole Sediment Acute, Marine Invertebrates  
 GLN 123-2 Aquatic Plant Growth (4 species: Navicula, Anabaena, Lemma, Scenedesmus)  
 GLN 163-1 Soil Column  
 GLN 162-3 Anaerobic Aquatic Metabolism

**Toxicology Effects**

GLN 81-7 Acute Neurotoxicity-Hen  
 GLN 82-5 Subchronic 90 Day Neurotoxicity

**Exposure Effects**

GLN 875.1100 Dermal Exposure (Outdoor)  
 GLN 875.1600 Inhalation Exposure (Outdoor)  
 GLN 875.1300 Dermal Exposure (Indoor)  
 GLN 875.1400 Inhalation Exposure (Indoor)

4. Submit the following study within two and a half years (i.e., 9/17/2002) of the date stamped on this Notice of Conditional Registration.

GLN 83-4 Two Generation Reproduction (For residential Uses)

5. Submit the following "reserved" studies within 18 months of the date of the Agency's written request for these data. The need for these reserved data will be based upon the results of one or more of the above studies as determined by the Agency.

GLN 72-5 Fish Life Cycle  
 GLN 72-6 Aquatic organism bioavailability/biomagnifications/toxicity tests  
 GLN 72-7 Simulated or actual field testing for aquatic organisms  
 GLN 71-4 Avian Reproduction  
 GLN 73-3 Acute Pore Water Studies (fish and invertebrates)  
 GLN 74-1 Whole Sediment Chronic Study (invertebrates)  
 GLN 123-1 Seedling Emergence-Dose Response Test  
 Special Study: Monitoring of Representative U.S. Waters  
 GLN 162-1 Aerobic Soil Metabolism

- GLN 162-2 Anaerobic Soil Metabolism
- GLN 164-2 Aquatic Field Study
- GLN 165-4 Bioaccumulation(fish)
- GLN 165-5 Accumulation Study (Nontarget organism)
- GLN (Not Assigned) Monitoring of Representative US Water

This conditional registration will expire automatically on 3/17/2007. If you fail to satisfy the conditions imposed in the registration, EPA may issue a Notice of Registration to Cancel under Section 6(e) of FIFRA. Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

If you have any questions concerning this letter, please contact Karen M. Leavy-Munk at (703)-308-6237.

Sincerely,



Marshall Swindell  
Product Manager 33  
Regulatory Management Branch I  
Antimicrobial Division(7510P)

ACCEPTED  
with COMMENTS  
EPA Letter Dated:


SEP 14 2006

Under the Federal Insecticide,  
Fungicide and Rodenticide Act as  
amended, a marine antifouling  
registered under Reg. No.  
64684-4

Manufactured by:  
E Paint Company  
25 Research Road  
E. Falmouth, MA 02536

U.S. Patents #5,916,947  
#6,063,849

DISCLAIMER. The performance of  
any marine paint or coating depends  
on many factors outside the control  
of E Paint Company including sur-  
face preparation, proper application,  
and environmental conditions.  
Therefore, E Paint Company cannot  
guarantee this product's suitability  
for your particular purpose or appli-  
cation. IMPLIED WARRANTIES OF  
FITNESS FOR A PARTICULAR  
PURPOSE AND OF MERCHANTABILITY  
ARE HEREBY DISCLAIMED.



Pg. 1



*e*paint®


ACCEPTED  
with COMMENTS  
EPA Letter Dated:

SEP 14 2006  
Under the Federal Insecticide,  
Fungicide, and Rodenticide Act as  
amended, for the pesticide,  
registered under EPA Reg. No.

64684-4

# E Paint ZO

Antifouling Paint for Boat Bottoms  
With Zinc Omadine®



pg. 2

### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner that is inconsistent with its labeling. May be used in fresh or salt water use on the bottom of vessels is recommended. This paint is intended for use on commercial and recreational vessels.

**Directions for mixing:** Mix contents of container. Stir until thoroughly mixed before using. Use immediately.

**Preparation of Surface:** The surface to be painted should be dry, clean and oil free. It should be properly prepared by solvent cleaning and/or sanding before any primers or paints are applied. Follow the recommended systems below. Bare metal surfaces should be primed prior to application. When sanding old antifouling paint, use a face mask to prevent inhalation of sanding dust. Thinning not recommended. Clean up with EP-13.

**Application and Temperature:** E Paint ZO can be applied by spray, brush or roller. The work should be done under good drying conditions in the temperature range of 50 to 90°F. Three coats are recommended for best antifouling protection.

**For application by residential (non-commercial) users:** Do not apply by airless sprayer. Do not apply more than one coat of this product within 24 hours. Apply only in outdoor, non-enclosed spaces.

**Drying Times:** Let the first coat dry for four hours at 70 degrees before applying next coat. After application of the third coat allow at least 15 hours drying time at 70 degrees before launching. Under adverse drying conditions allow paint to dry overnight to be sure that all of the solvent has evaporated. See technical data sheets for additional details.

ACCEPTED  
with COMMENTS  
EPA Letter Dated:

SEP 14 2006

Under the Federal Insecticide,  
Fungicide and Rodenticide Act as  
amended by the pesticide,  
registered under EPA Reg. No.

64684-4

### FIRST AID

- If inhaled
  - Move person to fresh air
  - If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible
  - Call a poison control center or doctor for further treatment advice

---

- If on skin
  - Take off contaminated clothing
  - Rinse skin immediately with plenty of water for 15-20 minutes
  - Call a poison control center or doctor for further treatment advice

---

- If in eyes
  - Hold eye open and rinse slowly and gently with water for 15-20 minutes
  - Remove contact lenses, if present, after first 5 minutes, then continue rinsing eye
  - Call a poison control center or doctor for further treatment advice

---

- If swallowed
  - Call a poison control center or doctor immediately for treatment advice
  - Do not induce vomiting unless told to do so by the poison control center or doctor.
  - Do not give any liquid to the person.
  - Do not give anything by mouth to an unconscious person.

**IN CASE OF EMERGENCY CALL: 800-424-9300**

**Note to Physician** • Probable mucosal damage may contraindicate the use of gastric lavage

**PRECAUTIONARY STATEMENTS**  
**HAZARD TO HUMANS AND DOMESTIC ANIMALS**  
**KEEP OUT OF REACH OF CHILDREN**

**CORROSIVE:** Causes irreversible eye damage. Harmful if swallowed or absorbed through the skin. May be fatal if inhaled. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Do not get in eyes, on skin, or on clothing. Do not breathe vapor or spray mist. Wash thoroughly after handling with soap and water, and before eating, drinking or using tobacco. Remove contaminated clothing and wash clothing before reuse. When mixing and loading, or cleaning equipment wear a chemical resistant apron.

**Residential PPE:** Residential (non-commercial) users are advised to wear chemical resistant gloves, protective eyewear (goggles, safety glasses or face shield), long-sleeved shirt and long pants, socks, and shoes. While removing existing paint by sanding or blasting, or applying new paint by brush or roller, it is advised to wear a respirator with an organic vapor removing cartridge with a prefilter approved for pesticides (MSHA/NIOSH approval number prefix TC-23C), or a canister approved for pesticides (MSHA/NIOSH approval number TC-14G), or a NIOSH approved full face respirator with an organic vapor removing cartridge with a P-100 prefilter.

**Commercial PPE:** Users must wear a disposable coverall with hood, chemical resistant gloves, protective eyewear (goggles, safety glasses or face shield), long sleeved shirt and long pants, socks, and chemical resistant footwear. While removing existing paint by sanding or blasting, or applying new paint, user must wear a respirator with an organic vapor removing cartridge with a prefilter approved for pesticides (MSHA/NIOSH approval number prefix TC-23C), or a canister approved for pesticides (MSHA/NIOSH approval number TC-14G), or a NIOSH approved full face respirator with an organic vapor removing cartridge with a P-100 prefilter.

**STORAGE & DISPOSAL**

Do not store near heat source or open flames. Containers are hazardous when empty. Emptied containers retain product residue (vapors and/or liquid). Residual vapors may explode or ignite; do not cut, drill, grind, or weld on or near this container. Do not contaminate water, food or feed by storage, disposal, or cleaning of equipment.

**Pesticide Disposal:** Pesticide wastes are hazardous. Improper disposal of excess pesticide or rinse is a violation of Federal Law. If these wastes cannot be disposed of by user according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance. **Container Disposal:** If empty, do not reuse this container. Place in trash or offer for recycling if available. If partly filled, call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

**ENVIRONMENTAL HAZARDS**

This pesticide is toxic to fish and aquatic invertebrates. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Offices of the EPA. Do not apply directly to water by cleaning of equipment or disposal of wastes. Do not allow chips and dust generated during paint removal to enter water. Dispose of paint debris in an approved landfill. Wear protective clothing and respirator in accordance with the Precautionary Statements above when handling, painting or removing this paint.

**ACCEPTED**  
**with COMMENTS**  
**EPA Letter Dated:**  
**SEP 14 2006**

Under the Federal Insecticide, Fungicide and Rodenticide Act as amended, the pesticide, registered under EPA Reg. No.

64684-4