UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WOV 18 2008 WASHINGTON, D.C. 20460



United States Environmental Protection Office of Pesticide Programs Agency

E Paint Company 25 Research Road East Falmouth, MA 02536

Attention: Kimberly Fontaine-Goodwin

Subject:

E Paint ZO

EPA Registration No. 64684-4 Notification Dated October 7, 2008

This will acknowledge receipt of your notification to include an EPA Establishment Number on the product labeling, submitted under the provisions of FIFRA Section 3(c)(9). Based on a review of the submitted material, the following comments apply.

The Notification dated October 7, 2008 is in compliance with PR Notice 98-10 and is acceptable. The information has been added to your file.

If you have any questions concerning this letter, please contact Martha Terry at (703) 308-6217.

Sincerely

Marshåll Swindell

Product Manager (33)

Regulatory Management Branch 1 Antimorobials Division (7510P)

Please road instructions on reverse before comp	lating form.	Form Appro	vod. OMB No. 207	0-0060, Appreyel expires 2-21
United States Environmental Protection Age Washington, DC 20460		gency	Registration Amendme Other	OPP Idontifier Number
	Application for	r Pesticide - Sectio	in I	
1. Company/Product Number 64684-4		2. EPA Product Managor Marshall Swindell		3. Proposed Classification
4. Company/Product (Name) E Paint ZO	•	PM# 33		X None Restricted
5. Name and Address of Applicant <i>(Include ZIP C</i> E Paint Company 25 Research Road East Falmouth, MA 02536	ode)	(b)(i), my product is s to: 64684 EPA Reg. No.	imilar or identical i 1-4	with FIFRA Section 3(c)(3) n composition and labeling
Check if this is a new address	;;	Product Name		
	Se	ection - II		
Amendment - Explain below. Resubmission in response to Agency letter Notification - Explain below.	deted	Final printed lat Agency letter d "Me Too" Appli Other - Explain	cation.	
This form is to notify the EPA th MA-001 on our product labels. T Establishment Number 71223-Ol label other than the use of our alt	his label is in add H-1. The label ha	lition to our current p s no modifications to	roduct label wh	ich uses EPA
	Sec	ction - III		
1. Meterial This Product Will Be Packaged In:				
Child-Resistant Packaging Yes No Unit Packaging Yes X No	Yes X		Auble Packaging 2. Type of Container X Motal Plastic Glass No. per Paper	
Certification must be submitted "Yes" Unit Packaging wgt.		os" No. per age wgt container		r (Specify)
3. Location of Not Contents Information X Label	4. Sizo(s) Rotoil Conto Pint, Quart, Gallon, 5G	allon,55Gallon Drum	Ocation of Label Dire On Label On Labeling acco	
6. Mannor in Which Label is Affixed to Product	Lithograph Paper plued Stenciled	Other		
	Sec	tion - IV		i coor
1. Contact Point (Complete items directly below f	or identification of indi	vidual to be contacted, if nec	cossary, to processed	his application.)
Name Kimberly Fontaine-Goodwin	Title Operati	ons Manager	ij Teloph	oño No. (Include Area Code)
I certify that the statements I have made on Lacknowledge that any knowlingly false or both under applicable law.	Certification this form and all attac misleading statement r	hments thereto are true, acc nay be punishable by fine or	urate and complete.	6. Date Application Received (Stamped)
Kimbery (x total)				
Kembele A. Typod Name	Operati 5. Date	ons Manager		



February 22, 2000

PM #33 US EPA, OPP Antimicrobials Division Mr. Marshall Swindell 7510 P One Potomac Yard/2777 South Crystal Drive Arlington, VA 22202

In support of Notification dated 10/7/2008 for EPA# 64684-4.

Notification per PR Notice 98-10 Labeling Notifications

This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Sincerely,

Rimbelry Tontaine Goodwin

Kimberly Fontaine-Goodwin



Manufactured by: E Paint Company 25 Research Road E. Falmouth, MA 02536

U.S. Patents #5,916,947 #6,063,849

DISCLAIMER: The performance of any marme paint or coating depends on many factors outside the control of E-Paint Company, including surface, preparation proper application, and environmental conditions. Therefore, E-Paint Company, cannot guarantee this product's suitability for your particulal purpose or application. IMPLIED WAR RANTIES OF ETIMESSICE A PARTICULAR PURPOSE AND MERCANTABILITY ARE SELECTIONAL ASSISTED AND MERCANTABILITY AND MERCANTABIL



Epaint ZO

Antifouling Paint for Boat Bottoms
With Zinc Omadine®

DANGER, KEEP OUT OF REACH OF CHUCKEN

Active therediens Zinc Pyrthionesis

MENGONTENIS:

letrolleite Paroleim vistila Erangel, Neterleisen v EPA Eraolisingstilbe 646

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner that is inconsistent with its labeling. May be used in fresh or salt water, use on the bottom of vessels is recommended. This paint is intended for use on commercial and recreational vessels.

Directions for mixing: Mix contents of container. Stir until thoroughly mixed before using. Use immediately.

Preparation of Surface: The surface to be painted should be dry, clean and oil free. It should be properly prepared by solvent cleaning and/or sanding before any primers or paints are applied. Follow the recommended systems below. Bare metal surfaces should be primed prior to application. When sanding old antifouling paint, use a face mask to prevent inhalation of sanding dust. Thinning not recommended. Clean up with EP-13.

Application and Temperature: E Paint ZO can be applied by spray, brush or roller. The work should be done under good drying conditions in the temperature range of 50 to 90°F. Three coats are recommended for best antifouling protection.

For application by residential (non-commercial) users: Do not apply by airless sprayer. Do not apply more than one coat of this product within 24 hours. Apply only in outdoor, non-enclosed spaces.

Drying Times: Let the first coat dry for four hours at 70 degrees before applying next coat. After application of the third coat allow at least 15 hours drying time at 70 degrees before launching. Under adverse drying conditions allow paint to dry overnight to be sure that all of the solvent has evaporated. See technical data sheets for additional details.

FIRST AID

If inhaled

- · Move person to fresh air.
- If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.
- · Call a poison control center or doctor for further treatment advice.

If on skin

- Take off contaminated clothing.
- Rinse skin immediately with plenty of water for 15-20 minutes.
- Call a poison control center or doctor for further treatment advice.

If in eyes

- Hold eye open and rinse slowly and gently with water for 15-20 minutes.
- · Remove contact lenses, if present, after first 5 minutes, then continue rinsina eve.
- Call a poison control center or doctor for further treatment

- If swallowed . Call a poison control center or doctor immediately for treatment advice.
 - . Do not induce vomiting unless told to do so by the poison control center
 - . Do not give any liquid to the person.
 - · Do not give anything by mouth to an unconscious person.

IN CASE OF EMERGENCY CALL: 800-424-9300

Note to Physician Probable mucosal damage may contraindicate the use of gastric lavage.

PRECAUTIONARY STATEMENTS

HAZARD TO HUMANS AND DOMESTIC ANIMALS KEEP OUT OF REACH OF CHILDREN

CORROSIVE: Causes irreversible eve damage. Harmful if swallowed or absorbed. through the skin. May be fatal if inhaled. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Do not get in eyes, on skin, or on clothing. Do not breathe vapor or spray mist. Wash thoroughly after handling with soap and water, and before eating, drinking or using tobacco. Remove contaminated clothing and wash clothing before reuse. When mixing and loading, or cleaning equipment, wear a chemical resistant apron.

Residential PPE: Residential (non-commercial) users are advised to wear chemical resistant gloves, protective eyewear (goggles, safety glasses or face shield), longsleeved shirt and long pants, socks, and shoes. While removing existing paint by sanding or blasting, or applying new paint by brush or roller, it is advised to wear a respirator with an organic vapor removing cartridge with a prefilter approved for pesticides (MSHA/NIOSH approval number prefix TC-23C), or a canister approved for pesticides (MSHA/NIOSH approval number TC-14G), or a NIOSH approved full face respirator with an organic vapor removing cartridge with a P-100 prefilter.

Commercial PPE: Users must wear a disposable coverall with hood, chemical resistant gloves, protective eyewear (goggles, safety glasses or face shield), long-sleeved shirt and long pants, socks, and chemical resistant footwear. While removing existing paint by sanding or blasting, or applying new paint, user must wear a respirator with an organic vapor removing cartridge with a prefilter approved for pesticides (MSHA/NIOSH approval number prefix TC-23C), or a canister approved for pesticides (MSHA/NIOSH approval number TC-14G), or a NIOSH approved full face respirator with an organic vapor removing cartridge with a P-100 prefilter.

STORAGE & DISPOSAL

Do not store near heat source or open flames. Containers are hazardous when empty. Emptied containers retain product residue (vapors and/or liquid). Residual vapors may explode or ignite; do not cut, drill, grind, or weld on or near this container. Do not contaminate water, food or feed by storage, disposal, or cleaning of equipment.

Pesticide Disposal: Pesticide wastes are hazardous. Improper disposal of excess pesticide or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance. Container Disposal: If empty, do not reuse this container. Place in trash or offer for recycling if available. If partly filled, call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and aquatic invertebrates. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Offices of the EPA. Do not apply directly to water by cleaning of equipment or disposal of wastes. Do not allow chips and dust generated during paint removal to enter water. Dispose of paint debris in an approved landfill. Wear protective clothing and respirator in accordance with the Precautionary Statements above when handling, painting or removing this paint.

