

64684-6

02/01/2013

1/4



U.S. ENVIRONMENTAL PROTECTION AGENCY

Office of Pesticide Programs
Antimicrobials Division (7510P)
1200 Pennsylvania Avenue NW
Washington, D.C. 20460

EPA Reg. Number: 64684-6

Date of Issuance: FEB 1 2013

Term of Issuance: Conditional

Expires on 3/30/2015

Name of Pesticide Product: EP 2000

NOTICE OF PESTICIDE:

X Registration
Reregistration

(under FIFRA, as amended)

Name and Address of Registrant (include ZIP Code):

E Paint, Inc.
25 Research Road
E. Falmouth, MA 02536

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/re-registered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec 3(c)(7)(a) provided that you:

- 1. Submit and/or cite all data required for registration of your product under FIFRA Section 3(c)(5) when the Agency required all registrants of similar products to submit such data; and submit acceptable responses required for re-registration of your product under FIFRA Section 4
2. Make the following labeling changes:
a. Revise the EPA Registration Number to read, "EPA Reg. No. 64684-6."

Signature of Approving Official:

Marshall Swindell
Product Manager Team-33
Regulatory Management Branch I
Antimicrobials Division (7510P)

Handwritten signature of Marshall Swindell

Date:

FEB 1 2013

b. The following submitted data must be found acceptable:

- 1. 73-1 Whole sediment acute freshwater invertebrate
- 2. 73-2 Whole sediment acute marine invertebrate
- 3. 850.5400 Marine diatom *Skeletonema costatum*
- 4. 850.4225 Seedling emergency in rice
- 5. 850.5400 Vegetative vigor dose response in rice

c. Submit by 1/1/05 data to satisfy the following two requirements:

- 1. 875.1100 Dermal exposure – outdoor
- 2. 875.1300 Inhalation exposure-outdoor


d. Submit the following “reserved” studies within 12 months of the date of the Agency’s written request for these data. The need for these reserved data will be based upon the results of one or more of the above studies as determined by the Agency:

- 1. 72-5 Fish Life Cycle
- 2. 72-7 Simulated or actual field testing for aquatic organisms
- 3. 71-4 Avian Reproductions
- 4. 73-3 Acute Pore Water Studies (fish and invertebrates)
- 5. 74-1 Whole Sediment Chronic Study (invertebrates)
- 6. 123-1 Seedling Emergence – Dose Response Test, Special Study: Monitoring or Representative US Water
- 7. 162-1 Aerobic Soil Metabolism
- 8. 162-2 Anaerobic Soil Metabolism
- 9. 164-2 Aquatic Field Study
- 10. 165-5 Accumulation Study
- 11. Monitoring of Representative US Water (No Guideline No.)

This conditional registration will expire automatically on 9/20/2014. If you fail to satisfy the conditions imposed on the registration, EPA may issue a Notice of Registration to cancel under Section 6(e) of FIFRA.

3. Submit two copies of the revised final printed labeling before you release the product for shipment. Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the accepted label is enclosed for your records. Submit one (1) copy of your final printed labeling prior to release of this product for shipment. If you have any questions concerning this letter, please contact Demson Fuller at 703-308-8062.

Sincerely,

 Marshall Swindell
 Product Manager 33
 Regulatory Management Branch 1
 Antimicrobial Division (7510P)

Enclosure: (Stamped Label)

EP2000

Go Fast, Stay Clean *High Performance, Photoactive, Waterborne Antifouling Paint for Boat Bottoms.*

With ZINC OMADINE®

Manufactured by:
E Paint Company
25 Research Road
E. Falmouth, MA 02536
U.S. Patents #5,916,947 #6,063,849

Active Ingredients:	
Zinc Pyrithione.....	4.7%
Inert Ingredients.....	95.3%
	100.0%

EPA Registration No. 64684-6
EPA Establishment No. 64684-MA-001

DISCLAIMER: The performance of any marine paint or coating depends on many factors outside the control of E Paint Company including surface preparation, proper application, and environmental conditions. Therefore, E Paint Company cannot guarantee this product's suitability for your particular purpose or application. **IMPLIED WARRANTIES OF FITNESS FOR A PARTICULAR PURPOSE AND OF MERCHANTABILITY ARE EXCLUDED.** E PAINT COMPANY SHALL NOT, UNDER ANY CIRCUMSTANCES, BE LIABLE FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES. By purchase or use of this product, buyer agrees that the sole and exclusive remedy, if any, is limited to refund of the purchase price, or replacement of the product at E Paint Company's option.

DANGER: KEEP OUT OF REACH OF CHILDREN SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

NET CONTENTS: ONE U.S. GALLON (3.8 LITERS)

ACCEPTED

FEB 1 2013

Under The Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the products registered under EPA Reg. No. 64684-6

4/4

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner that is inconsistent with its labeling. May be used in fresh or salt water, use on the bottom of vessels is recommended.

This paint is intended for use on commercial and recreational vessels.

Preparation: Surfaces must be prepared according to instructions found in the EP2000 Technical Data Sheet, available for download at www.epaint.com.

Primer: All unpainted surfaces to be coated with EP2000 should be primed with EP-Prime 1000 to provide a fresh, clean substrate for EP2000 to adhere. Follow manufacturer's instructions regarding surface preparation and application of EP-Prime 1000 found in the Technical Data Sheet, available for download at www.epaint.com. After EP-Prime 1000 has fully cured, sand surface with 80-100 grit aluminum oxide sandpaper. Wipe surface with a damp cloth to remove stubborn contaminants and sanding debris. Failure to remove dust and sanding debris will result in adhesion failure.

Application: EP2000 may be applied by spraying, rolling or by using a foam brush. Rolling may cause minor surface imperfections such as pinholing. Only apply EP2000 to clean, dry, well prepared surfaces. **IMPORTANT:** Apply only at temperatures between 60-90°F. Be sure to follow dry-to-recoat and launch instructions.

For application by residential (non-commercial) users: Do not apply by airless sprayer. Do not apply more than one coat of this product within 24 hours. Apply only in outdoor, non-enclosed spaces.

Number of coats: Apply a minimum of two coats of EP2000. Apply an additional coat along the waterline and other high wear areas. **Thinning & Mixing:** For spraying, thin no more than 5% with water. Thinning is not recommended for brushing or rolling. To mix, stir the product thoroughly until a homogenous blend results. **CLEANING:** Clean up with water immediately, do not use solvents other than water.

Coverage: 275Sq.Ft/Gal at 2 mil dft Film thickness per coat: 4-6 wet mils to obtain 2-3 dft Dry-To-Recoat: 8 Hours @70°F (21°C) 50%RH Dry-To-Launch: 24 Hours @70°F (21°C) 50%RH

FIRST AID – CLASS 1

If inhaled • Move person to fresh air.

- If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.
- Call a poison control center or doctor for further treatment advice.

If on skin • Take off contaminated clothing.

- Rinse skin immediately with plenty of water for 15-20 minutes.
- Call a poison control center or doctor for further treatment advice.


If in eyes • Hold eye open and rinse slowly and gently with water for 15-20 minutes.

- Remove contact lenses, if present, after first 5 minutes, then continue rinsing eye.
- Call a poison control center or doctor for further treatment advice.

If swallowed • Call a poison control center or doctor immediately for treatment advice.

- Do not induce vomiting unless told to do so by the poison control center or doctor.
- Do not give any liquid to the person.
- Do not give anything by mouth to an unconscious person.

IN CASE OF EMERGENCY CALL: 800-424-9300



Note to Physician: Probable mucosal damage may contraindicate the use of gastric lavage.

PRECAUTIONARY STATEMENTS HAZARD TO HUMANS AND DOMESTIC ANIMALS KEEP OUT OF REACH OF CHILDREN

DANGER

CORROSIVE: Causes irreversible eye damage. Harmful if swallowed or absorbed through the skin. May be fatal if inhaled. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Do not get in eyes, on skin, or on clothing. Do not breathe vapor or spray mist. Wash thoroughly after handling with soap and water, and before eating, drinking or using tobacco. Remove contaminated clothing and wash clothing before reuse. When mixing and loading, or cleaning equipment, wear a chemical resistant apron.

Residential PPE: Residential (non-commercial) users are advised to wear chemical resistant gloves, protective eyewear (goggles, safety glasses or face shield), long-sleeved shirt and long pants, socks, and shoes. While removing existing paint by sanding or blasting, or applying new paint by brush or roller, it is advised to wear a respirator with an organic vapor removing cartridge with a prefilter approved for pesticides (MSHA/NIOSH approval number prefix TC-23C), or a canister approved for pesticides (MSHA/NIOSH approval number TC-14G), or a NIOSH approved full face respirator with an organic vapor removing cartridge with a P-100 prefilter.

Commercial PPE: Users must wear a disposable coverall with hood, chemical resistant gloves, protective eyewear (goggles, safety glasses or face shield), long-sleeved shirt and long pants, socks, and chemical resistant footwear. While removing existing paint by sanding or blasting, or applying new paint, user must wear a respirator with an organic vapor removing cartridge with a prefilter approved for pesticides (MSHA/NIOSH approval number prefix TC-23C), or a canister approved for pesticides (MSHA/NIOSH approval number TC-14G), or a NIOSH approved full face respirator with an organic vapor removing cartridge with a P-100 prefilter.

STORAGE AND DISPOSAL

Storage: Do not store near heat source or open flames. Containers are hazardous when empty. Emptied containers retain product residue (vapor and/or liquid). Residual vapors may explode or ignite; do not cut, drill, grind, or weld on or near this container. Do not contaminate water, food or feed by storage, disposal, or cleaning of equipment.

Pesticide Disposal: Pesticide wastes are hazardous. Improper disposal of excess pesticide or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Container Disposal: If empty do not reuse this container. Place in trash or offer for recycling if available. If partly filled, call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

ENVIRONMENTAL HAZARD

This pesticide is toxic to fish and aquatic invertebrates. Do not apply directly to water by cleaning of equipment or disposal of wastes. Do not allow chips and dust generated during paint removal to enter water. Dispose of paint debris in an approved landfill. Wear protective clothing and respirator in accordance with the Precautionary Statement above when handling, painting or removing this paint.