

64820-1

2/11/2013

1/8



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

FEB 11 2013


OFFICE OF
CHEMICAL SAFETY
AND POLLUTION PREVENTION

Ms. Kimberlee Young
Sashco, Inc.
c/o RegWest Company, LLC
8203 West 20th Street, Suite A
Greeley, CO 80634-4696

Dear Ms. Young:

The Agency is in receipt of your application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 dated January 30, 2013 for the product Core®. The Registration Division (RD) has conducted a review of the request for its applicability under PRN 98-10 and finds that the action(s) requested fall within the scope of PRN 98-10. The Confidential Statement of Formulas (CSF) and/or label submitted with the application has been stamped "Notification" and will be placed in our records.

If you have any questions, please contact Melody Banks on 703 305-5413 or via e-mail at banks.melody@epa.gov.

Sincerely,

Mark Suarez
Product Manager 13
Insecticide Branch
Registration Division (7504P)

United States Environmental Protection Agency 1200 Pennsylvania Avenue, N.W. Washington, DC 20460-0001	<input type="checkbox"/> Registration <input type="checkbox"/> Amendment <input checked="" type="checkbox"/> Other	OPP Identifier Number <h2 style="text-align: center;">Notification</h2>
--	---	--

Application for Pesticide – Section I

1. Company/Product Number EPA Reg. No. 64820-1	2. EPA Product Manager Mark Suarez	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/ Product (Name) Core®	PM # 13	
5. Name and Address of Applicant (Include ZIP Code) Sashco, Inc. c/o RegWest Company, LLC 8203 West 20th St., Suite A Greeley, CO 80634-4696 <input type="checkbox"/> Check if this is a new address		6. Expedited Review. In accordance with FIFRA Section 3(c)(3)(b)(i) my product is similar or identical in composition and labeling to: NOTIFICATION EPA Reg. No. FEB 13 2013 Product Name _____

Section – II

<input type="checkbox"/> Amendment – Explain below. <input type="checkbox"/> Resubmission in response to Agency letter dated _____ <input checked="" type="checkbox"/> Notification – Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____ <input type="checkbox"/> "Me Too" Application. <input type="checkbox"/> Other – Explain below.
--	---

Explanation: Use additional page(s) if necessary. (For Section I and Section II.)

Submit Label Revision Notification per PR Notice 98-10.
Refer to Reference Label for an illustration of all label revisions.

This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR § 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to the EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR § 152.46 this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Section – III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child Resistant Packaging <input type="checkbox"/> Yes* <input checked="" type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		<input type="checkbox"/> Metal	<input checked="" type="checkbox"/> Plastic
*Certification must be submitted		If "Yes" Unit Packaging Wt. No. Per Container	If "Yes" Packaging Wt. No. Per Container	<input type="checkbox"/> Glass	<input checked="" type="checkbox"/> Paper
3. Location of Net Contents Information <input checked="" type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container 14 and 25 pounds		5. Location of Label Directions <input checked="" type="checkbox"/> On Label <input type="checkbox"/> On Labeling Accompanying Product	
6. Manner in Which Label is Affixed to Product <input type="checkbox"/> Lithograph <input type="checkbox"/> Stenciled <input checked="" type="checkbox"/> Paper glued <input checked="" type="checkbox"/> Other Printed; Self-adhesive					


Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application).

Name Kimberlee Young (formerly: Kim Davis)	Title Consultant/Agent	Telephone No. (Include Area Code) 970.353.0611 kim@regwest.com
--	----------------------------------	--

Certification

I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.

2. Signature 	3. Title Consultant/Agent	6. Date Application Received (Stamped)
4. Typed Name Kimberlee Young (formerly: Kim Davis)	5. Date January 30, 2013	

9/8

CORE[®]TM

{ABN: PENETREAT}

[[Select marketing claims from "Marketing Claims" section]]

Active Ingredient:

Disodium Octaborate Tetrahydrate (CAS No. 12008-41-2)	98%
Other Ingredient	2%
Total	100%

Core is a Trademark of Sashco, Inc.
Tim Bor — Registered Trademark of U.S. Borax

NOTIFICATION

FEB 11 2011

Keep Out of Reach of Children

CAUTION

See back panel for First Aid and additional Precautionary Statements.

EPA Reg. No. 64820-1

EPA Est. 64820-CO-1

Net Contents: __ lbs. (__ kg.)
Yields: __ gallons of solution
{14 and 25 pounds}



{Back Panel}

First Aid

If Swallowed:	<ul style="list-style-type: none"> • Immediately call a poison control center or doctor for treatment advice. • Have person sip a glass of water, if able to swallow. • Do not induce vomiting unless told to do so by a poison control center or doctor. • Do not give anything by mouth to an unconscious person.
If in Eyes:	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
<p>In case of emergency or for additional information call 1-800-767-5656. Have the product container or label with you when calling a poison control center or doctor or going for treatment.</p>	

{Note: The First Aid statements' grid format will be used if market space permits; otherwise a paragraph format will be used.}

5/8

PRECAUTIONARY STATEMENTS

Hazards to Humans & Domestic Animals

CAUTION: Harmful if swallowed. Causes moderate eye irritation. Avoid contact with eyes or clothing. Thoroughly wash with soap and water after handling.

Personal Protective Equipment (PPE)

Mixers/loaders, applicators and other handlers must wear: Long-sleeved shirt and long pants, shoes plus socks, protective eyewear, chemical resistant gloves (such as barrier laminate, butyl rubber, nitrile rubber, neoprene rubber, polyvinyl chloride or viton) and a respirator with an organic vapor removing cartridge with a prefilter approved for pesticides (MSHA/NIOSH approval number prefix TC-14G) or a NIOSH approved respirator with an organic vapor (OV) cartridge or canister with any N, R, P or HE prefilter.

User Safety Requirements

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions exist for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

User Safety Recommendations

Users should wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Users should remove clothing immediately if pesticide gets inside. Then thoroughly wash and put on clean clothing. Users should remove personal protective equipment immediately after handling this product. Wash the outside of gloves before removing. As soon as possible thoroughly wash.

(Non-residential Environmental Hazards Directions:)

Environmental Hazards

This pesticide is toxic to fish and wildlife. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when cleaning equipment or disposing of equipment washwaters.

(Residential Environmental Hazards Directions:)

Environmental Hazards

This pesticide is toxic to fish and wildlife. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain do not blow or wash pesticide away from the treatment area. Rinsing application equipment over the treated area will help avoid run off to water bodies or drainage systems.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Simply mix Core™ with water to control fungal decay and: Anobiid Beetles (*Anobiidae*), Carpenter Ants (*Camponotus*), Dampwood Termites (*Zootermopsis*), Drywood Termites (*Kaloterms*, *Incisitermes*), Longhorn Beetles (*Cerambycidae*), Old House Borers (*Cerambycidae*), Powder Post Beetles (*Lyctidae*) and Subterranean Termites (*Reticulitermes*, *Coptotermes*).

Product Information

Where to Use

Use Core on all above-ground wood surfaces, including dimension logs, timbers, lumber, siding, etc. Wood subject to direct contact with moisture must be coated with a good water-repelling finish, such as Capture/Cascade or High Sierra Log & Deck Stain, after treating with Core.

Preparation

Core is mixed at the rate of 1 pound to 1 gallon of water and requires only mild stirring prior to application. (One pound of Core equals one loosely packed quart.) Wood must be bare; free of dirt, wax and surface finishes. Remove all previous coatings with high-pressure water, sandblasting or corncob blasting. Surface mold or mildew, or the stains they cause, should be removed prior to applying Core. This may be done by applying a 1:1 blend of water and household bleach, allow 30-60 minutes to soak, rinse and repeat. [For more aggressive and brighter cleaning, use Sashco's CPR Log Cleaner & Brightener and follow manufacturer's instructions. Best results will be obtained if the wood, after cleaning, is sprayed with clean water several times just prior to applying Core. This helps build up the moisture level in the outer shell of the wood and will help Core's penetration.] Allow wood to dry until just slightly damp before applying Core. Do not apply to frozen wood. Apply Core only when temperature is above 40°F.

Application Instructions

Methods of Application

Core may be applied by brushing, spraying, dipping, kerf-flooding or hole-flooding. Full immersion dipping yields the deepest and most complete protection, especially with large logs. Kerf-flooding, accompanied with brushing or spraying, yields nearly the same level of protection as dipping. Brushing or spraying can completely penetrate dimension lumber and can provide excellent "shell" protection for timbers and logs to a depth of 3/4" - which is adequate for most applications. Note: Diffusion of Core into the wood begins immediately and requires several weeks for completion.

Application

All application methods described below will yield a minimum retention level of 0.24 pounds per cubic foot boric acid equivalent (BAE) in the outer 3/4" of the wood.

Brushing or Spraying*: Apply Core at the rate of 1 mixed gallon per 150 ft.² of wood surface. Apply a second coat 4 to 24 hours later. Thoroughly soak cut ends. With "shell" protection in large logs or timbers, all pre-existing insect larvae may not be killed. Upon maturing they may emerge from the wood. Further insect infestations, however, will be prevented.

Kerf-Flooding and Spraying/Brushing*: Logs 9" in diameter and larger are often kerfed to control unwanted checking. When kerfing a log in the shape of a trough (with a 3/8" wide chain saw to a depth of 3"), just pour Core solution in the kerf. Fill the kerf at the rate of 15-20 linear feet per gallon. Let soak. It will take 1-2 days for the logs to absorb all the liquid. Protection may also be gained by pouring powdered Core into the kerf (0.2 to 0.3 pounds per linear foot). Pour water into the kerf to dissolve and carry the Core into the wood. Brush or spray the exterior of the logs after either of these methods (as described above). Hole-flooding is similar to kerf-flooding. Note: Be sure the kerf or holes do not affect the strength of the log.

Dipping: Dip logs or lumber in Core for 6-10 minutes, depending on log diameter. Let excess liquid drain back into tank, dip again 24 hours later. Cover wood with a tarp or place in a shed for at least 48 hours prior to coating with a good exterior finish such as Capture/Cascade or High Sierra Log & Deck Stain.

***Note**: Runoff from vertical walls may be contained by using plastic sheeting to form an accumulation basin. The trapped liquid may then be recycled and will be prevented from injuring nearby foliage.

After Applying Core

Core treated wood must be protected from direct contact with moisture or the active ingredient may leach out. It is best to wait at least 48 hours after applying Core to coat the wood with a water-repelling finish such as Capture/Cascade or High Sierra Log & Deck Stain.

Clean Up

Use soap and water to clean skin, equipment and clothing.

