

MAY 08 1996

Connie Steimie
Pace International LP
P.O. Box 558
Kirkland, WA 98033

Dear Ms. Steimie:

Subject: Revised labeling
Deadline 40
EPA Registration No. 64864-1
Amendment application of March 28, 1996

The amendment referred to above, submitted in connection with registration under Federal Insecticide, Fungicide and Rodenticide Act, is acceptable provided that you:

Under the precautionary statement for dogs delete the statement "since they may be attracted to this product when applied."

Submit five (5) copies of your final printed labeling before you release the product for shipment.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec 6 (e). Your release for shipment of the product bearing the amended labeling constitutes acceptance of these conditions.

A stamp copy of the labeling is enclosed for your records.

Sincerely yours,

DHE

Dennis H. Edwards, Jr.
Product Manager (19)
Insecticide Rodenticide Branch
Registration Division (7505C)

Enclosure

293

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application.

Do not apply directly onto plants.

Apply 3 to 4 gallons per acre. Apply every 3-4 weeks during growing season, or as needed.

Application of Deadline-40 can be easily made through a knapsack or backpack type sprayer or other similar applicators with spray tip and screens removed. For small areas, Deadline-40 can be applied direct from the gallon container. Larger field applicators are available of different designs. Consult your agricultural dealer or Pace International LP for more information.

Mollusks are nocturnal and feed and travel mostly during the night when soil is moist and humidity is higher. For best results, apply towards evening hours. Apply after rain or irrigation on moist soil surface. Do not apply on dry soil because slugs and snails are inactive, and this condition reduces the longevity of the product.

For any requirements specific to your state or tribe, consult the agency responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR Part 170. This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries and greenhouses and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 12 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is:

- Coveralls
- Chemical-resistant gloves, such as barrier laminate, nitrile rubber, neoprene rubber or viton.
- Shoes plus socks

AGRICULTURAL USE:

For slug control, apply Deadline-40 on the soil surface between the plant rows, or before crop plants emerge. Apply product as a series of nickel size drops or a short 1" - 2" strip, 12" to 15" apart. For snails, drops can be applied but it is best to apply Deadline-40 as strips, 12" to 18" long and 3/8" to 1/2" wide at 3 ft. intervals, or a solid line. A perimeter treatment around the field and in the non-crop area should also be included for added crop protection.

Field Crops: cereal grains, corn, soybeans, clover, mint, tobacco.

Seed Grasses: alfalfa, clover, flowers, grasses and vegetables grown for seed.

Vegetables: artichoke, asparagus, beans, beets, black-eyed peas, broccoli, brussels sprouts, cabbage, cantaloupe, carrots, cauliflower, celery, collards, corn, cowpeas, cucumbers, eggplants, endive, garlic, ginseng, horseradish, kale, kohlrabi, leeks, lettuce, melons, mustard greens, okra, onions, parsnips, peas, peppers, pimentos, potatoes, pumpkins, radishes, rhubarb, rutabagas, salsify, shallots, spinach, squash, sweet potatoes, swiss chard, tomatoes, turnips, watermelons.

Tree Crops: citrus, avocado, stone fruits, apples, pears, papaya and other tropical fruit trees and bananas. Apply between the tree rows, along the dripline of the tree, or around the trunk of the tree as drops, strips, or line as described above.

Small Fruits & Berries: blackberries, blueberries, boysenberries, caneberrries, loganberries, raspberries, strawberries, grapes, and prickly pear cactus. Apply between the crop rows or alongside the plants.

Please see right panel for continued directions.

Deadline-40

Patent No.

One Last Meal for Slugs & Snails

ACTIVE INGREDIENTS:

Metaldehyde (2, 4, 6, 8-Tetramethyl- 1, 3, 5, 7-Tetraoxycyclo-Octane)

INERT INGREDIENTS:

TOTAL:

EPA REG. NO. 64864-1

EPA EST. NO. 64864-WA-4

EASY TO USE

Ready-To-Use Formulation. No Water Dilution Required.

LONG LASTING

Remains effective after rain and watering.

Not Easily Dissipated By Water.

KEEP OUT OF REACH OF CHILDREN

CAUTION

STATEMENT OF PRACTICAL TREATMENT

If swallowed: Drink 1 or 2 glasses of water and induce vomiting by touching finger to back of throat. Do not induce vomiting or give anything by mouth to an unconscious person.

If in eyes: Flush with plenty of water for at least 15 minutes and get medical attention.

If on skin: Wash with soap and water for at least 15 minutes.

See side panel for additional precautionary statements.

NET CONTENTS: 5 Gallons



PACE INTERNATIONAL

P.O. BOX 558 • 500 7TH AVENUE SOUTH • KIRKLAND, WASHINGTON

OR USE

manner inconsistent with its labeling. Do not use on other persons, either directly or through indirect application.

Apply to plants.

Apply during growing season, or as needed.

Use a knapsack or backpack type sprayer or pump sprayer. For small areas, Deadline-40 can be applied with hand applicators. Different sized applicators are available of different sizes. Contact your local EPA office for more information.

Apply at night when soil is moist and humidity is high. Apply after rain or irrigation on moist soil. Slugs and snails are inactive, and this condition reduces their activity.

Contact your local EPA office for more information.

REQUIREMENTS

Complies with the Worker Protection Standard, which sets requirements for the protection of agricultural workers, handlers of agricultural pesticides, and handlers of agricultural pest management products, notification, and emergency response procedures pertaining to the statements of hazard (PE), and restricted-entry interval. The product that are covered by the Worker Protection Standard.

During the restricted entry interval (REI)

Permitted under the Worker Protection Standard for areas that have been treated, such as plants, soil,

Nitrile rubber, neoprene rubber or viton.

Apply between the plant rows, or before crop emergence, or a short 1"-2" strip, 12" to 15" apart. Apply Deadline-40 as strips, 12" to 18" long and apply after treatment around the field and in the garden.

Apply to tobacco, beans, peas, and other legumes grown for seed, green beans, green peas, green-eyed peas, broccoli, brussels sprouts, cauliflower, corn, cowpeas, cucumbers, eggplant, fennel, leeks, lettuce, melons, mustard, okra, potatoes, pumpkins, radishes, rhubarb, rutabagas, swiss chard, tomatoes, turnips, watermelons, and winter squash.

Apply to papaya and other tropical fruit trees and shrubs around the trunk of the tree, or around the trunk of the shrub.

Apply to raspberries, caneberries, loganberries, and blueberries. Apply between the crop rows or around the plants.

See side panel for additional precautionary statements.

Deadline-40

Patent No. 4,961,929

One Last Meal for Slugs & Snails

ACTIVE INGREDIENTS:

Metaldehyde (2, 4, 6, 8-Tetramethyl- 1, 3, 5, 7-Tetraoxocyclo-Octane) 4%

INERT INGREDIENTS: 96%

TOTAL: 100%

EPA REG. NO. 64864-1

EPA EST. NO. 64864-WA-4

EASY TO USE

Ready-To-Use Formulation. No Water Dilution Required.

ACCEPTED FOR REGISTRATION IN EPA Letter Board

LONG LASTING

Remains effective after rain and watering.

Not Easily Dissipated By Water

MAY 08 1993

KEEP OUT OF REACH OF CHILDREN

CAUTION

STATEMENT OF PRACTICAL TREATMENT

If swallowed: Drink 1 or 2 glasses of water and induce vomiting by touching finger to back of throat. Do not induce vomiting or give anything by mouth to an unconscious person.

If in eyes: Flush with plenty of water for at least 15 minutes and get medical attention.

If on skin: Wash with soap and water for at least 15 minutes.

See side panel for additional precautionary statements.

NET CONTENTS: 5 Gallons

DIRECTIONS (continued)

Turf & Ornamentals: Apply Deadline-40 as drops, strips, or lines on the soil around plants, border and perimeter areas, under or on nursery tables and supports, or on plant containers and flats. May be used within or around ornamental gardens, ground covers and in ornamental greenhouses for flowers, foliage plants and vegetable plants. Also appropriate for ornamentals grown in fields and containers, ornamental grasses, grasses grown for sod and as a perimeter treatment around turfgrass areas and dichondra, as well as around non-crop areas such as building foundations.

Applicator Cleanup: Wash containers and application equipment with water. Apply rinse solution to application sites.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. Use product only from original container & keep in locked storage area away from children & pets. Do not store near food, feed, fertilizers, other pesticides or seeds.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal: Triple rinse (or equivalent) empty container. Then offer for recycling or reconditioning, or puncture & dispose of in a sanitary landfill, or incineration, or if allowed by state & local authorities, by burning. If burned, stay out of smoke.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS CAUTION

Harmful if swallowed or absorbed through the skin. May cause eye irritation. Avoid contact with skin, eyes or clothing. This pesticide may be fatal to children if eaten. Keep out of reach of children, pets, poultry and livestock. This pesticide may be fatal to dogs or other pets if eaten. Keep dogs and other pets out of treated areas, since they may be attracted to this product when applied.

Personal Protection Equipment:

Some materials that are chemical-resistant to this product are listed below. If you want more information, follow the instructions for category E on an EPA chemical resistance category selection chart.

Applicators and other handlers must wear:

1. Coveralls
2. Chemical-resistant gloves, such as barrier laminate, nitrile rubber, neoprene rubber or viton.
3. Shoes plus socks

Follow manufacturers instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS USER SHOULD

- Wash hands before eating, drinking, chewing gum, using tobacco or using toilet.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

ENVIRONMENTAL HAZARDS: For terrestrial uses, do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high watermark. Do not contaminate water when disposing of equipment washwaters.

DEADLINE® is a registered trademark of Pace International LP. 032896 WPS



PACE INTERNATIONAL LP

BOX 558 • 500 7TH AVENUE SOUTH • KIRKLAND, WASHINGTON 98083 • USA • (206) 827-8711