

DEADLINE / DEADLINE 40

ACTIVE INGREDIENTS:

Metaldehyde (2, 4, 6, 8-Tetramethyl- 1, 3, 5, 7-Tetraoxycyclo-Octane) 4%

INERT INGREDIENTS: 96%

TOTAL: 100%

EPA REG. NO. 64864-1
EPA EST. NO. 64864-WA-1

One Last Meal for Slugs and Snails.

Contains a Patented Formula! Patent No. 4,961,929.

EASY TO USE Ready-To-Use Formulation. Convenient and easy to apply. No Water Dilution Required.

LONG LASTING Resistant to rain and watering. Remains effective after rain and watering. Rain will not easily dissipate Deadline/Deadline 40. Not Easily Dissipated By Water.

EFFECTIVE: Deadline/Deadline 40 Excels in attracting and destroying slugs and snails.

Easy-to-Store

Slug and Snail Killer, Liquid.

Apply only to soil. May stain masonry, decks, rock work.

27% Greater Active Ingredient Than Deadline Force 1.

The Garden Defender.

Permission to use the Mr. Yuk symbol given by Children's Hospital of Pittsburgh.

Keep Out Of Reach Of Children
CAUTION

This pesticide may be fatal to children and dogs or other pets if eaten. Keep children and pets out of treated areas. See side/back panel for additional precautionary statements.


Deadline is a registered trademark of PACE INTERNATIONAL LP

Manufactured by PACE INTERNATIONAL LP, 500 7th Ave. S., Kirkland, Washington 98033.

Made in USA.

Net Contents:

061198



2/4

CONSUMER USE TEXT

(Deadline)

For Easy Opening. If spout plugs: use toothpick to clear. USE IT ALL. When this product stops flowing, close spout, invert bottle, tap cap on hard surface to bring contents to spout, apply.

Convenient, clean and effective, this product resists rain. Put this product around tender shoots. A thin line of this product around the area you want to protect will keep new migrants from taking up residence in your yard.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

This product is specially formulated to attract and control snails and slugs. The presence of slugs and snails can be detected by their shiny-mucous trail. They are night feeders and prefer damp, cool places.

Apply this product in areas likely to be infested at the beginning of the spring planting season before damage occurs and as needed during periods of damp weather. Treat every 3 to 4 weeks or as need. During periods of high rainfall or frequent waterings, it may be necessary to treat more often.

If ground is dry, thoroughly water areas to be treated. For best results, apply in the evening around flowers, ornamental plants, vegetable gardens and lawn areas. Apply only to the soil surface around plants. Do not apply directly to plants. Do not mix with any seeds prior to application.

Flowers and Lawns: Flip up spout and lightly squeeze a line of drops 3 to 4 inches apart around flower beds and lawns edges. Apply any time, but preferably in early evening. Repeat applications as needed. When applying, occasionally turn bottle up-right to allow air to enter bottle.

Vegetable Gardens: Apply a line of drops 3 to 4 inches apart on soil between berry and vegetable plants. Do not apply this product directly onto plants.

This product can be used on the following crops:

Ornamentals: azaleas, begonias, camellias, chrysanthemums, daffodils, dahlias, daisies, geraniums, honeysuckle, hydrangeas, ice plant, impatiens, iris, marigolds, pansies, petunias, rhododendrons, roses, snapdragons, sweet peas, tulips.

Vegetables: artichokes, beans, beets, broccoli, brussels sprouts, cabbage, cantaloupe, carrots, cauliflower, celery, corn, cucumbers, lettuce, peas, peppers, radishes, rhubarb, spinach, squash, swiss chard, tomatoes.

Berries: cane berries, strawberries.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed or absorbed through the skin. May cause eye irritation. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling. This pesticide may be fatal to children and dogs or other pets if eaten. Keep children and pets out of treated areas.

STATEMENT OF PRACTICAL TREATMENT

If Swallowed: Do not induce vomiting. Seek medical assistance immediately.

If in Eyes: Flush eyes with plenty of water for at least 15 minutes and get medical attention immediately.

If on Skin: Wash thoroughly with soap and water.

ENVIRONMENTAL HAZARDS: Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes.

STORAGE AND DISPOSAL

STORAGE: Only use product from original container and keep in locked storage area away from children and pets.

PESTICIDE DISPOSAL: ~~Product~~ Securely wrap original container in several layers of newspaper and discard in trash. Dispose of any spills or piles that may occur. Do not leave excess product at application sites.

Container: Do not reuse container. Rinse thoroughly before discarding in trash.

NOTICE: User assumes all responsibility for safety and use not in accordance with label directions.

3/4

AGRICULTURAL USE TEXT

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS
CAUTION Harmful if swallowed or absorbed through the skin. May cause eye irritation. Avoid contact with skin, eyes or clothing. This pesticide may be fatal to children and dogs or other pets if eaten. Keep out of reach of children, and pets, poultry and livestock. Keep children, dogs and other pets out of treated areas.

STATEMENT OF PRACTICAL TREATMENT

If Swallowed: Do not induce vomiting. Seek medical assistance immediately.
If In Eyes: Flush eyes with plenty of water for at least 15 minutes and get medical attention immediately.
If on Skin: Wash thoroughly with soap and water.

Personal Protection Equipment: Some materials that are chemical-resistant to this product are listed below. If you want more options, follow the instructions for category E on an EPA chemical resistance category selection chart.

- Applicators and other handlers must wear.
1. Long sleeved shirt and long pants.
 2. Chemical-resistant gloves, such as barrier laminate, nitrile rubber, neoprene rubber or viton.
 3. Shoes plus socks

Follow manufacturers instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS
USER SHOULD

- Wash hands before eating, drinking, chewing gum, using tobacco or using toilet.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

ENVIRONMENTAL HAZARDS: For terrestrial uses, do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high watermark. Do not contaminate water when disposing of equipment washwaters.

STORAGE AND DISPOSAL

STORAGE: Do not contaminate water, food, or feed by storage or disposal. Use product only from original container & keep in locked storage area away from children & pets. Keep container tightly closed when not in use. Do not store near food or feed.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. Dispose of any piles or spills which may occur. Do not leave excess product at application sites.

Container Disposal: Triple rinse (or equivalent) empty container. Then offer for recycling or reconditioning, or puncture & dispose of in a sanitary landfill, or incineration, or if allowed by state & local authorities, by burning. If burned, stay out of smoke.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application.

DO NOT APPLY DIRECTLY ONTO PLANTS. DO NOT MIX WITH ANY SEEDS PRIOR TO APPLICATION. Apply 3 to 4 gallons per acre (8.6 LB / gal.). Apply every 3-4 weeks during growing season, or as needed.

For best results, apply in evening. Especially beneficial following rain or watering.

Application of this product can be easily made through a knapsack or backpack type sprayer or other similar applicators with spray tip and screens removed. For small areas, this product can be applied direct from the gallon container. Larger field applicators are available of different designs. Consult your agricultural dealer or Pace International LP for more information.

Mollusks are nocturnal and feed and travel mostly during the night when soil is moist and humidity is higher. For best results, apply towards evening hours. Apply after rain or irrigation on moist soil surface. Do not apply on dry soil because slugs and snails are inactive, and this condition reduces the longevity of the product.

4/4

For any requirements specific to your state or tribe, consult the agency responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR Part 170. This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard. Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 12 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is:

- Long sleeved shirt and long pants.
- Chemical-resistant gloves, such as barrier laminate, nitrile rubber, neoprene rubber or viton.
- Shoes plus socks

AGRICULTURAL USE:

For slug control, apply this product on the soil surface between the plant rows, or before crop plants emerge. Apply product as a series of nickel size drops or a short 1" - 2" strip, 12" to 15" apart. For snails, drops can be applied but it is best to apply Deadline-40 as strips, 12" to 18" long and 3/8" to 1/2" wide at 3 ft. intervals, or a solid line. A perimeter treatment around the field and in the non-crop area should also be included for added crop protection.

Field Crops: cereal grains, corn, soybeans, clover, mint, tobacco.

Seed Grasses: alfalfa, barley, clover, flowers, hay, oats, wheat, grasses and vegetables grown for seed.

Vegetables: artichoke, asparagus, beans, beets, black-eyed peas, broccoli, brussels sprouts, cabbage, cantaloupe, carrots, cauliflower, celery, collards, corn, cowpeas, cucumbers, eggplants, endive, garlic, ginseng,

horseradish, kale, kohirabi, leeks, lettuce, melons, mustard greens, okra, onions, parsnips, peas, peppers, pimentos, potatoes, pumpkins, radishes, rhubarb, rutabagas, salsify, shallots, spinach, squash, sweet potatoes, swiss chard, tomatoes, turnips, watermelons.

Tree Crops: citrus, avocado, stone fruits, apples, pears, papaya and other tropical fruit trees and bananas. Apply between the tree rows, along the dripline of the tree, or around the trunk of the tree as drops, strips, or line as described above. Apply a line of large drops on soil around drip line or around trunk of tree.

Small Fruits & Berries: blackberries, blueberries, boysenberries, cane berries, grapes, loganberries, raspberries, strawberries, and prickly pear cactus. Apply between the crop rows or alongside the plants.

Row Crops: Apply a line of large drops (size of dime), approximately 12 inches apart, on both sides of row. Place drops on soil in close proximity to plants.

Turf & Ornamentals: Apply this product as drops, strips, or lines on the soil around plants, border and perimeter areas, under or on nursery tables and supports, or on plant containers and flats. May be used within or around ornamental gardens, ground covers and in ornamental greenhouses for flowers, foliage plants and vegetable plants. Also appropriate for ornamentals grown in fields and containers, ornamental grasses, grasses grown for sod and as a perimeter treatment around turfgrass areas and dichondra, as well as around non-crop areas such as building foundations.

Ornamentals: azaleas, begonias, camellias, chrysanthemums, daffodils, dahlias, daisies, geraniums, honeysuckle, hydrangeas, ice plant, impatiens, iris, marigolds, pansies, petunias, rhododendrons, roses, snapdragons, sweet peas, tulips.

Applicator Cleanup: Wash containers and application equipment with water. Apply rinse solution to application sites.