



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
WASHINGTON, D.C. 20460

MAR 23 1994

OFFICE OF  
PREVENTION, PESTICIDES AND  
TOXIC SUBSTANCES

Vickie Dee  
PACE INTERNATIONAL, L.P.  
P.O. Box 558  
Kirkland, WA 98083

Subject: Label Amendment Submission of 09/15/93 in Response to PR Notice 93-7  
EPA Reg. No. 64864-2  
DEADLINE BULLETS

Dear Registrant:

The labeling cited above and submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, is accepted subject to the comments reflected on the enclosed sheet. A copy of your proposed labeling stamped "ACCEPTED WITH COMMENTS" is enclosed.

**WHAT THIS ACCEPTANCE MEANS:**

Based on your certification, the Agency has accepted the labeling changes that are necessary to comply with the Worker Protection Standard (WPS) labeling requirements of 40 CFR part 156, subpart K, described in PR Notices 93-7 and 93-11. Any other labeling changes submitted in connection with this amendment application but not directly related to compliance with the WPS have not been reviewed or accepted by the Agency. If you wish to make such changes, you must submit a separate amendment application proposing them. If your product is currently suspended, the acceptance of this labeling amendment does not affect the suspension in any way.

**WHAT YOU NEED TO DO NEXT:**

By the next label printing make all the specified changes to your labeling. Send to EPA one (1) copy of the final printed labeling:

- BEFORE selling or distributing any product bearing the final printed labeling
- AND
- WITHIN one year from date of this acceptance.



Recycled/Recyclable  
Printed with Soy/Canola Ink on paper that  
contains at least 50% recycled fiber


Submit the final printed labeling via the U.S. Postal Service to:

Document Processing Desk (FIN-LABEL)  
Office of Pesticide Programs (7505C)  
U.S. Environmental Protection Agency  
401 M Street, SW  
Washington, D.C. 20460-0001

Hand or courier deliveries of final printed labeling may be made to:

Document Processing Desk (FIN-LABEL)  
Office of Pesticide Programs  
Room 266A, Crystal Mall 2  
1921 Jefferson Davis Highway  
Arlington, VA 22202

Sincerely,

  
Jim Tompkins, Deputy Chief  
Registration Support Branch  
Registration Division (7505W)

Attachment

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
Office of Pesticide Programs  
Registration Division

Vickie Dee  
PACE INTERNATIONAL, L.P.  
BOX 558  
KIRKLAND WA 98083

Commer for: EPA Reg Nr.64864-2  
DEADLINE BULLETS

The following specific comments pertain to your WPS  
labeling submission concerning the product  
cited above:

Gloves are not required for applicators and other handlers  
because the dermal and skin toxicity levels are 4. Please  
refer to page 17 of the Main Labeling Guidance.

You must retain from your original label any statements  
about entry restrictions that apply to the non-agricultural  
uses on your product. Create a Non-Agricultural Use  
Requirements box in the Directions For Use section of your  
labeling and add the statements: "The requirements in this  
box apply to uses of this product that are NOT within the  
scope of the Worker Protection Standard for agricultural  
pesticides (40 CFR Part 170). The WPS applies when this  
product is used to produce agricultural plants on farms,  
forests, nurseries, or greenhouses." Then add to the box  
the statements that are in brackets [] on your original  
label. Please refer to the instructions for creating a  
Non-Agricultural Use Requirements box starting on page 45 of  
Supplement Three to PR Notice 93-7 (Main Labeling Guidance).

\*

# AGRICULTURAL USE

## DIRECTIONS FOR USE: AGRICULTURAL

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application.

For any requirements specific to your state or tribe, consult the agency responsible for pesticide regulation.

### AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR Part 170. This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 12 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is:

- Coveralls
- Waterproof gloves
- Shoes plus socks

Apply as a soil surface treatment. May be broadcast by air or ground equipment unless specified otherwise in the label. Use a band treatment between the rows after formation of edible parts. Do not contaminate edible portions of the plant. May be applied to the following crops to protect from slugs and snails.

**FIELD CROPS:** Cereal grains, corn, legumes, mint: Apply 10 to

40 lbs. per acre.

**SEED CROPS:** Sugar beets, flowers, grasses, vegetable and legume crops grown for seed: Apply 10 to 40 lbs. per acre.

**VEGETABLES:** Asparagus, beans, beets, black-eyed peas, broccoli, brussel sprouts, cabbage, cantaloupe, carrots, cauliflower, celery, collards, corn, cowpeas, cucumbers, eggplants, endive, garlic, ginger, horseradish, kale, kohlrabi, leeks, legumes, lettuce, melons, mustard greens, okra, onions, parsnips, peas, peppers, pimientos, potatoes, pumpkins, radishes, rhubarb, rutabagas, safsify, shallots, spinach, squash, sweet potatoes, swiss chard, tomatoes, turnips, watermelons:

Apply 20 to 40 lbs. per acre.

**Anchokes:** By air or ground application before tight bud stage, apply 25 to 70 lbs. per acre. After tight bud stage, apply by ground application only.

**TREE CROPS:** Citrus: Apply 20 to 40 lbs. per acre to give even distribution. Avocado, cherries, peaches, apricots, apples, pears: Apply 20 to 40 lbs. per acre.

**SMALL FRUIT:** Blackberries, blueberries, boysenberries, canberries, loganberries, raspberries, strawberries, grapes. Apply 10 to 40 lbs. per acre.

**TURF & ORNAMENTALS:** Ornamental greenhouses; ornamental planting, commercial ornamental nurseries, ground covers; turfgrass areas and grasses grown for sod; dichondra; and around home and building foundations: Normally apply 1/2 to 2 lbs. per 1,000 sq. ft. Repeat treatment as necessary to maintain control.

For best results, apply in evening. Especially beneficial, if applied following rain or watering. Apply every 3 to 4 weeks during growing season, or as needed.

DO NOT APPLY DIRECTLY TO EDIBLE PORTION OF THE PLANT.

### STORAGE AND DISPOSAL

**Storage:** Do not contaminate water, food, or feed by storage or disposal. Use product only from original container & keep in locked storage area away from children & pets. Do not store near food, feed, fertilizers, or other pesticides or seeds.

**Pesticide Disposal:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

**Container Disposal:** Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or if allowed by state & local authorities, by burning. If burned, stay out of smoke.

## PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS

### WARNING

Harmful if swallowed. Avoid breathing dust. May cause eye irritation. Avoid contact with skin, eyes, or clothing. This pesticide may be fatal to dogs or other pets if eaten. Keep pets out of treated areas.

#### Personal Protective Equipment

Applicators and other handlers must wear:

- Coveralls
- Waterproof gloves
- Shoes plus socks

# BEST AVAILABLE COPY

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

When handlers use closed systems, enclosed cabs, or aircraft in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240 (d) (4-5)], the handler PPE requirements may be reduced or modified as specified in the WPS.

### USER SAFETY RECOMMENDATIONS

User Should:

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

**ENVIRONMENTAL HAZARDS:** For terrestrial uses, do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters.

4 of 6

# Dead Bul

## One Last Meal for

ACCEPTED  
with COMMENTS  
In EPA Letter Dated

23

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act  
as amended, for the pesticide  
registered under EPA Reg. No.

64864-2

ACTIVE INGREDIENT:

Metaldehyde

(2, 4, 6, 8 - Tetramethyl-1, 3, 5, 7 - Tetraoxycy-

INERT INGREDIENTS: .....

EPA REG. NO.  
EPA EST. NO.

## AGRICULTURAL USE

### KEEP OUT OF REACH OF CHILDREN WARNING - AVISO

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle.  
(If you do not understand this label, find someone to explain it to you in detail.)

### STATEMENT OF PRA

If Swallowed: Drink 1 or 2 glasses of water and induce vomiting or give anything by mouth to an unconscious.  
If In Eyes: Flush eyes with plenty of water for at least 15 minutes.  
If On Skin: Wash thoroughly with soap and water.

See side panel for additio

#### EFFECTIVE

DEADLINE BULLETS excels at attract

#### LONG LASTING

Resistant to rain and watering. DEAD

PAGE 1/1  
Kirkland  
y

DEADLINE® is a register

NET CONT



**CONSUMER USE**

5 9 6

NOTE: This package is filled to proper weight, but variation in product density may cause varying fill levels in the box.

Protects Vegetables, Flowers & Lawns

- Resistant to rain & watering
- Goes further; Lasts longer

**DIRECTIONS FOR USE:**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONARY STATEMENTS AND DIRECTIONS.

If ground is dry, thoroughly water area to be treated. For best results, apply in the evening. Scatter the bullets around flowers, ornamental plants and lawn areas. Do not place bullets in piles. Apply one pound of bullets to each 1,250 sq. ft. Apply only to the soil surface around plants. Do not apply directly to foliage or other plant parts. See below for directions for use around fruits, berries, and vegetables. Always wear protective rubber gloves.

Bait areas likely to be infested at the beginning of the spring planting season before damage occurs. Treat every 3 to 4 weeks during the growing season, or as needed. During periods of high rainfall or frequent watering, it may be necessary to treat more often.

DEADLINE BULLETS are specially formulated to attract and control snails and slugs. The bullets are easy to use, clean to handle and economical. One pound will bait 1,250 sq. ft.

The presence of snails and slugs can be detected by their shiny mucous-like trail. They are night feeders and prefer damp, cool places in the ornamental garden, flowers, under boards or flower pots or piles of leaves and around fences, rocks, hedges and bushes.

**FRUIT, BERRIES AND VEGETABLES:** To control snails and slugs around the following fruits, berries and vegetables, apply to the soil surface around the plants. Do not contaminate edible parts. Thoroughly wash all parts used for food before eating.

Tree Fruits: Citrus, avocado, cherries, peaches, apricots, apples, pears.

Berries: Strawberries, blackberries, boysenberries, caneberrries, loganberries, raspberries.

Vegetables: Artichoke, asparagus, beans, beets, black-eyed peas, broccoli, brussel sprouts, cabbage, cantaloupe, carrots, cauliflower, celery, collards, corn, cowpeas, cucumbers, eggplants, endive, garlic, ginseng, horseradish, kale, kohlrabi, leeks, lettuce, melons, mustard greens, okra, onions, parsnips, peas, peppers, pimientos, potatoes, pumpkins, radishes, rhubarb, rutabagas, salsify, shallots, spinach, squash, sweet potatoes, swiss chard, tomatoes, turnips, watermelons.

**FLOWERS AND ORNAMENTALS:** Apply to soil surface around following plants: azaleas, begonias, carnations, chrysanthemums, daffodils, dahlias, daisies, geraniums, honeysuckle, hydrangeas, ice plants, impatiens, iris, marigolds, pansies, petunias, rhododendrons, roses, snapdragons, sweet peas, tulips.

NOTE: When setting out transplants, sprinkle a few bullets around each plant after watering. These new soft, succulent plants are very tempting to foraging snails and slugs for the first few weeks after planting.

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.

**STORAGE AND DISPOSAL**

**STORAGE:** Do not contaminate water, food or feed by storage or disposal. Use product only from original container and keep in locked storage area away from children and pets. Do not store near food, feed, fertilizers, other pesticides or seeds. Store in a cool dry place, away from sunlight, in original container.

**PESTICIDE DISPOSAL:**

Product - Partially filled carton may be disposed of by securely wrapping original container in several layers of newspaper and discarding in trash.  
Container - Do not reuse carton. Discard carton in trash.

**IMPORTANT:** Keep bullets away from children, dogs and pets. Bait may be attractive to dogs. Confine pets during application to prevent them from believing they are being fed. Use and store under conditions where there will not be a hazard.

**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS & DOMESTIC ANIMALS**

**WARNING:** Harmful if swallowed. Avoid breathing dust. May cause eye irritation. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling. This pesticide may be fatal to dogs or other pets if eaten. Keep pets out of treated areas.

**ENVIRONMENTAL HAZARDS:** Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes.

**CONSUMER USE**

**KEEP OUT OF REACH OF CHILDREN  
WARNING**

**IL TREATMENT**

ching back of throat with finger. Do not induce  
nd get medical attention immediately.

tionary statements.

ying slugs and snails.

S are not easily dissipated by water.

INAL LP  
90083

l Pace International LP

**BEST AVAILABLE COPY**

6 96

# Deadline® Bullets

ACCEPTED  
with COMMENTS  
In EPA Letter Dated  
11/23/78

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act  
as amended, for the pesticide  
registered under EPA Reg. No.  
64864-2

## One Last Meal for Slugs & Snails

Patent No. 4,961,929

**ACTIVE INGREDIENT:**  
 Metaldehyde  
 (2, 4, 6, 8 - Tetramethyl-1, 3, 5, 7 - Tetraoxocyclo-octane) ..... 4%  
**INERT INGREDIENTS:** ..... 96%  
**TOTAL** ..... 100%

EPA REG. NO. 64864-2  
EPA EST. NO. 64864-WA-3

### AGRICULTURAL USE

**KEEP OUT OF REACH OF CHILDREN  
WARNING - AVISO**

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle.  
(If you do not understand this label, find someone to explain it to you in detail.)

### CONSUMER USE

**KEEP OUT OF REACH OF CHILDREN  
WARNING**

### STATEMENT OF PRACTICAL TREATMENT

- || Swallowed: Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.
- || In Eyes: Flush eyes with plenty of water for at least 15 minutes and get medical attention immediately.
- || On Skin: Wash thoroughly with soap and water.

See side panel for additional precautionary statements.

#### EFFECTIVE

DEADLINE BULLETS excels at attracting and destroying slugs and snails.

#### LONG LASTING

Resistant to rain and watering. DEADLINE BULLETS are not easily dissipated by water.

## BEST AVAILABLE COPY

prod. by  
**PACE INTERNATIONAL LP**  
Kirkland, Washington 98063  
Made in U.S.A.

DEADLINE® is a registered trademark of Pace International LP

**NET CONTENTS:**

91593

NOTE: This levels in the

- Protects Veg
- Resistan
- Goes fur

**DIRECTI**  
It is a violati  
LABEL USE  
DIRECTION:

If ground is o  
bullets arou  
of bullets to e  
or other plant  
protective ru

Beit areas lik  
Treat every  
frequent wat

**DEADLINE I**  
easy to use.

The presenc  
and prefer de  
leaves and a

**FRUIT, BER**  
and vegetabl  
wash all part

Tree Fruits:

Berries: Str

Vegetables:  
cantaloupe, c  
ginger, hor  
peas, pepper  
squash, swe

**FLOWERS /**  
carnelias, cl  
plants, impat  
tulips.

NOTE: Whe  
soft, succul

NOTICE: Bu

**STORAGE**  
original con  
food, feed,  
original co

**PESTICID**  
Product-F  
layers of n  
Container

**IMPORTANT**  
pets during a  
where there

**WAF**  
Avoid  
handlin  
treatc

**ENVI**  
water t