

Diana M. Cochran
Pace International LP
P.O. Box 558
Kirkland, WA 98083

APR 25 1994

Dear Ms. Diana M. Cochran

Subject: Additional Crops
Deadline Bullets
EPA Registration No. 64864-2
Your resubmission of January 30, 1995

The amendment referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), sec. 3(c)(7)(A), is acceptable provided that you:

1. Submitted and/or cite all data required for registration/reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data.

2. Submit five (5) copies of your final printed labeling before you release the product for shipment.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product bearing the amended labeling constitutes acceptance of these conditions.

A stamped copy of the labeling is enclosed for your records.

Sincerely yours,

DHE

Dennis H. Edwards, Jr.
Product Manager (19)
Insecticide Rodenticide Branch
Registration Division (7505C)

Enclosure

293

EFFECTIVE

DEADLINE BULLETS excels at attacking and destroying slugs and snails.

LONG LASTING

Resistant to rain and watering. DEADLINE BULLETS are not easily dissipated by water.

DIRECTIONS FOR USE: AGRICULTURAL

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application.

For any requirements specific to your state or tribe, consult the agency responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR Part 170. This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, greenhouses and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), and restricted entry interval. The requirements in this box only apply to users of this product that are covered by the Worker Protection Standard. Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 12 hours. PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil or water, is

- Coveralls
- Shoes plus socks

NON-AGRICULTURAL USE REQUIREMENTS

The requirements in this box apply to uses of this product that are not within the scope of the Worker Protection Standard for agricultural pesticides (40 CFR Part 170). The WPS applies when this product is used to produce agricultural plants on farms, forest, nurseries or greenhouses.

This pesticide may be fatal to dogs or other pets if eaten. Keep pets out of treated areas.

Apply as a soil surface treatment. May be broadcast by air or ground equipment unless specified otherwise in the label. Use a band treatment between the rows after formation of edible parts. Do not contaminate edible portions of the plant. May be applied to the following crops to protect from slugs and snails.

- FIELD CROPS:** Cereal grains, corn, legumes, mint. Apply 10 to 40 lbs. per acre
- TOBACCO:** Field, greenhouse, lathehouse. Apply 12 to 40 lbs. per acre, or 1 lb. to 1,100 - 3,600 sq. ft.
- SEED CROPS:** Sugarbeets, flowers, grasses, vegetable and legume crops grown for seed. Apply 10 to 40 lbs. per acre
- VEGETABLES:** Asparagus, beans, beets, black-eyed peas, broccoli, brussel sprouts, cabbage, cantaloupe, carrots, cauliflower, celery, collards, corn, cowpeas, cucumbers, eggplants, endive, garlic, ginseng, horseradish, kale, kohlrabi, leeks, legumes, lettuce, melons, mustard greens, okra, onions, parsnips, peas, peppers, pimientos, potatoes, pumpkins, radishes, rhubarb, rutabagas, salsify, shallots, spinach, squash, sweet potatoes, swiss chard, tomatoes, turnips, watermelons. Apply 20 to 40 lbs. per acre
- ARTICHOKES:** By air or ground application before tight bud stage. Apply 25 to 70 lbs. per acre. After tight bud stage, apply by ground application only.
- TREE CROPS:** Citrus. Apply 20 to 40 lbs. per acre to give even distribution. Avocado, cherries, peaches, apricots, apples, pears, bananas, papaya. Apply 20 to 40 lbs. per acre
- SMALL FRUIT:** Blackberries, blueberries, boysenberries, caneberries, loganberries, raspberries, strawberries, grapes. Apply 10 to 40 lbs. per acre
- TURF & ORNAMENTALS:** Ornamental greenhouses, ornamental planting, commercial ornamental nurseries, ground covers, turfgrass areas and grasses grown for sod, dichondra, and around home and building foundations. Normally apply 1/2 to 2 lbs. per 1,000 sq. ft. Repeat treatment as necessary to maintain control.

DIRECTIONS CONTINUED ON RIGHT SIDE PANEL.

Deadline[®] Granules

One Last Meal for Slugs & Snails

Patent No. 4

ACTIVE INGREDIENT:

Metaaldehyde

(2, 4, 6, 8 - Tetramethyl-, 3, 5, 7 - Tetraoxycyclo-octane)

INERT INGREDIENTS:

TOTAL.....

EPA REG. NO. 64864-2

EPA EST. NO. 64864-WA-3

KEEP OUT OF REACH OF CHILDREN

WARNING - ADVISO

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle.

(If you do not understand this label, find someone to explain it to you in detail.)

STATEMENT OF PRACTICAL TREATMENT

If Swallowed: Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.

If In Eyes: Flush eyes with plenty of water for at least 15 minutes and get medical attention.

If On Skin: Wash thoroughly with soap and water.

See right side panel for additional precautionary statements.

2

393

Deadline[®] Granules

One Last Meal for Slugs & Snails

Patent No. 4,961,929

ACTIVE INGREDIENT:

| | |
|--|-------------|
| Metoldehyde | |
| (2, 4, 6, 8 - Tetramethyl-1, 3, 5, 7 - Tetraoxycyclo-octane) | 4% |
| INERT INGREDIENTS: | 96% |
| TOTAL | 100% |

EPA REG. NO. 64864-2

EPA EST. NO. 64864-WA-3

KEEP OUT OF REACH OF CHILDREN

WARNING - ADVISO

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle.
(If you do not understand this label, find someone to explain it to you in detail.)

STATEMENT OF PRACTICAL TREATMENT

- If Swallowed:** Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.
- If In Eyes:** Flush eyes with plenty of water for at least 15 minutes and get medical attention immediately.
- If On Skin:** Wash thoroughly with soap and water.

See right side panel for additional precautionary statements.

DIRECTIONS (continued)

For best results, apply in evening. Especially beneficial, if applied following rain or watering. Apply every 3 to 4 weeks during growing season, or as needed.

DO NOT APPLY DIRECTLY TO EDIBLE PORTION OF THE PLANT.

STORAGE AND DISPOSAL

Storage: Do not contaminate water, food, or feed by storage or disposal. Use product only from original container & keep in locked storage area away from children & pets. Do not store near food, feed, fertilizers, or other pesticides or seeds.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal: Completely empty bag into application equipment. Then dispose of empty bag in sanitary landfill or by incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS

WARNING

Harmful if swallowed. Avoid breathing dust. May cause eye irritation. Avoid contact with skin, eyes or clothing.

Personal Protective Equipment

- Applicators and other handlers must wear:
- Coveralls
 - Shoes plus socks

Follow manufacturer's instructions for cleaning and maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

When handlers use closed systems, enclosed cabs, or aircraft in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [(CFR 40 170 240 (d) (4-6)], the handler PPE requirements may be reduced or modified as specified in the WPS.

USER SAFETY RECOMMENDATIONS

- User should:
- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
 - Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

ENVIRONMENTAL HAZARDS: For terrestrial uses, do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters.

REGISTERED
WITH COMMENTS
in EPA Letter dated

DEADLINE[®] is a registered trademark of Pace International, Inc.

APR 25 1994

NET CONTENTS: 50 LBS.

45112894 WPS

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No.

64864-2

ing slugs and snails

re not easily dissipated by water

manner inconsistent with its labeling. Do not apply persons, either directly or through drift. Only protected

result the agency responsible for pesticide regulation.

REQUIREMENTS

and with the Worker Protection Standard, 40 CFR protection of agricultural workers on farms, forests, pesticides. It contains requirements for training, stance. It also contains specific instructions and about personal protective equipment (PPE), and only apply to users of this product that are covered allow worker entry into treated areas during the ad for early entry into treated areas that is permitted lives contact with anything that has been treated,

USE REQUIREMENTS

product that are not within the scope of the Worker FR Part 170; The WPS applies when this product st, nurseries or greenhouses

aten. Keep pets out of treated areas

air or ground equipment unless specified otherwise after formation of edible parts. Do not contaminate owing crops to protect from slugs and snails

Apply 10 to 40 lbs per acre
to 40 lbs per acre, or 1 lb to 1,100 - 3,600 sq ft and legume crops grown for seed. Apply 10 to 40

as, broccoli, brussel sprouts, cabbage, cantaloupe, cucumbers, eggplants, endive, garlic, ginseng, ions, mustard greens, okra, onions, parsnips, peas, parb rutabagas, salsify, shallots, spinach, squash, neions. Apply 20 to 40 lbs per acre
bud stage. Apply 25 to 70 lbs per acre. After tight

ve even distribution. Avocado, cherries, peaches, to 40 lbs per acre
caneberries, loganberries, raspberries, strawber-

imental planting, commercial ornamental nurseries, sad, dillanora, and around home and building sq ft. Repeat treatment as necessary to maintain

ON RIGHT SIDE PANEL.

90