

PM 04

64864-2

10/28/98

pg 125

Label Text for EPA Reg. No. 64864-2, Consumer and Agricultural Use

Deadline Bullets

ACTIVE INGREDIENT:

Metaldehyde (2,4,6,8-Tetramethyl-1,3,5,7-Tetraoxocyclo-octane).....4.0%

INERT INGREDIENTS.....96.0%

Total.....100.0%

EPA REG. NO. 64864-2

EPA EST. NO. 64864-WA-2

NEW! Excels at Destroying Slugs & Snails

Contains a Patented formula! Patent No. 4,961,929

Protects Vegetable, flowers & Lawn

Long Lasting: Remains effective after rain and watering

Permission to use the Mr. Yuk symbol given by Children's Hospital of Pittsburgh

Convenient Handle with Sprinkle Lid

27% Greater Active Ingredient Than Deadline Force I

Effective: Excels at attracting and destroying slugs and snails

Long Lasting: Resistant to rain and watering.

Not easily dissipated by water

Easy-to-Use, Easy-to-Store

Dust Free Meal

Slug & Snail Killer

Easy Grab & Pour

Goes further, Lasts longer

The Garden Defender

Covers 5000 Square Feet

One Last Meal for Slugs & Snails

Resistant to rain & watering

Keep Out Of Reach Of Children

CAUTION

This pesticide may be fatal to children and dogs, or other pets if eaten. Keep children and pets out of treated areas.

See side/back panel for additional precautionary statements.

STATEMENT OF PRACTICAL TREATMENT:

If Swallowed: Do not induce vomiting. Seek medical assistance immediately.

If in eyes: Flush eyes with plenty of water for at least 15 minutes and get medical attention immediately.

If on skin: Wash thoroughly with soap and water.

Deadline® is a Registered Trademark of PACE INTERNATIONAL LP.


Manufactured By: PACE INTERNATIONAL LP, 500 7th Ave. S., Kirkland, WA 98033

Made in USA

Net Weight:

061198

G:\Label\EPA\64864-2 label text.doc



Label Text for EPA Reg. No. 64864-2, Consumer and Agricultural Use

CONSUMER USE TEXT

This package is filled to proper weight but variation in product density may cause varying fill levels in the container.

Directions for Use

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH LABEL PRECAUTIONARY STATEMENTS AND DIRECTIONS.

This product's patented fast-acting, dust-free formula has a powerful attractant that helps kills slugs and snails. This product is tough on slugs yet can be used around fruits and vegetables. Apply this product around your new plants, especially tender shoots slugs and snails like best. Scatter around the perimeter of your garden to keep slugs and snails from taking up residence.

This product is specially formulated to attract and control snails and slugs. This product is easy to use, clean to handle and economical. One pound will bait 1,250 sq. ft.

The presence of snails and slugs can be detected by their shiny mucous-like trail. They are night feeders and prefer damp, cool places in the ornamental garden, flowers, under boards or flower pots or piles of leaves and around fences, rocks, hedges and bushes.

Bait (apply this product to) areas likely to be infested at the beginning of the spring planting season before damage occurs and as need during periods of damp weather. Treat every 3 to 4 weeks during the growing season, or as needed. During periods of high rainfall or frequent waterings, it may be necessary to treat more often.

If ground is dry, thoroughly water areas to be treated. For best results, apply in the evening. Scatter the meal around flowers, ornamental plants, vegetable gardens, and lawn areas. Do not place meal in piles. Apply one pound of meal to each 1,250 sq. ft. Apply only to the soil surface around plants. Do not apply directly to plants. Do not mix with any seeds prior to application. See below for directions for use around fruits, berries and vegetables. Always wear protective rubber gloves.

FRUITS, BERRIES AND VEGETABLES: To control snails and slugs around the following fruits, berries and vegetables, apply to the soil surface around the plants. Do not contaminate

edible parts. Thoroughly wash all parts used for food before eating.

VEGETABLE GARDENS: Scatter this product on soil around/between berry and vegetable plants.

FLOWERS AND LAWNS: Flip up spout and scatter around flower beds and lawn edges. Apply any time, but preferably in early evening. Repeat applications as needed.

This product can be used on the following crops:

Tree Fruits: avocado, apples, apricots, cherries, citrus, peaches, pears.

Berries: cane berries, blackberries, blueberries, boysenberries, loganberries, raspberries, strawberries.

Vegetables: Artichoke, asparagus, beans, beets, black-eyed peas, broccoli, brussels sprouts, cabbage, cantaloupe, carrots, cauliflower, celery, collards, corn, cowpeas, cucumbers, eggplants, endive, garlic, ginseng, horseradish, kale, kohlrabi, leeks, lettuce, melons, mustard greens, okra, onions, parsnips, peas, peppers, pimentos, potatoes, pumpkins, radishes, rhubarb, rutabagas, salsify, shallots, spinach, squash, sweet potatoes, swiss chard, tomatoes, turnips, watermelons.

FLOWERS AND ORNAMENTALS: Apply to soil surface around following plants: azaleas, begonias, camellias, chrysanthemums, daffodils, dahlias, daisies, geraniums, honeysuckle, hydrangeas, ice plant, impatiens, iris, marigolds, pansies, petunias, rhododendrons, roses, snapdragons, sweet peas, tulips.

NOTE: When setting out transplants, sprinkle the meal around each plant after watering. These new soft, succulent plants are very tempting to foraging snails and slugs for the first few weeks after planting.

See back/side panel for **Storage and Disposal** instructions.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION: Harmful if swallowed. Avoid breathing dust. May cause eye irritation. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling. This pesticide may be fatal to children and dogs or other pets if eaten. Keep children and pets out of treated areas.

IMPORTANT: Keep product away from children, dogs and pets. Bait may be attractive to dogs. Confine pets during application to prevent them from believing they are being fed.

Label Text for EPA Reg. No. 64864-2, Consumer and Agricultural Use

Use and store under conditions where there will not be a hazard.

ENVIRONMENTAL HAZARDS: Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes.

STORAGE AND DISPOSAL

STORAGE: Do not contaminate water, food or feed by storage or disposal. Use product only from original container and keep in locked storage area away from children and pets. Do not store near food, feed, fertilizers, other pesticides or seeds. Store in a cool dry place away from sunlight, in original container.

PESTICIDE DISPOSAL:

Product - Partially filled container may be disposed of by securely wrapping original container in several layers of newspaper and discarding in trash. Dispose of any spills or piles that may occur. Do not leave excess product at application sites.

Container - Do not reuse container. Discard container in trash.

NOTICE: Buyer/User assumes all responsibility for safety and use not in accordance with label directions.

Use Directions for Terminator Turtle® Snail & Slug Killing System Deadline® Granules Bait Tray

CAUTION: This pesticide may be fatal to children and dogs or other pets if eaten. Keep children and pets away while replacing Bait Tray.

EPA Est. No. 70640-WA-1

INSTRUCTIONS

See outer box or insert for complete Directions for Use.

CAUTION: Harmful if swallowed. Avoid breathing dust. May cause eye irritation. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling. This pesticide may be fatal to children and dogs or other pets if eaten. Keep children and pets away while replacing Bait Tray.

IMPORTANT: Keep Bait away from children, dogs and pets. Bait may be attractive to dogs. Confine pets while replacing Bait Tray to prevent them from believing they are being fed. Use and store under conditions where there will not be a hazard.

PESTICIDE DISPOSAL

Securely wrap used or empty Bait Trays in several layers of newspaper and discard in trash. Do not reuse trays.

Deadline Granules Bait Tray Refill (Outer Box)

NOTE: Always open the Turtle, discard the used Bait Tray and install a new Deadline Granules Bait Tray out of doors away from living areas and clean up any bait residue.

Instructions for Replacing Used Deadline Granules Bait Trays

1. Remove the hitch pin from the fastener peg on the Turtle's tail and remove the Turtle shell.
2. Pick up the Turtle and hold it upside down over a paper bag or newspaper.
3. Push a nail, pencil or other pointed object through one of the small holes in the bottom of the Turtle and punch the used tray out into the paper/bag. Fold up the paper/bag and discard it in the garbage.
4. If the Turtle is dirty, rinse it off with a garden hose.
5. Remove a new Deadline Granules Bait Tray from this box and insert it into the indented section in the Turtle base. Press the tray down until it snaps into place.
6. Remove (and dispose of) the Bait Tray's peel-back cover to expose the bait, then close the Turtle shell, insert the hitch pin, and redeploy the Turtle in your garden.

Label Text for EPA Reg. No. 64864-2, Consumer and Agricultural Use

continued

AGRICULTURAL TEXT

CAUTION - CUIDADO

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand this label, find someone to explain it to you in detail.)

DIRECTIONS FOR USE: AGRICULTURAL

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application.

For any requirements specific to your state or tribe, consult the agency responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR Part 170. This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, greenhouses and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), and restricted entry interval. The requirements in this box only apply to users of this product that are covered by the Worker Protection Standard. Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 12 hours. PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil or water, is:

- Long sleeved shirt and long pants
- Shoes plus socks

NON-AGRICULTURAL USE REQUIREMENTS

The requirements in this box apply to uses of this product that are not within the scope of the Worker Protection Standard for agricultural pesticides (40 CFR Part 170). The WPS applies when this product is used to produce agricultural plants on farms, forest, nurseries or greenhouses. This pesticide may be fatal to

children, dogs or other pets if eaten. Keep children and pets out of treated areas.

Apply as a soil surface treatment. May be broadcast by air or ground equipment unless specified otherwise in the label. Use a band treatment between the rows after formation of edible parts. Do not contaminate edible portions of the plant. Do not mix with any seeds prior to application. May be applied to the following crops to protect from slugs and snails.

FIELD CROPS: Cereal grains, corn, legumes, mint: Apply 10 to 40 lbs. per acre.

TOBACCO: Field, greenhouse, lathehouse: Apply 12 to 40 lbs. per acre, or 1 lb. to 1,100 - 3,600 sq. ft.

SEED CROPS: Sugarbeets, flowers, grasses, vegetable and legume crops grown for seed: Apply 10 to 40 lbs. per acre.

VEGETABLES: Asparagus, beans, beets, black-eyed peas, broccoli, brussel sprouts, cabbage, cantaloupe, carrots, cauliflower, celery, collards, corn, cowpeas, cucumbers, eggplants, endive, garlic, ginseng, horseradish, kale, kohlrabi, leeks, legumes, lettuce, melons, mustard greens, okra, onions, parsnips, peas, peppers, pimentos, potatoes, pumpkins, radishes, rhubarb, rutabagas, salsify, shallots, spinach, squash, sweet potatoes, swiss chard, tomatoes, turnips, watermelons: Apply 20 to 40 lbs. per acre.

ARTICHOKES: By air or ground application before tight bud stage: Apply 25 to 70 lbs. per acre. After tight bud stage, apply by ground application only.

TREE CROPS: Citrus: Apply 20 to 40 lbs. per acre to give even distribution. Avocado, cherries, peaches, apricots, apples, pears, bananas, papaya: Apply 20 to 40 lbs. per acre.

SMALL FRUIT: Blackberries, blueberries, boysenberries, caneberrries, loganberries, raspberries, strawberries, grapes: Apply 10 to 40 lbs. per acre.

TURF & ORNAMENTALS: Ornamental greenhouses, ornamental planting, commercial ornamental nurseries, ground covers: turfgrass areas and grasses grown for sod; dichondra; and around building foundations: Normally apply 1/2 to 2 lbs. per 1,000 sq. ft. Repeat treatment as necessary to maintain control.

For best results, apply in evening. Especially beneficial, if applied following rain or watering. Apply every 3 to 4 weeks during growing season, or as needed.

Label Text for EPA Reg. No. 64864-2, Consumer and Agricultural Use

DO NOT APPLY DIRECTLY TO EDIBLE PORTION OF THE PLANT. DO NOT MIX WITH ANY SEEDS PRIOR TO APPLICATION.

ENVIRONMENTAL HAZARDS: For terrestrial uses, do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters.

STORAGE AND DISPOSAL

Storage: Do not contaminate water, food, or feed by storage or disposal. Use product only from original container & keep in locked storage area away from children & pets. Keep container tightly closed when not in use. Do not store near food or feed.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. Dispose of any spills or piles that may occur. Do not leave excess product at application sites.

Container Disposal: Completely empty bag into application equipment. Then dispose of empty bag in sanitary landfill or by incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS
CAUTION

Harmful if swallowed. Avoid breathing dust. May cause eye irritation. Avoid contact with skin, eyes or clothing. This pesticide may be fatal to children and dogs or other pets if eaten. Keep out of reach of children and pets, poultry and livestock. Keep children, dogs and other pets out of treated areas.

Personal Protective Equipment

Applicators and other handlers must wear:

- Long sleeved shirt and long pants
- Shoes plus socks

Follow manufacturer's instructions for cleaning and maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

When handlers use closed systems, enclosed cabs, or aircraft in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [(CFR 40 170.240 (d) (4-6)], the handler PPE requirements may be reduced or modified as specified in the WPS.

USER SAFETY RECOMMENDATIONS

User should:

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.