

JUN 10 1988

4389-70

PM 32 64864 9

MASTER CAX

588

Heavy Duty Cleaner-Sanitizer-Deodorizer For Food Plants

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

PRE-CLEANING:

1. Remove gross food particles and soil by a pre-rinse, or pre-scrape and when necessary, a pre-soak treatment.
2. Thoroughly clean surfaces or objects by applying detergent use-solution or compatible cleaner followed by a potable water rinse before applying the sanitizing solution.

SANITIZING & DEODORIZING:

To sanitize table tops, equipment, walls and floors in food plants, institutions, hotels, schools, hospitals and public places.

1. Apply MASTER CAX use-solution with cloth, sponge, brush, mop, or sprayer, so as to thoroughly wet all surfaces.
2. Allow to remain wet for a minimum 10 minute contact time, for maximum sanitizing benefit.
3. Drain the use-solution from the surface and let air dry.
4. Fresh sanitizing solution must be prepared at least daily, or more often if the solution becomes diluted or soiled.

Application	Use-solution Concentration	Available Chlorine
General cleaning of equipment & floor	1/3 oz per gal	15.0 ppm
Cleaning heavily soiled areas	2 oz per gal	100.0 ppm
Deodorizing & Sanitizing	2 oz per gal	100.0 ppm

STORAGE AND DISPOSAL

STORAGE: Do not contaminate water, food, or feed by storage or disposal. Store in a dry place. Small spills may be diluted with large volumes of water and flushed to sewer. Large spills, sweep up.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Completely empty liner by shaking & tapping sides and bottom to loosen clinging particles. Empty residue into application equipment. Then dispose of liner in a sanitary landfill or by incineration if allowed by state and local authorities. If drum is contaminated and cannot be reused dispose of it in the same manner.

EPA REG. NO. 4389-70

EPA EST. NO. 4389-WA-1

ACTIVE INGREDIENTS:

Sodium dichloro-s-triazinetrione 1%

INERT INGREDIENTS 99%

Net Density 8.416/gal TOTAL ... 100%

KEEP OUT OF REACH OF CHILDREN

DANGER

STATEMENT OF PRACTICAL TREATMENT

If swallowed: Give large quantities of water or milk. Call a physician immediately.

If in eyes: Flush with plenty of water for at least 15 minutes, then get medical attention.

If on skin: Remove clothing, wash thoroughly with soap and water. If irritation persists see a physician. Do not reuse clothes until washed.

See additional precautionary statements on right side panel.

FOR INDUSTRIAL USE ONLY

PRODUCT OF USA

NET CONTENTS:

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER

Causes skin and eye damage. May be fatal if swallowed. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Irritation to nose and throat. Avoid breathing dust. Remove and wash contaminated clothing before reuse.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not discharge into lakes, streams, ponds, or public waters unless in accordance with an NPDES permit. For guidance contact your regional office of EPA.

PHYSICAL AND CHEMICAL HAZARDS

Strong oxidizing agent. Mix only with water. Use clean utensils. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction leading to fire or explosion. Contamination with moisture, organic matter or other chemicals may start a chemical reaction with generation of heat, generation of hazardous gases and possible generation of fire explosion. In case of contamination or decomposition do not reseal container. If possible isolate container in open air or well-ventilated area. Flood with large volume of water if necessary.