Under the Federal Inserticide. Fungicide, and Rodenitaide Act, on amended for the posticide registered ander ander 80.4-39

# RA-SPRAY COP

COMPOSITION
Active Ingredients: (% by weight)
Basic Copper Suitate*27.4%
Inert Ingredients:
Phosphoric Acid (P2O5 available) 10.8%
Zinc (expressed as metallic
equivalent)
Other56.4%
Total100.0%

# KEEP OUT OF REACH OF CHILDREN

CAUTION
STATEMENT OF PRACTICAL TREATMENT
IF SWALLOWED: Drink promptly a large
quantity of milk, agg whites or gelatin solu-tion. If not available, drink large amounts of
water. Avoid alcohol. Calls physician imme-diately.

clately.

If IN EYES: Flush eyes with plenty of water for at least 15 minutes. Call a physician.

IF ON SKIN: Wash with plenty of water, for at least 15 minutes. Call a physician if inflation.

persists. IF INHALED; and abnormal symptoms de-

### PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

AND DOMESTIC ANIMALS
CAUTION
Harmful if swallowed. Avoid breathing dust.
Avoid contact with skin, eyes or cichting. Incase of contact immediately flush eyes or skin with plenty of water. May cause skin sensitization in certain individuals, Keep away from domestic avoidment.

Certain statement and animals.
PERSONAL PROTECTIVE EQUIPMENT Applicators and Other Handlersjother than mixers and loaders) Must Wear. A long-sleeved shirt & long parts; waterproof gloves; than the profes.

sleeved shirt & long parts; waterproof gloves; shoes plus socks.

Mixers and Loaders Must Wear. A long-sleeved shirt and long parts; waterproof gloves; shoes plus socks; profective eyewear.

Follow manufacturer's instructions for cleaning and maintaining PPE, it no such instructions for water. Keep and wash PPE separately from other laundry.

#### USER SAFETY RECOMMENDATIONS

Jsers should:

Wash hands before eating, chinking, chewing gum, using tobacco, or using the toilet.

Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

ENVIRONMENTAL HAZAROS ENVIRONMENTAL HAZARDS
This pesticide is toxic to fish and aquatic organisms. For lemsstriatuses, do not apply directly to water, or to areas where surface water is present or to intentiatal areas below the mean high water mark. Drit and most from treated areas may be hazardous to fast and aquatic organisms in adjacent aquatic sites. Do not contaminate water when disposing of aquipment washwaters.

DIRECTIONS FOR USE It is violation of Federal Law to use this product in a manner inconsistent with its labeling.

Do not apply this product through any type of

Do not apply this product in a way that will contact Do not apply this product in a way that we consuct workers or other persons, sither directly or through drift. Only protected hundlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for posticide regulation.

AGRICULTURAL USE REQUIREMENTS AGRICULTURAL USE REQUIREMENTS Uses this product only in accordance with its labeling and with the Worter Protection Standard, 40 CFR Part 170. This Standard contains requirements for the protection of agricultural pestides, to ontains requirements for the protection of agricultural pestides, Koontains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this boot personal protective equipment (PPE), and restricted-entry litervals. The requirements in this box ontains apply to use of this product that are covered by the Worker Protection Standard. On not enter or allow worker entry into

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 24 hours.

rd and that involves contact with anything that has been treated, such as plants, soil, or water, is:

- waterproof glove
- shoes plus socks

NUTRA-SPRAY COPOPHOS is designed as a general fungicide for use on citrus in copper sensitive areas. Also recommended for use as a tree deficiency spray where the elements are the recognized deficiencies.

NOTE: In areas where there may be a severe amog, add 1 lb. of time per 100 gations of finished spray as an additional precaution.

## USE DIRECTIONS

FUNGICIDE USES
Follow use directions below for specific crop applications. If conditions favor disease inches a condition of disease inches and disease inches a condition of disease inches and disease in dence, or ev rates should be used

rates should be used.

FOR ALL CITRUS VARIETIES:
BROWN ROT: Use 3-5 bs. COPOPHOS per 180 gallons of water. Spray skirts of trees from the ground up to 3-4 test kigh in late fall as a preventative, or when disease first appears. Use up to 6 gallons of spray per tree. In addition, spray 2-4 gallons on the trurk and ground under the tree. Apply 15-50 bs. COPOPHOS per acre. A second application may be advisable in unusually wet winters.

SEPTORIES - En rescholar control experies to the fall.

SEPTORIA: For septoria control apply in late fall as a preventative, or when disease first appears. Thoroughly wet all surfaces of the entire tree with 3-4 bs. COPOPHOS per 100 gallons of water\_Donot exceed 85 bs. of COPOPHOS per

acre. May also be applied as a dust by air or ground duster at the rate of 20-50 top, per acre,

#### MICRONUTRIENT USES

The lottowing applications should be made when nutrient deficiency is detected or when cuttured practices indicate that such applications are beneficial. Nutrient applications should be repeated it crops confine to show deficiencies 14 days after the initial treatment.

CAYS are the mass insulinest.

FOR MINOR ELEMENT SPRAY ON CITRUS, AVOCADOS, DECIDUOUS FRUIT AND NUTTREES AND ORNAMENTALS: Apply COPOPHOS at the rate of 5-30 fbs, per acre in 10-20 galkons of water by one one first sprayer. By conventional ground rig. use 2-7 fbs, per 100 gallons of water.

SPDE ANDESS. A Sprayer, Styles in applications. SPREADERS: A Spreader-Sticker is recom-mended with this product.

COMPATIBILITY: NUTRA-SPRAY COPOPHOS when used without lime, is com-patible with phosphate and chlorinated hydrocarbon insecticides and miticides.

ALTENTION: Maintain adequate agitation at all times. Do not use COPOPHOS in acidic apray solutions or with Leffingues STABILIZED IRON or SORBA-SPRAY products since lajony from excessive soluble copper may result. NOTE: This product contains zinc and should be sectionly as recommended, it may prove harm ful to cross when misused.

#### STORAGE AND DISPOSAL

STORAGE AND UISHUSAL STORAGE: Sove product has excurption and keep product day. Spiled product should be swept up, used if clean, or disposed of on site and for wester resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. Sove product only in nightal container, During storage, store pesticides separately to prevent.

storage, store pesticides separately to prevent cross-contamination of other pesticides, fertilizers, food and feed.

DISPOSAL: Do not contaminate water food or DISHOSAL: Do not contaminate valer, food or seed by storage or disposal. Do not reuse this container. Completely empty beg into application equipment. Then dispose of empty bag in a sanitary landfli orby incineration, or if allowed by Sake and local authorities, by bumling, if burned,

NOTICE TO BUYER — Our recommendations for use of the product are based upon tests believed to be related. The use of this product being beyond control of the medical parties of this product being beyond control of the medical as to the efficient of such made as to the efficient of such test or the treatile to be obtained if not used in accordance who privide discordance and established ester parties of displayment of the product Buyer must assume of the product of the product Buyer must assume or its creation use in combination with other mulicifals. These stacks include to all one of the control physical appearance, englor personal injury, Buyer accept the product or must execute conditions must return the product in its unopersed conteiner within 5 days followed the recording the product. Saler will then promptly returnd the purchase price.

LEFPRIGWELL & NUTRA-SPRAY are Regi marks of Pace International LP OCcepylight 1993, Pace International LP 97

EPA PEG, NO. \$4854-29 EPA EST, NO. \$4864-WA-1

NET WEIGHT 50 POUNDS (22.68 kg)

FINGWE

PACE INTERNATIONAL LP • 500 SEVENTH AVENUE SOUTH KIRKLAND, WA 98033 • USA • (206) 827-8711

Nutra-Spray Copophos 50# 031297

3/13/97, 5:19 PM