

64864-47

9/25/2002

1/1

Label text for EPA Reg. No. 64864-47

Shield-Brite® TBZ

A FUNGICIDE FOR POST-HARVEST TREATMENT OF APPLES & PEARS, CARROTS, CITRUS FRUITS AND POTATOES

Active Ingredient:

2-(4-thiazolyl)-benzimidazole (TBZ).....99.5%

Inert Ingredients:.....0.5%

Total.....100.0%

EPA Reg.No. 64864-47

EPA Est.No. 64864-WA-01

Keep Out of Reach of Children

CAUTION

FIRST AID	
Have the product container or label with you when calling a poison control center or doctor, or going for treatment.	
If swallowed	<ul style="list-style-type: none"> Call a poison control center or doctor immediately for treatment advice. Do not give any liquid to the person. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
If on skin or clothing	<ul style="list-style-type: none"> Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 - 20 minutes. Call a poison control center or doctor for treatment advice.
If in eyes	<ul style="list-style-type: none"> Hold eye open and rinse slowly and gently with water for 15 - 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
If inhaled	<ul style="list-style-type: none"> Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.

PRECAUTIONARY STATEMENTS

Hazards to humans and domestic animals:

Harmful if swallowed, inhaled or absorbed through the skin. Causes moderate eye irritation. Avoid contact with skin, eyes and clothing. Avoid breathing dust. Wear chemical resistant gloves and protective clothing when handling. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

Personal Protective Equipment (PPE)

Applicators and other handlers must wear:

- Long-sleeved shirt
- Long pants
- Chemical resistant gloves
- Shoes plus socks
- NIOSH-approved respirator with any N, R, P or HE filter

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove PPE immediately after handling this product. Wash outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of National Pollutant Discharge Elimination Systems (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

APPLES & PEARS: Post-harvest control of *Botrytis* and *Penicillium* Rots. Dilute 212 g Shield-Brite TBZ in 55 gal. of apple wax to yield 1000 ppm TBZ. Spray suspension full strength at a rate of 1 gal per 8,000-10,000 pounds of fruit. Agitate wax suspension during application.

CARROTS: Post-harvest control of *Botrytis* Gray Mold and *Sclerotinia* Rot. Dilute 212 g TBZ per 37.3 gal. water (1500 ppm) and apply before storage as an aqueous dip for up to 10 minutes. Replenish dip suspension when volume is too low or when it becomes dirty.

CITRUS FRUITS: Post-harvest control of *Penicillium* Molds and Stem End Rot. In AZ and CA, dilute up to 212 g Shield-Brite TBZ per 11 gal. of citrus wax (5000 ppm) and apply a single application of 1 gal. wax suspension / 3500 lbs fruit. Agitate wax suspension during application. In FL and TX, 2 sequential applications may be applied: First, dilute up to 212 g TBZ per 55.3 gal. water (1000 ppm) and apply as an aqueous dip for up to 3 minutes before de-greening. Replenish dip suspension when volume is too low or when it becomes dirty. After de-greening and washing, mix 212 g TBZ in 55 to 15.7 gal. citrus wax (1000-3500 ppm) and apply 1 gal. wax suspension / 3500 lbs fruit.

POTATOES: Post-harvest control of *Fusarium* Tuber Rot. Before storage, mist unwashed tubers on a conveyor line with tumbling action, using 5.68 g TBZ per 2000 lbs tubers in sufficient water for complete coverage. If needed before shipping, tubers may be retreated after at least 30 days storage, using either a 2nd mist as described above or a 20 second dip of 5.68 g TBZ per gal. water. Replenish dip suspension when volume is too low or when it becomes dirty.

For Seedpiece Potatoes, mist unwashed tubers before storage as described above. DO NOT retreat. DO NOT treat after cutting. Shield-Brite TBZ should be used as part of an Integrated Management Program for potatoes, which includes prevention of bruising during harvest and maintaining proper storage temperatures and relative humidity. Neither cultural practices nor TBZ treatment will prevent *Fusarium* infection if potatoes are damaged or improperly stored.

STORAGE & DISPOSAL


Do not contaminate water, food or feed by storage or disposal. Store in a cool, dry place.

Pesticide Disposal: - Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal: - Completely empty foil bag into application equipment by shaking and tapping sides and bottom to loosen clinging particles. Dispose of foil bags and outer case in a sanitary landfill or by incineration, or, if allowed by State and local Authorities, by burning. If burned, stay out of smoke.

Shield-Brite is a registered trademark of Pace International, LLC
SKU: A-SBTBZX-AA0-212GR
FoilBag,042502 Draft First Aid/NewCrops

Net Weight: 212 grams



1011 Western Ave. Suite 505
Seattle, WA 98104
PHC'NE 800-936-6750
FAX 800-936-6758